



FREUDENBERG Oil Seal type B2

Characteristics

Norm design: DIN 3760-C

Material lip: NBR

Material surface: Metal

Shaft diameter	Housing diameter	Article
mm	mm	Max. 200 articles in the table
15	42	11293848
20	40	11293726
22	40	11293725
25	47	11293639
25	52	11295429
30	47	11293723
30	50	11293638
32	50	11293722
34	52	11293847
35	50	11293637
35	52	11293636
35	52	11293635
35	55	11293825
35	56	11293721
35	60	11293846
35	62	11293634
38	55	11295426
38	62	11293632
38	72	11293720
40	62	11293631
40	62	11293630
40	70	11293845
40	72	11293811
40	80	11293558
42	62	11293719
42	62	11293718
42	65	11295434
44	62	11293717
45	60	11293629
45	62	11293716
45	65	11293628
45	65	11293627
45	68	11293824
45	70	11293714
45	72	11293626
45	72	11295437
45	80	11293713
48	80	11293712
50	65	11293711
50	68	11293710
50	70	11293625
50	70	11293624
50	72	11293623

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Shaft diameter	Housing diameter	Article
mm	mm	Max. 200 articles in the table
50	72	11293622
50	75	11293621
50	80	11293620
50	90	11293709
54	80	11293843
55	72	11293619
55	75	11293618
55	80	11293707
55	85	11293706
55	85	11293822
58	80	11293704
60	80	11293617
60	80	11293616
60	85	11293615
60	85	11293613
60	90	11293612
60	90	11293611
62	85	11293702
62	85	11293697
64	90	11293821
65	85	11293609
65	100	11293701
65	100	11293842
65	100	11293696
68	90	11293841
68	100	11293695
70	90	11293606
70	90	11293605
70	90	11293604
70	95	11295456
70	95	11295504
70	100	11293603
70	110	11293820
72	90	11293700
72	90	11293694
72	95	11293699
72	100	11293698
74	100	11295458
75	95	11293602
75	95	11293601
75	100	11293600
75	100	11293599
75	110	11293693
78	95	11293840
78	100	11293839
78	110	11293819
80	100	11293598
80	100	11293597
80	105	11293650
80	110	11293692
80	120	11293818
80	125	11293691
82	105	11293690

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Shaft diameter	Housing diameter	Article
mm	mm	Max. 200 articles in the table
85	105	11293689
85	110	11293596
85	120	11293688
85	130	11293687
88	110	11293669
90	110	11293838
90	110	11293595
90	115	11293837
90	120	11293594
90	130	11293817
90	140	11293836
95	115	11293589
95	120	11293588
95	125	11293678
95	130	11293686
100	120	11293593
100	120	11293677
100	125	11293649
100	130	11293648
100	140	11293685
102	130	11295505
105	125	11293684
105	130	11293683
105	140	11293676
105	150	11293835
108	130	11293816
110	130	11293587
110	140	11293586
110	150	11293585
112	140	11293834
114	140	11293682
115	140	11293647
115	150	11293815
118	140	11293833
120	140	11293646
120	150	11293584
120	150	11293583
125	150	11293645
130	155	11293668
130	160	11293675
130	160	11293582
135	160	11293644
135	165	11293681
135	170	11293674
140	165	11293667
140	170	11293643
140	170	11293581
140	180	11293744
145	170	11293673
145	170	11293666
145	180	11293665
148	170	11293664
150	170	11293557

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Shaft diameter	Housing diameter	Article
mm	mm	Max. 200 articles in the table
150	180	11293552
150	180	11293663
155	180	11293832
155	190	11293813
158	180	11293672
160	190	11293831
160	190	11293662
160	200	11293661
165	190	11293660
170	200	11293659
170	200	11293553
180	200	11293671
180	210	11293658
180	215	11293657
180	220	11293743
185	215	11293656
190	215	11293655
190	220	11293577
190	230	11293830
195	230	11293829
200	230	11293654
200	250	11293742
210	240	11293828
210	250	11293556
220	250	11293555
225	250	11293827
225	270	11293812
230	260	11295501
230	270	11293741
240	270	11295899
240	280	11293740
250	280	11293739
250	290	11293826
260	290	11293653
260	300	11293738
260	310	11293652
270	310	11293737
280	310	11295495
290	330	11293551
300	332	11293731
300	335	11293736
315	355	11295506
320	360	11293730
340	380	11295897
360	400	11293735
360	400	11295509
380	420	11293734
390	430	11293733
420	460	11293728
467	510	11295507

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.