



Flange gasket A CU

Characteristics

Material: Copper

Inner diameter mm	Outer diameter mm	Thickness mm	Article
4	7	1	10003124
4	8	1	10003126
5	9	1	10003128
5.5	8	1	10003127
6	10	1	10003130
6	11	1	10003131
6	12	1	10003133
6.2	17.5	2	10003157
7	13	2	10003136
8	11.5	1	10003132
8	12	1	10003134
8	12	1.5	10003135
8	13	1	10003137
8	14	1	10003139
8	14	1.5	10003140
8	14	2	10003141
8	18	2	10003158
9	14	1	10003142
10	13.5	1	10003138
10	14	1	10003143
10	15	1	10003146
10	15	1.5	10003147
10	16	1	10003149
10	16	1.5	10003150
10	18	1	10003159
10	21	2	10003180
11.5	14.5	1	10003145
11.5	24	1	10068487
12	15.5	1.5	10003148
12	16	1	10003151
12	16	1.5	10003152
12	16	2	10003153
12	17	1.5	10003154
12	18	1	10003161
12	18	1.5	10003162
12	20	1.5	10003174
13	17	1.5	10003155
13	18	1	10003163
13	18	1.5	10003164
13	18	2	10003165
13	19	1	10003169
14	18	1	10003166
14	18	1.5	10003167

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Inner diameter	Outer diameter	Thickness	Article
mm	mm	mm	
14	18	2	10003168
14	19	1.5	10003171
14	20	1	10003175
14	20	1.5	10003176
14	20	2	10003177
14	22	1	10003187
14	22	1.5	10003188
15	19	1.5	10003172
16	20	1	10003178
16	20	1.5	10003179
16	21	1	10003181
16	21	1.5	10003182
16	21	2	10003183
16	22	1.5	10003189
16	24	1.5	10003195
16	25	1.5	10003202
17	21	1.5	10003184
17	21	2	10003185
17	22	1.5	10003190
17	23	1.5	10003193
17	24	1.5	10003196
17	25	1	10003203
17	25	2	10003204
18	22	1	10003191
18	22	1.5	10003192
18	23	1.5	10003194
18	24	1	10003197
18	24	1.5	10003198
18	24	2	10003199
19	24	1	10003200
20	26	1.5	10003205
20	28	1	10003216
21	26	1	10003206
21	26	1.5	10003207
21	27	1	10003210
21	27	1.5	10003211
21	27	2	10003212
21	28	1	10003217
21	28	1.5	10003218
21	32	1.5	10003231
22	26	2	10003208
22	27	1	10003213
22	27	1.5	10003214
22	27	2	10003215
22	28	1.5	10003220
22	29	1.5	10003222
23	28	2	10003221
23	30	2	10003226
24	29	2	10003223
24	30	2	10003228
24	32	2	10003232
25	33	2	10003236
26	31	2	10003230

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Inner diameter	Outer diameter	Thickness	Article
mm	mm	mm	
26	32	1.5	10003233
26	32	2	10003234
26	34	1.5	10003239
27	32	2	10003235
27	35	2	10003242
27	36	2	10003244
28	33	1	10003237
28	33	2	10003238
30	36	1.5	10003246
30	38	2	10003248
32	39	1.5	10003251
32	39	2	10003252
32	40	2	10003255
33	39	1	10003253
33	41	2	10003256
34	42	1	10003259
35	41	1	10003257
35	41	2	10003258
36	42	1.5	10003260
36	42	2	10003261
36	44	2	10003262
38	44	2	10003263
39	46	2	10003264
40	47	2	10003265
40	49	2	10003266
42	51	2	10003268
44	51	2	10003269
45	52	2	10003270
48	55	2	10003271
50	57	2	10003272
52	60	2.5	10003273
60	68	2.5	10003274
75	84	2.5	10003275
		0.5	10003250
		1	10003129
		1	10068488
		1	10003125
		1.5	10003160
		1.5	10003201
		1.5	10003144
		2	10003245
		2	10003240
		2	10003249
		2	10003247
		2	10003241
		2	10003254
		2	10003267
		4	10003225

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.