





Mechanical Seal stator type SCO

Size table:

d1 mm	d7 mm	l4 mm
10	21	6.6
12	23	6.6
14	25	6.6
15	25	6.6
16	27	6.6
18	33	7.5
20	35	7.5
22	37	7.5
24	39	7.5
25	40	7.5
28	43	7.5
30	45	7.5
32	48	7.5
33	48	7.5
35	50	7.5
38	56	9
40	58	9
43	61	9
45	63	9
48	66	9
50	70	9.5
53	73	11
55	75	11
58	78	11
60	80	11
63	83	11
65	85	11
68	90	11.3
70	92	11.3



Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.



Size table:

d1	d7	l4
75	97	11.3
80	105	12
85	110	14
90	115	14
95	120	14
100	125	14

Countersliding ring material	Secondary seal material	d1	d7	l4	Article
		mm	mm	mm	
Siliciumcarbide	FPM	10	21	6.6	12411668
Siliciumcarbide	EPDM	12	23	6.6	12412074
Siliciumcarbide	FPM	12	23	6.6	12412106
Siliciumcarbide	NBR	12	23	6.6	12412091
Tungstencarbide	EPDM	12	23	6.6	12412071
Tungstencarbide	FPM	12	23	6.6	12412103
Tungstencarbide	NBR	12	23	6.6	12412086
Carbon	FPM	14	25	6.6	12412633
Carbon	NBR	14	25	6.6	12412616
Siliciumcarbide	FPM	14	25	6.6	12412635
Siliciumcarbide	NBR	14	25	6.6	12412618
Tungstencarbide	FPM	14	25	6.6	12412630
Tungstencarbide	NBR	14	25	6.6	12412613
Siliciumcarbide	FPM	15	25	6.6	12412932
Siliciumcarbide	NBR	15	25	6.6	12412919
Carbon	FPM	16	27	6.6	12413405
Siliciumcarbide	EPDM	16	27	6.6	12413374
Siliciumcarbide	FPM	16	27	6.6	12336670
Siliciumcarbide	NBR	16	27	6.6	12413390
Tungstencarbide	FPM	16	27	6.6	12413402
Tungstencarbide	NBR	16	27	6.6	12413386
Carbon	NBR	18	33	7.5	12413842
Siliciumcarbide	FPM	18	33	7.5	12413860
Siliciumcarbide	NBR	18	33	7.5	12413844
Tungstencarbide	EPDM	18	33	7.5	12413825
Tungstencarbide	FPM	18	33	7.5	12413856
Tungstencarbide	NBR	18	33	7.5	12413839
Carbon	EPDM	20	35	7.5	12414393
Carbon	FPM	20	35	7.5	12414424
Carbon	NBR	20	35	7.5	12414409
Siliciumcarbide	EPDM	20	35	7.5	12414395
Siliciumcarbide	FPM	20	35	7.5	12414426
Siliciumcarbide	NBR	20	35	7.5	12414411
Tungstencarbide	FPM	20	35	7.5	12414422
Tungstencarbide	NBR	20	35	7.5	12414406
Carbon	FPM	22	37	7.5	12414873

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Countersliding ring material	Secondary seal material	d1 mm	d7 mm	l4 mm	Article
Carbon	NBR	22	37	7.5	12414857
Siliciumcarbide	EPDM	22	37	7.5	12414842
Siliciumcarbide	FPM	22	37	7.5	12337511
Siliciumcarbide	NBR	22	37	7.5	12414859
Tungstencarbide	EPDM	22	37	7.5	12414839
Tungstencarbide	NBR	22	37	7.5	12414854
Siliciumcarbide	EPDM	24	39	7.5	12415358
Siliciumcarbide	FPM	24	39	7.5	12303846
Siliciumcarbide	NBR	24	39	7.5	12415374
Tungstencarbide	NBR	24	39	7.5	12415370
Carbon	EPDM	25	40	7.5	12415754
Carbon	FPM	25	40	7.5	12415785
Carbon	NBR	25	40	7.5	12415771
Siliciumcarbide	EPDM	25	40	7.5	12415756
Siliciumcarbide	FPM	25	40	7.5	12415788
Siliciumcarbide	NBR	25	40	7.5	12415773
Stainless steel	FPM	25	40	7.5	12415786
Tungstencarbide	FPM	25	40	7.5	12415782
Tungstencarbide	NBR	25	40	7.5	12415768
Carbon	FPM	28	43	7.5	12416284
Carbon	NBR	28	43	7.5	12416268
Siliciumcarbide	EPDM	28	43	7.5	11123254
Siliciumcarbide	FPM	28	43	7.5	12416286
Siliciumcarbide	NBR	28	43	7.5	12416270
Tungstencarbide	FPM	28	43	7.5	12416282
Tungstencarbide	NBR	28	43	7.5	12416265
Carbon	FPM	30	45	7.5	12416813
Carbon	NBR	30	45	7.5	12416799
Siliciumcarbide	EPDM	30	45	7.5	12416784
Siliciumcarbide	FPM	30	45	7.5	12390450
Siliciumcarbide	NBR	30	45	7.5	12416801
Tungstencarbide	EPDM	30	45	7.5	12416782
Tungstencarbide	FPM	30	45	7.5	12416811
Tungstencarbide	NBR	30	45	7.5	12416796
Carbon	EPDM	32	48	7.5	12417253
Carbon	NBR	32	48	7.5	12417271
Siliciumcarbide	EPDM	32	48	7.5	12417256
Siliciumcarbide	NBR	32	48	7.5	12417273
Tungstencarbide	NBR	32	48	7.5	12417268
Carbon	NBR	33	48	7.5	12417669
Siliciumcarbide	EPDM	33	48	7.5	12417662
Siliciumcarbide	FPM	33	48	7.5	12417683
Siliciumcarbide	NBR	33	48	7.5	12417671
Tungstencarbide	FPM	33	48	7.5	12417681
Tungstencarbide	NBR	33	48	7.5	12417666
Carbon	EPDM	35	50	7.5	12418109
Carbon	FPM	35	50	7.5	12418142
Carbon	NBR	35	50	7.5	12418127
Siliciumcarbide	EPDM	35	50	7.5	12418112
Siliciumcarbide	FPM	35	50	7.5	12418145
Siliciumcarbide	NBR	35	50	7.5	12418129
Tungstencarbide	NBR	35	50	7.5	12418124

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Countersliding ring material	Secondary seal material	d1 mm	d7 mm	l4 mm	Article
Carbon	FPM	38	56	9	12418550
Carbon	NBR	38	56	9	12418533
Siliciumcarbide	EPDM	38	56	9	12418518
Siliciumcarbide	FPM	38	56	9	12418552
Siliciumcarbide	NBR	38	56	9	12418535
Tungstencarbide	FPM	38	56	9	12418547
Tungstencarbide	NBR	38	56	9	12418530
Carbon	FPM	40	58	9	12419032
Carbon	NBR	40	58	9	12419018
Siliciumcarbide	EPDM	40	58	9	12334461
Siliciumcarbide	FPM	40	58	9	12419034
Siliciumcarbide	NBR	40	58	9	12419020
Tungstencarbide	FPM	40	58	9	12419030
Tungstencarbide	NBR	40	58	9	12419016
Carbon	FPM	43	61	9	12419479
Carbon	NBR	43	61	9	12419463
Siliciumcarbide	EPDM	43	61	9	12419448
Siliciumcarbide	FPM	43	61	9	12089639
Siliciumcarbide	NBR	43	61	9	12419465
Tungstencarbide	FPM	43	61	9	12419477
Tungstencarbide	NBR	43	61	9	12419460
Carbon	NBR	45	63	9	12419916
Siliciumcarbide	EPDM	45	63	9	12419903
Siliciumcarbide	FPM	45	63	9	12419934
Siliciumcarbide	NBR	45	63	9	12419918
Tungstencarbide	FPM	45	63	9	12419930
Siliciumcarbide	EPDM	48	66	9	12420299
Siliciumcarbide	FPM	48	66	9	12420327
Siliciumcarbide	NBR	48	66	9	12420314
Tungstencarbide	NBR	48	66	9	12420311
Carbon	EPDM	50	70	9.5	12420637
Carbon	FPM	50	70	9.5	12420668
Carbon	NBR	50	70	9.5	12420652
Siliciumcarbide	EPDM	50	70	9.5	12420638
Siliciumcarbide	FPM	50	70	9.5	12420669
Siliciumcarbide	NBR	50	70	9.5	12420654
Tungstencarbide	NBR	50	70	9.5	12420649
Carbon	NBR	53	73	11	12421032
Siliciumcarbide	EPDM	53	73	11	12421028
Siliciumcarbide	NBR	53	73	11	12421034
Tungstencarbide	FPM	53	73	11	12421043
Tungstencarbide	NBR	53	73	11	12421030
Carbon	EPDM	55	75	11	12421415
Carbon	NBR	55	75	11	12421429
Siliciumcarbide	EPDM	55	75	11	12421417
Siliciumcarbide	FPM	55	75	11	12421443
Siliciumcarbide	NBR	55	75	11	12421431
Siliciumcarbide	FPM	58	78	11	12421814
Siliciumcarbide	NBR	58	78	11	12421800
Tungstencarbide	NBR	58	78	11	12421796
Carbon	FPM	60	80	11	12422149
Carbon	NBR	60	80	11	12422134

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Countersliding ring material	Secondary seal material	d1 mm	d7 mm	l4 mm	Article
Siliciumcarbide	EPDM	60	80	11	12422121
Siliciumcarbide	FPM	60	80	11	12422151
Siliciumcarbide	NBR	60	80	11	12422136
Tungstencarbide	NBR	60	80	11	12422132
Siliciumcarbide	NBR	63	83	11	12422380
Carbon	FPM	65	85	11	12422759
Siliciumcarbide	EPDM	65	85	11	12422731
Siliciumcarbide	FPM	65	85	11	12422761
Siliciumcarbide	NBR	65	85	11	12422745
Tungstencarbide	NBR	65	85	11	12422741
Siliciumcarbide	EPDM	68	90	11.3	12423067
Siliciumcarbide	FPM	68	90	11.3	12423096
Siliciumcarbide	NBR	68	90	11.3	12423081
Tungstencarbide	FPM	68	90	11.3	12423093
Tungstencarbide	NBR	68	90	11.3	12423079
Siliciumcarbide	EPDM	70	92	11.3	12423458
Siliciumcarbide	FPM	70	92	11.3	12423486
Siliciumcarbide	NBR	70	92	11.3	12423471
Tungstencarbide	FPM	70	92	11.3	12423483
Siliciumcarbide	FPM	75	97	11.3	12423886
Siliciumcarbide	NBR	75	97	11.3	12423872
Tungstencarbide	NBR	75	97	11.3	12423868
Carbon	NBR	80	105	12	12424280
Siliciumcarbide	EPDM	80	105	12	12424267
Siliciumcarbide	FPM	80	105	12	12424301
Siliciumcarbide	NBR	80	105	12	12424282
Tungstencarbide	FPM	80	105	12	12424297
Tungstencarbide	NBR	80	105	12	12424278
Siliciumcarbide	EPDM	85	110	14	12424607
Siliciumcarbide	FPM	85	110	14	12424625
Siliciumcarbide	NBR	85	110	14	12424611
Siliciumcarbide	FPM	90	115	14	12424950
Siliciumcarbide	NBR	90	115	14	12424938
Carbon	FPM	95	120	14	12425213
Siliciumcarbide	EPDM	95	120	14	12425196
Siliciumcarbide	FPM	95	120	14	12425215
Siliciumcarbide	NBR	95	120	14	12425200
Carbon	FPM	100	125	14	12425546
Siliciumcarbide	FPM	100	125	14	12425548
Siliciumcarbide	NBR	100	125	14	12425534

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.