





Mechanical Seal stator type SGO

Size table:

d1 mm	d7 mm	d8 mm	l4 mm
12	27.8	3	8.7
12.7	27.8	3	8.7
13	27.8	3	8.7
14	31	3	8.7
15	31	3	8.7
15.8	31	3	10.3
16	31	3	10.3
18	34.2	3	10.3
19.1	34.2	3	10.3
20	35.7	3	10.3
20.6	35.7	3	10.3
22	37.3	3	10.3
22.2	37.3	3	10.3
23.8	40.5	3	10.3
25.4	40.5	3	10.3
28	47.6	3.5	12
28.6	47.6	3.5	12
30	50.8	3.5	12
31.7	50.8	3.5	12
32	50.8	3.5	12
33	54	3.5	12
34	54	3.5	11.9
34.9	54	3.5	12
38	57.1	3.5	12
38.1	57.2	3.5	12
40	60.3	3.5	12
41.2	60.3	3.5	12
42	63.5	3.5	11.9
43	63.5	3.5	12



Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.



Size table:

d1	d7	d8	l4
44	63	3.5	11.9
44.4	63.5	3.5	12
45	63.5	3.5	12
47.6	66.7	3.5	12
50	69.9	3.5	13.5
50.8	69.9	3.5	13.5
53	73	3.5	13.5
53.9	73	3.5	13.5
55	76.2	3.5	13.5
57.1	76.2	3.5	13.5

Countersliding ring material	Secondary seal material	d1	d7	d8	l4	Article
		mm	mm	mm	mm	Max. 200 articles in the table
Siliciumcarbide	EPDM	12	27.8	3	8.7	12412026
Siliciumcarbide	FPM	12	27.8	3	8.7	12412030
Siliciumcarbide	NBR	12	27.8	3	8.7	12412028
Stainless steel	EPDM	12	27.8	3	8.7	12412025
Stainless steel	FPM	12	27.8	3	8.7	12412029
Stainless steel	NBR	12	27.8	3	8.7	12412027
Siliciumcarbide	EPDM	12.7	27.8	3	8.7	12412198
Siliciumcarbide	FPM	12.7	27.8	3	8.7	12412202
Siliciumcarbide	NBR	12.7	27.8	3	8.7	12412200
Stainless steel	EPDM	12.7	27.8	3	8.7	12412197
Stainless steel	FPM	12.7	27.8	3	8.7	12412201
Stainless steel	NBR	12.7	27.8	3	8.7	12412199
Siliciumcarbide	EPDM	13	27.8	3	8.7	12412281
Siliciumcarbide	FPM	13	27.8	3	8.7	12412285
Siliciumcarbide	NBR	13	27.8	3	8.7	12412283
Stainless steel	EPDM	13	27.8	3	8.7	12412280
Stainless steel	FPM	13	27.8	3	8.7	12412284
Stainless steel	NBR	13	27.8	3	8.7	12412282
Siliciumcarbide	EPDM	14	31	3	8.7	12412555
Siliciumcarbide	FPM	14	31	3	8.7	12412559
Siliciumcarbide	NBR	14	31	3	8.7	12412557
Stainless steel	EPDM	14	31	3	8.7	12412554
Stainless steel	FPM	14	31	3	8.7	12412558
Stainless steel	NBR	14	31	3	8.7	12412556
Siliciumcarbide	EPDM	15	31	3	8.7	12412897
Siliciumcarbide	FPM	15	31	3	8.7	12412901
Siliciumcarbide	NBR	15	31	3	8.7	12412899
Stainless steel	EPDM	15	31	3	8.7	12412896
Stainless steel	FPM	15	31	3	8.7	12412900
Stainless steel	NBR	15	31	3	8.7	12412898
Siliciumcarbide	EPDM	15.8	31	3	10.3	12413007
Siliciumcarbide	FPM	15.8	31	3	10.3	12413011
Siliciumcarbide	NBR	15.8	31	3	10.3	12413009
Stainless steel	EPDM	15.8	31	3	10.3	12413006
Stainless steel	FPM	15.8	31	3	10.3	12413010

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Countersliding ring material	Secondary seal material	d1 mm	d7 mm	d8 mm	l4 mm	Article Max. 200 articles in the table
Stainless steel	NBR	15.8	31	3	10.3	12413008
Siliciumcarbide	FPM	16	31	3	10.3	12413329
Siliciumcarbide	EPDM	18	34.2	3	10.3	12413783
Siliciumcarbide	FPM	18	34.2	3	10.3	12413787
Siliciumcarbide	NBR	18	34.2	3	10.3	12413785
Stainless steel	EPDM	18	34.2	3	10.3	12413782
Stainless steel	FPM	18	34.2	3	10.3	12413786
Stainless steel	NBR	18	34.2	3	10.3	12413784
Siliciumcarbide	EPDM	19.1	34.2	3	10.3	12414057
Siliciumcarbide	FPM	19.1	34.2	3	10.3	12414061
Siliciumcarbide	NBR	19.1	34.2	3	10.3	12414059
Stainless steel	EPDM	19.1	34.2	3	10.3	12414056
Stainless steel	FPM	19.1	34.2	3	10.3	12414060
Stainless steel	NBR	19.1	34.2	3	10.3	12414058
Siliciumcarbide	EPDM	20	35.7	3	10.3	12414349
Siliciumcarbide	FPM	20	35.7	3	10.3	12414353
Siliciumcarbide	NBR	20	35.7	3	10.3	12414351
Stainless steel	EPDM	20	35.7	3	10.3	12414348
Stainless steel	FPM	20	35.7	3	10.3	12414352
Stainless steel	NBR	20	35.7	3	10.3	12414350
Siliciumcarbide	EPDM	20.6	35.7	3	10.3	12414478
Siliciumcarbide	FPM	20.6	35.7	3	10.3	12414482
Siliciumcarbide	NBR	20.6	35.7	3	10.3	12414480
Stainless steel	EPDM	20.6	35.7	3	10.3	12414477
Stainless steel	FPM	20.6	35.7	3	10.3	12414481
Stainless steel	NBR	20.6	35.7	3	10.3	12414479
Siliciumcarbide	FPM	22	37.3	3	10.3	12345950
Siliciumcarbide	EPDM	22.2	37.3	3	10.3	12414972
Siliciumcarbide	FPM	22.2	37.3	3	10.3	12414976
Siliciumcarbide	NBR	22.2	37.3	3	10.3	12414974
Stainless steel	EPDM	22.2	37.3	3	10.3	12414971
Stainless steel	FPM	22.2	37.3	3	10.3	12414975
Stainless steel	NBR	22.2	37.3	3	10.3	12414973
Siliciumcarbide	EPDM	23.8	40.5	3	10.3	12415033
Siliciumcarbide	FPM	23.8	40.5	3	10.3	12415037
Siliciumcarbide	NBR	23.8	40.5	3	10.3	12415035
Stainless steel	EPDM	23.8	40.5	3	10.3	12415032
Stainless steel	FPM	23.8	40.5	3	10.3	12415036
Stainless steel	NBR	23.8	40.5	3	10.3	12415034
Siliciumcarbide	EPDM	25.4	40.5	3	10.3	12415877
Siliciumcarbide	NBR	25.4	40.5	3	10.3	12415879
Stainless steel	EPDM	25.4	40.5	3	10.3	12415876
Stainless steel	FPM	25.4	40.5	3	10.3	12415880
Stainless steel	NBR	25.4	40.5	3	10.3	12415878
Siliciumcarbide	EPDM	28	47.6	3.5	12	12416208
Siliciumcarbide	NBR	28	47.6	3.5	12	12416210
Stainless steel	EPDM	28	47.6	3.5	12	12416207
Stainless steel	FPM	28	47.6	3.5	12	12416211
Stainless steel	NBR	28	47.6	3.5	12	12416209
Siliciumcarbide	EPDM	28.6	47.6	3.5	12	12416396
Siliciumcarbide	FPM	28.6	47.6	3.5	12	12416400
Siliciumcarbide	NBR	28.6	47.6	3.5	12	12416398

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Countersliding ring material	Secondary seal material	d1	d7	d8	l4	Article
		mm	mm	mm	mm	
Stainless steel	EPDM	28.6	47.6	3.5	12	12416395
Stainless steel	FPM	28.6	47.6	3.5	12	12416399
Stainless steel	NBR	28.6	47.6	3.5	12	12416397
Siliciumcarbide	EPDM	30	50.8	3.5	12	12416740
Siliciumcarbide	NBR	30	50.8	3.5	12	12416741
Stainless steel	EPDM	30	50.8	3.5	12	12416739
Stainless steel	FPM	30	50.8	3.5	12	12416742
Siliciumcarbide	EPDM	31.7	50.8	3.5	12	12416911
Siliciumcarbide	FPM	31.7	50.8	3.5	12	12416915
Siliciumcarbide	NBR	31.7	50.8	3.5	12	12416913
Stainless steel	EPDM	31.7	50.8	3.5	12	12416910
Stainless steel	FPM	31.7	50.8	3.5	12	12416914
Stainless steel	NBR	31.7	50.8	3.5	12	12416912
Stainless steel	NBR	32	50.8	3.5	12	12417213
Siliciumcarbide	EPDM	33	54	3.5	12	12417616
Siliciumcarbide	FPM	33	54	3.5	12	12417620
Siliciumcarbide	NBR	33	54	3.5	12	12417618
Stainless steel	EPDM	33	54	3.5	12	12417615
Stainless steel	FPM	33	54	3.5	12	12417619
Stainless steel	NBR	33	54	3.5	12	12417617
Siliciumcarbide	EPDM	34	54	3.5	11.9	12417716
Siliciumcarbide	FPM	34	54	3.5	11.9	12417720
Siliciumcarbide	NBR	34	54	3.5	11.9	12417718
Stainless steel	EPDM	34	54	3.5	11.9	12417715
Stainless steel	FPM	34	54	3.5	11.9	12417719
Stainless steel	NBR	34	54	3.5	11.9	12417717
Siliciumcarbide	EPDM	34.9	54	3.5	12	12417764
Siliciumcarbide	FPM	34.9	54	3.5	12	12417768
Siliciumcarbide	NBR	34.9	54	3.5	12	12417766
Stainless steel	EPDM	34.9	54	3.5	12	12417763
Stainless steel	FPM	34.9	54	3.5	12	12417767
Stainless steel	NBR	34.9	54	3.5	12	12417765
Siliciumcarbide	FPM	38	57.1	3.5	12	12345952
Siliciumcarbide	EPDM	38.1	57.2	3.5	12	12418648
Siliciumcarbide	FPM	38.1	57.2	3.5	12	12304490
Siliciumcarbide	NBR	38.1	57.2	3.5	12	12418650
Stainless steel	EPDM	38.1	57.2	3.5	12	12418647
Stainless steel	FPM	38.1	57.2	3.5	12	12418651
Stainless steel	NBR	38.1	57.2	3.5	12	12418649
Siliciumcarbide	EPDM	40	60.3	3.5	12	12418963
Siliciumcarbide	NBR	40	60.3	3.5	12	12418965
Stainless steel	EPDM	40	60.3	3.5	12	12418962
Stainless steel	FPM	40	60.3	3.5	12	12418966
Stainless steel	NBR	40	60.3	3.5	12	12418964
Siliciumcarbide	EPDM	41.2	60.3	3.5	12	12419108
Siliciumcarbide	FPM	41.2	60.3	3.5	12	12419112
Siliciumcarbide	NBR	41.2	60.3	3.5	12	12419110
Stainless steel	EPDM	41.2	60.3	3.5	12	12419107
Stainless steel	FPM	41.2	60.3	3.5	12	12419111
Stainless steel	NBR	41.2	60.3	3.5	12	12419109
Siliciumcarbide	EPDM	42	63.5	3.5	11.9	12419162
Siliciumcarbide	NBR	42	63.5	3.5	11.9	12419164

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Countersliding ring material	Secondary seal material	d1	d7	d8	l4	Article
		mm	mm	mm	mm	
Stainless steel	EPDM	42	63.5	3.5	11.9	12419161
Stainless steel	FPM	42	63.5	3.5	11.9	12419165
Stainless steel	NBR	42	63.5	3.5	11.9	12419163
Siliciumcarbide	EPDM	43	63.5	3.5	12	12419404
Siliciumcarbide	NBR	43	63.5	3.5	12	12419406
Stainless steel	EPDM	43	63.5	3.5	12	12419403
Stainless steel	FPM	43	63.5	3.5	12	12419407
Stainless steel	NBR	43	63.5	3.5	12	12419405
Siliciumcarbide	EPDM	44	63	3.5	11.9	12419554
Siliciumcarbide	FPM	44	63	3.5	11.9	12419558
Siliciumcarbide	NBR	44	63	3.5	11.9	12419556
Stainless steel	EPDM	44	63	3.5	11.9	12419553
Stainless steel	FPM	44	63	3.5	11.9	12419557
Stainless steel	NBR	44	63	3.5	11.9	12419555
Siliciumcarbide	EPDM	44.4	63.5	3.5	12	12419614
Siliciumcarbide	FPM	44.4	63.5	3.5	12	12419618
Siliciumcarbide	NBR	44.4	63.5	3.5	12	12419616
Stainless steel	EPDM	44.4	63.5	3.5	12	12419613
Stainless steel	FPM	44.4	63.5	3.5	12	12419617
Stainless steel	NBR	44.4	63.5	3.5	12	12419615
Stainless steel	NBR	45	63.5	3.5	12	12419862
Siliciumcarbide	EPDM	47.6	66.7	3.5	12	12420009
Siliciumcarbide	FPM	47.6	66.7	3.5	12	12420013
Siliciumcarbide	NBR	47.6	66.7	3.5	12	12420011
Stainless steel	EPDM	47.6	66.7	3.5	12	12420008
Stainless steel	FPM	47.6	66.7	3.5	12	12420012
Stainless steel	NBR	47.6	66.7	3.5	12	12420010
Siliciumcarbide	EPDM	50	69.9	3.5	13.5	12420592
Siliciumcarbide	FPM	50	69.9	3.5	13.5	12420596
Siliciumcarbide	NBR	50	69.9	3.5	13.5	12420594
Stainless steel	EPDM	50	69.9	3.5	13.5	12420591
Stainless steel	FPM	50	69.9	3.5	13.5	12420595
Stainless steel	NBR	50	69.9	3.5	13.5	12420593
Siliciumcarbide	EPDM	50.8	69.9	3.5	13.5	12420742
Siliciumcarbide	FPM	50.8	69.9	3.5	13.5	12420746
Siliciumcarbide	NBR	50.8	69.9	3.5	13.5	12420744
Stainless steel	EPDM	50.8	69.9	3.5	13.5	12420741
Stainless steel	FPM	50.8	69.9	3.5	13.5	12420745
Stainless steel	NBR	50.8	69.9	3.5	13.5	12420743
Siliciumcarbide	EPDM	53	73	3.5	13.5	12420982
Siliciumcarbide	FPM	53	73	3.5	13.5	12420986
Siliciumcarbide	NBR	53	73	3.5	13.5	12420984
Stainless steel	EPDM	53	73	3.5	13.5	12420981
Stainless steel	FPM	53	73	3.5	13.5	12420985
Stainless steel	NBR	53	73	3.5	13.5	12420983
Siliciumcarbide	EPDM	53.9	73	3.5	13.5	12421113
Siliciumcarbide	FPM	53.9	73	3.5	13.5	12421117
Siliciumcarbide	NBR	53.9	73	3.5	13.5	12421115
Stainless steel	EPDM	53.9	73	3.5	13.5	12421112
Stainless steel	FPM	53.9	73	3.5	13.5	12421116
Stainless steel	NBR	53.9	73	3.5	13.5	12421114
Siliciumcarbide	EPDM	55	76.2	3.5	13.5	12421371

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Countersliding ring material	Secondary seal material	d1	d7	d8	l4	Article
		mm	mm	mm	mm	
Siliciumcarbide	FPM	55	76.2	3.5	13.5	12421375
Siliciumcarbide	NBR	55	76.2	3.5	13.5	12421373
Stainless steel	EPDM	55	76.2	3.5	13.5	12421370
Stainless steel	FPM	55	76.2	3.5	13.5	12421374
Stainless steel	NBR	55	76.2	3.5	13.5	12421372
Siliciumcarbide	EPDM	57.1	76.2	3.5	13.5	12421510
Stainless steel	EPDM	57.1	76.2	3.5	13.5	12421509
Stainless steel	NBR	57.1	76.2	3.5	13.5	12421511

Max. 200 articles in the table

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.