



WIKA Bourdon tube pressure gauge Type 366 bottom connection stainless steel

Characteristics

Type: 366

Model: Bourdon tube pressure gauge

Blow-out included: Yes

Pressure gauge attachment: Direct

Process connection: External thread

Process connection material: Stainless steel 316L

Window material: Safety glass


Protection class: IP65

Medium temperature: -40 / 200 °C

Ambient temperature: -40 / 60 °C

Application

- Recommended in: Chemical



Size table:

Cabinet diameter	G	a	b	c	c1	RA	ØD	h	SW
		mm	mm	mm	mm	mm	mm	mm	mm
R63	1/4" BSP	9.5	33		2	13	63	54	14
R63	1/4" NPT	9.5	33	13			63	54	
R100	1/2" BSP	15.5	49.5		3	20	101	87	22
R100	1/2" NPT	15.5	49.5	19			101	87	
R160	1/2" BSP	15.5	49.5		3	20	161	118	22

Cabinet diameter mm	Measuring range	Pressure unit	Accuracy class	Cabinet filling fluid	Connection location	Size process connection	Cabinet material	Material dial	Maximum overpressure bar	Article
63	-1 / 0	bar	1.6 %	None	Below	1/4" BSPP[G]	Stainless steel 304	Aluminium	0	11811042
63	-1 / 0.6	bar	1.6 %	None	Below	1/4" BSPP[G]	Stainless steel 304	Aluminium	0.6	11811043
63	-1 / 1.5	bar	1.6 %	None	Below	1/4" BSPP[G]	Stainless steel 304	Aluminium	1.5	11811044
63	-1 / 1.5	bar	1.6 %	None	Below	1/4" NPT	Stainless steel 304	Aluminium	1.5	14160307
63	-1 / 3	bar	1.6 %	None	Below	1/4" BSPP[G]	Stainless steel 304	Aluminium	3	12035644
63	-1 / 5	bar	1.6 %	None	Below	1/4" BSPP[G]	Stainless steel 304	Aluminium	5	11811045
63	-1 / 9	bar	1.6 %	None	Below	1/4" BSPP[G]	Stainless steel 304	Aluminium	11	11811046
63	-1 / 15	bar	1.6 %	None	Below	1/4" BSPP[G]	Stainless steel 304	Aluminium	15	12035645
63	0 / 1	bar	1.6 %	None	Below	1/4" BSPP[G]	Stainless steel 304	Aluminium	1	11811033
63	0 / 1	bar	1.6 %	None	Below	1/4" NPT	Stainless steel 304	Aluminium	1	13359802
63	0 / 1.6	bar	1.6 %	None	Below	1/4" BSPP[G]	Stainless steel 304	Aluminium	1.6	11811034
63	0 / 2.5	bar	1.6 %	None	Below	1/4" BSPP[G]	Stainless steel 304	Aluminium	2.5	12035646
63	0 / 4	bar	1.6 %	None	Below	1/4" BSPP[G]	Stainless steel 304	Aluminium	4	11811035
63	0 / 6	bar	1.6 %	None	Below	1/4" BSPP[G]	Stainless steel 304	Aluminium	6	11811036

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Cabinet diameter mm	Measuring range	Pressure unit	Accuracy class	Cabinet filling fluid	Connection location	Size process connection	Cabinet material	Material dial	Maximum overpressure bar	Article
63	0 / 10	bar	1.6 %	None	Below	1/4" BSPP[G]	Stainless steel 304	Aluminium	10	11811037
63	0 / 16	bar	1.6 %	None	Below	1/4" BSPP[G]	Stainless steel 304	Aluminium	16	11811038
63	0 / 16	bar	1.6 %	None	Below	1/4" NPT	Stainless steel 304	Aluminium	16	13359849
63	0 / 25	bar	1.6 %	None	Below	1/4" BSPP[G]	Stainless steel 304	Aluminium	25	11811039
63	0 / 40	bar	1.6 %	None	Below	1/4" BSPP[G]	Stainless steel 304	Aluminium	40	12035647
63	0 / 60	bar	1.6 %	None	Below	1/4" BSPP[G]	Stainless steel 304	Aluminium	60	12725597
63	0 / 100	bar	1.6 %	None	Below	1/4" BSPP[G]	Stainless steel 304	Aluminium	100	12035649
63	0 / 160	bar	1.6 %	None	Below	1/4" BSPP[G]	Stainless steel 304	Aluminium	160	12035650
63	0 / 250	bar	1.6 %	None	Below	1/4" BSPP[G]	Stainless steel 304	Aluminium	250	11811040
63	0 / 250	bar	1.6 %	None	Below	1/4" NPT	Stainless steel 304	Aluminium	250	13359850
63	0 / 400	bar	1.6 %	None	Below	1/4" BSPP[G]	Stainless steel 304	Aluminium	400	11811041
100	-1 / 0	bar	1.0 %	None	Below	1/2" BSPP[G]	Stainless steel 304	Aluminium	0.3	11811070
100	-1 / 0.6	bar	1.0 %	None	Below	1/2" BSPP[G]	Stainless steel 304	Aluminium	0.78	12035652
100	-1 / 1.5	bar	1.0 %	None	Below	1/2" BSPP[G]	Stainless steel 304	Aluminium	1.9	11811071
100	-1 / 1.5	bar	1.0 %	None	Below	1/2" NPT	Stainless steel 304	Aluminium	1.9	12035653
100	-1 / 3	bar	1.0 %	None	Below	1/2" BSPP[G]	Stainless steel 304	Aluminium	3.9	11811072
100	-1 / 3	bar	1.0 %	None	Below	1/2" NPT	Stainless steel 304	Aluminium	3.9	12035654
100	-1 / 5	bar	1.0 %	None	Below	1/2" BSPP[G]	Stainless steel 304	Aluminium	6.5	11811073
100	-1 / 5	bar	1.0 %	None	Below	1/2" NPT	Stainless steel 304	Aluminium	6.5	13359847
100	-1 / 9	bar	1.0 %	None	Below	1/2" BSPP[G]	Stainless steel 304	Aluminium	11	11811074
100	-1 / 15	bar	1.0 %	None	Below	1/2" BSPP[G]	Stainless steel 304	Aluminium	19	12035655
100	0 / 0.6	bar	1.0 %	None	Below	1/2" BSPP[G]	Stainless steel 304	Aluminium	0.78	11811047
100	0 / 0.6	bar	1.0 %	None	Below	1/2" NPT	Stainless steel 304	Aluminium	0.78	12035656
100	0 / 1	bar	1.0 %	None	Below	1/2" BSPP[G]	Stainless steel 304	Aluminium	1.3	11811048
100	0 / 1	bar	1.0 %	None	Below	1/2" NPT	Stainless steel 304	Aluminium	1.3	11811049
100	0 / 1.6	bar	1.0 %	None	Below	1/2" BSPP[G]	Stainless steel 304	Aluminium	2	11811050
100	0 / 1.6	bar	1.0 %	None	Below	1/2" NPT	Stainless steel 304	Aluminium	2	12035657
100	0 / 2.5	bar	1.0 %	None	Below	1/2" BSPP[G]	Stainless steel 304	Aluminium	3	11811051
100	0 / 2.5	bar	1.0 %	None	Below	1/2" NPT	Stainless steel 304	Aluminium	3	11811052
100	0 / 4	bar	1.0 %	None	Below	1/2" BSPP[G]	Stainless steel 304	Aluminium	5.2	11811053
100	0 / 4	bar	1.0 %	None	Below	1/2" NPT	Stainless steel 304	Aluminium	5.2	11811054
100	0 / 6	bar	1.0 %	None	Below	1/2" BSPP[G]	Stainless steel 304	Aluminium	7.8	11811055
100	0 / 6	bar	1.0 %	None	Below	1/2" NPT	Stainless steel 304	Aluminium	7.8	11811056
100	0 / 10	bar	1.0 %	None	Below	1/2" BSPP[G]	Stainless steel 304	Aluminium	13	11811057
100	0 / 10	bar	1.0 %	None	Below	1/2" NPT	Stainless steel 304	Aluminium	13	11811058

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Cabinet diameter mm	Measuring range	Pressure unit	Accuracy class	Cabinet filling fluid	Connection location	Size process connection	Cabinet material	Material dial	Maximum overpressure bar	Article
100	0 / 16	bar	1.0 %	None	Below	1/2" BSPP[G]	Stainless steel 304	Aluminium	20	11811059
100	0 / 16	bar	1.0 %	None	Below	1/2" NPT	Stainless steel 304	Aluminium	20	11811060
100	0 / 25	bar	1.0 %	None	Below	1/2" BSPP[G]	Stainless steel 304	Aluminium	32	11811061
100	0 / 25	bar	1.0 %	None	Below	1/2" NPT	Stainless steel 304	Aluminium	32	11811062
100	0 / 40	bar	1.0 %	None	Below	1/2" BSPP[G]	Stainless steel 304	Aluminium	52	11811063
100	0 / 40	bar	1.0 %	None	Below	1/2" NPT	Stainless steel 304	Aluminium	52	11811064
100	0 / 60	bar	1.0 %	None	Below	1/2" BSPP[G]	Stainless steel 304	Aluminium	78	11811065
100	0 / 60	bar	1.0 %	None	Below	1/2" NPT	Stainless steel 304	Aluminium	78	11811066
100	0 / 100	bar	1.0 %	None	Below	1/2" BSPP[G]	Stainless steel 304	Aluminium	130	11811067
100	0 / 100	bar	1.0 %	None	Below	1/2" NPT	Stainless steel 304	Aluminium	130	11811068
100	0 / 160	bar	1.0 %	None	Below	1/2" BSPP[G]	Stainless steel 304	Aluminium	208	11811069
100	0 / 160	bar	1.0 %	None	Below	1/2" NPT	Stainless steel 304	Aluminium	280	13021407
100	0 / 250	bar	1.0 %	None	Below	1/2" BSPP[G]	Stainless steel 304	Aluminium	325	12035659
100	0 / 250	bar	1.0 %	None	Below	1/2" NPT	Stainless steel 304	Aluminium	325	12035658
100	0 / 400	bar	1.0 %	None	Below	1/2" BSPP[G]	Stainless steel 304	Aluminium	520	12035660
100	0 / 600	bar	1.0 %	None	Below	1/2" BSPP[G]	Stainless steel 304	Aluminium	780	12035661
160	-1 / 0	bar	1.0 %	None	Below	1/2" BSPP[G]	Stainless steel 304	Aluminium	0.3	12670586
160	-1 / 5	bar	1.0 %	None	Below	1/2" BSPP[G]	Stainless steel 304	Aluminium	6.5	12670585
160	0 / 1	bar	1.0 %	None	Below	1/2" BSPP[G]	Stainless steel 304	Aluminium	1.3	12670581
160	0 / 2.5	bar	1.0 %	None	Below	1/2" BSPP[G]	Stainless steel 304	Aluminium	3	12670551
160	0 / 4	bar	1.0 %	None	Below	1/2" BSPP[G]	Stainless steel 304	Aluminium	5.2	12670583
160	0 / 6	bar	1.0 %	None	Below	1/2" BSPP[G]	Stainless steel 304	Aluminium	7.8	11811075
160	0 / 10	bar	1.0 %	None	Below	1/2" BSPP[G]	Stainless steel 304	Aluminium	13	11811076
160	0 / 16	bar	1.0 %	None	Below	1/2" BSPP[G]	Stainless steel 304	Aluminium	20	11811077
160	0 / 25	bar	1.0 %	None	Below	1/2" BSPP[G]	Stainless steel 304	Aluminium	32	11811078
160	0 / 40	bar	1.0 %	None	Below	1/2" BSPP[G]	Stainless steel 304	Aluminium	52	11811079
160	0 / 60	bar	1.0 %	None	Below	1/2" BSPP[G]	Stainless steel 304	Aluminium	78	12670584
160	0 / 100	bar	1.0 %	None	Below	1/2" BSPP[G]	Stainless steel 304	Aluminium	130	12670582
160	0 / 160	bar	1.0 %	None	Below	1/2" BSPP[G]	Stainless steel 304	Aluminium	208	12670550

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.