



GRUNDFOS CR series vertical multistage AISI 304 centrifugal pumps - flange

Characteristics

Series: CR

Material pump casing: Cast iron

Nominal volume flow rate m³/h	Material quality	Nominal inner diameter	Medium temperature °C	Article
1.79	EN-JL1030	DN32	-20 / 120	23501913
1.8	EN-JL1030	DN25 - DN32	-20 / 120	23501916
1.8	EN-JL1030	DN25 - DN32	-20 / 120	23501922
1.8	EN-JL1030	DN25 - DN32	-20 / 120	23502435
1.8	EN-JL1030	DN25 - DN32	-20 / 120	23501927
1.8	EN-JL1030	DN25 - DN32	-20 / 120	23501919
1.8	EN-JL1030	DN25 - DN32	-20 / 120	23501925
1.8	EN-JL1030	DN25 - DN32	-20 / 120	23501914
1.8	EN-JL1030	DN25 - DN32	-20 / 120	23501908
1.8	EN-JL1030	DN25 - DN32	-20 / 120	23501926
1.8	EN-JL1030	DN25 - DN32	-20 / 120	23501920
1.8	EN-JL1030	DN25 - DN32	-20 / 120	23501918
1.8	EN-JL1030	DN25 - DN32	-20 / 120	23501923
1.8	EN-JL1030	DN25 - DN32	-20 / 120	23501921
1.8	EN-JL1030	DN25 - DN32	-20 / 120	23501915
1.8	EN-JL1030	DN25 - DN32	-20 / 120	23501924
1.8	EN-JL1030	DN25 - DN32	-20 / 120	23501917
1.8	EN-JL1030	DN32	-20 / 120	23501909
1.8	EN-JL1030	DN32	-20 / 120	23501912
1.8	EN-JL1030	DN32	-20 / 120	23501911
1.8	EN-JL1030	DN32	-20 / 120	23501907
1.8	EN-JL1030	DN32	-20 / 120	23501077
1.8	EN-JL1030	DN32	-20 / 120	23501910
3	EN-JL1030	DN25 - DN32	-20 / 120	23502389
3	EN-JL1030	DN25 - DN32	-20 / 120	23502392
3	EN-JL1030	DN25 - DN32	-20 / 120	23501997
3	EN-JL1030	DN25 - DN32	-20 / 120	23502003
3	EN-JL1030	DN25 - DN32	-20 / 120	23501996
3	EN-JL1030	DN25 - DN32	-20 / 120	23502008
3	EN-JL1030	DN25 - DN32	-20 / 120	23502005
3	EN-JL1030	DN25 - DN32	-20 / 120	23502002
3	EN-JL1030	DN25 - DN32	-20 / 120	23501836
3	EN-JL1030	DN25 - DN32	-20 / 120	23501999
3	EN-JL1030	DN25 - DN32	-20 / 120	23502009
3	EN-JL1030	DN25 - DN32	-20 / 120	23501991
3	EN-JL1030	DN25 - DN32	-20 / 120	23501994
3	EN-JL1030	DN25 - DN32	-20 / 120	23502006
3	EN-JL1030	DN25 - DN32	-20 / 120	23501835
3	EN-JL1030	DN25 - DN32	-20 / 120	23501998
3	EN-JL1030	DN25 - DN32	-20 / 120	23501992
3	EN-JL1030	DN25 - DN32	-20 / 120	23502010
3	EN-JL1030	DN25 - DN32	-20 / 120	23502001
3	EN-JL1030	DN25 - DN32	-20 / 120	23502004

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Nominal volume flow rate m³/h	Material quality	Nominal inner diameter	Medium temperature °C	Article
3	EN-JL1030	DN25 - DN32	-20 / 120	23502007
3	EN-JL1030	DN25 - DN32	-20 / 120	23501995
3	EN-JL1030	DN25 - DN32	-20 / 120	23502390
3	EN-JL1030	DN25 - DN32	-20 / 120	23502000
3	EN-JL1030	DN25 - DN32	-20 / 120	23502388
3	EN-JL1030	DN25 - DN32	-20 / 120	23502391
4.41	EN-JL1030	DN25 - DN32	-20 / 120	23502061
5.8	EN-JL1030	DN25 - DN32	-20 / 120	23502416
5.8	EN-JL1030	DN25 - DN32	-20 / 120	23501840
5.8	EN-JL1030	DN25 - DN32	-20 / 120	23502067
5.8	EN-JL1030	DN25 - DN32	-20 / 120	23501841
5.8	EN-JL1030	DN25 - DN32	-20 / 120	23502066
5.8	EN-JL1030	DN25 - DN32	-20 / 120	23502418
5.8	EN-JL1030	DN25 - DN32	-20 / 120	23502419
5.8	EN-JL1030	DN25 - DN32	-20 / 120	23502072
5.8	EN-JL1030	DN25 - DN32	-20 / 120	23502064
5.8	EN-JL1030	DN25 - DN32	-20 / 120	23502070
5.8	EN-JL1030	DN25 - DN32	-20 / 120	23501545
5.8	EN-JL1030	DN25 - DN32	-20 / 120	23501839
5.8	EN-JL1030	DN25 - DN32	-20 / 120	23502062
5.8	EN-JL1030	DN25 - DN32	-20 / 120	23502071
5.8	EN-JL1030	DN25 - DN32	-20 / 120	23501846
5.8	EN-JL1030	DN25 - DN32	-20 / 120	23502065
5.8	EN-JL1030	DN25 - DN32	-20 / 120	23502417
5.8	EN-JL1030	DN25 - DN32	-20 / 120	23502069
5.8	EN-JL1030	DN25 - DN32	-20 / 120	23502060
5.8	EN-JL1030	DN25 - DN32	-20 / 120	23502063
5.8	EN-JL1030	DN25 - DN32	-20 / 120	23501845
5.8	EN-JL1030	DN25 - DN32	-20 / 120	23501844
5.8	EN-JL1030	DN25 - DN32	-20 / 120	23502068
10	EN-JL1030	DN40	-20 / 120	23501338
10	EN-JL1030	DN40	-20 / 120	23501365
10	EN-JL1030	DN40	-20 / 120	23501317
10	EN-JL1030	DN40	-20 / 120	23501337
10	EN-JL1030	DN40	-20 / 120	23501360
10	EN-JL1030	DN40	-20 / 120	23501313
10	EN-JL1030	DN40	-20 / 120	23501367
10	EN-JL1030	DN40	-20 / 120	23501369
10	EN-JL1030	DN40	-20 / 120	23501363
10	EN-JL1030	DN40	-20 / 120	23501341
10	EN-JL1030	DN40	-20 / 120	23501361
10	EN-JL1030	DN40	-20 / 120	23501366
10	EN-JL1030	DN40	-20 / 120	23501368
10	EN-JL1030	DN40	-20 / 120	23501364
10	EN-JL1030	DN40	-20 / 120	23501336
10	EN-JL1030	DN40	-20 / 120	23501316
10	EN-JL1030	DN40	-20 / 120	23501362
10	EN-JL1030	DN40	-20 / 120	23501314
17	EN-JL1030	DN50	-20 / 120	23501416
17	EN-JL1030	DN50	-20 / 120	23501419
17	EN-JL1030	DN50	-20 / 120	23501418
17	EN-JL1030	DN50	-20 / 120	23501413
17	EN-JL1030	DN50	-20 / 120	23501397

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Nominal volume flow rate m³/h	Material quality	Nominal inner diameter	Medium temperature °C	Article
17	EN-JL1030	DN50	-20 / 120	23501417
17	EN-JL1030	DN50	-20 / 120	23501423
17	EN-JL1030	DN50	-20 / 120	23501398
17	EN-JL1030	DN50	-20 / 120	23501415
17	EN-JL1030	DN50	-20 / 120	23501420
17	EN-JL1030	DN50	-20 / 120	23501406
17	EN-JL1030	DN50	-20 / 120	23501421
17	EN-JL1030	DN50	-20 / 120	23501405
17	EN-JL1030	DN50	-20 / 120	23501422
21	EN-JL1030	DN50	-20 / 120	23501284
21	EN-JL1030	DN50	-20 / 120	23501279
21	EN-JL1030	DN50	-20 / 120	23501283
21	EN-JL1030	DN50	-20 / 120	23501276
21	EN-JL1030	DN50	-20 / 120	23501278
21	EN-JL1030	DN50	-20 / 120	23501282
21	EN-JL1030	DN50	-20 / 120	23501280
21	EN-JL1030	DN50	-20 / 120	23501268
21	EN-JL1030	DN50	-20 / 120	23501277
21	EN-JL1030	DN50	-20 / 120	23501281
21	EN-JL1030	DN50	-20 / 120	23501269
21	EN-JL1030	DN50	-20 / 120	23501261
21	EN-JL1030	DN50	-20 / 120	23501260
30	EN-JS1050	DN65	-30 / 120	23499200
30	EN-JS1050	DN65	-30 / 120	23499199
30	EN-JS1050	DN65	-30 / 120	23499201
30	EN-JS1050	DN65	-30 / 120	23499198
30	EN-JS1050	DN65	-30 / 120	23499196
30	EN-JS1050	DN65	-30 / 120	23499197
45	EN-JS1050	DN80	-30 / 120	23499251
45	EN-JS1050	DN80	-30 / 120	23499253
45	EN-JS1050	DN80	-30 / 120	23499254
45	EN-JS1050	DN80	-30 / 120	23499252
64	EN-JS1050	DN100	-30 / 120	23499293
64	EN-JS1050	DN100	-30 / 120	23499292
64	EN-JS1050	DN100	-30 / 120	23499291
				23502441
				23502387
				23501980
				23501977
				23501985
				23501972
				23502059
				23501979
				23502386
				23501976
				14157049
				23501993
				23501340
				23501983
				23501973
				23501834
				23501974
				23502440

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.