

CONTARINI DA Cylinder HMB



Characteristics

Type: HMB

Type (DA/SA): Double acting

Max. operating pressure: 250 bar

Front fixation: Ball joint (industrial)

Rear fixation: Ball joint (industrial)

Bore mm	Number of extensions	Outer diameter piston rod mm	Stroke mm	Built-in size mm	Oilports	Article
32	1	20	50	225	1/4" BSP	12361544
32	1	20	100	275	1/4" BSP	12361545
32	1	20	150	325	1/4" BSP	12361546
32	1	20	200	375	1/4" BSP	12361547
32	1	20	250	425	1/4" BSP	12361548
32	1	20	300	475	1/4" BSP	12361549
32	1	20	400	575	1/4" BSP	12361550
32	1	20	500	675	1/4" BSP	12361551
40	1	20	100	300	1/4" BSP	12361569
40	1	20	150	350	1/4" BSP	12361570
40	1	20	200	400	1/4" BSP	12361571
40	1	20	250	450	1/4" BSP	12361572
40	1	20	300	500	1/4" BSP	12361573
40	1	20	350	550	1/4" BSP	12361574
40	1	20	400	600	1/4" BSP	12361575
40	1	20	450	650	1/4" BSP	12361576
40	1	20	500	700	1/4" BSP	12361577
40	1	25	100	300	1/4" BSP	12361578
40	1	25	150	350	1/4" BSP	12361579
40	1	25	200	400	1/4" BSP	12361580
40	1	25	250	450	1/4" BSP	12361581
40	1	25	300	500	1/4" BSP	12361582
40	1	25	350	550	1/4" BSP	12361583
40	1	25	400	600	1/4" BSP	12361584
40	1	25	450	650	1/4" BSP	12361585
40	1	25	500	700	1/4" BSP	12361586
40	1	25	550	750	1/4" BSP	12361587
40	1	25	600	800	1/4" BSP	12361588
50	1	25	100	316	3/8" BSP	12361589
50	1	25	150	366	3/8" BSP	12361590
50	1	25	200	416	3/8" BSP	12361591
50	1	25	250	466	3/8" BSP	12361592
50	1	25	300	516	3/8" BSP	12361593
50	1	25	350	566	3/8" BSP	12361594
50	1	25	400	616	3/8" BSP	12361595
50	1	25	450	666	3/8" BSP	12361596
50	1	25	500	716	3/8" BSP	12361597
50	1	25	550	766	3/8" BSP	12361598
50	1	25	600	816	3/8" BSP	12361599
50	1	25	700	916	3/8" BSP	12953493
50	1	25	800	1,016	3/8" BSP	12361600
50	1	25	1000	1,216	3/8" BSP	12361601

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Bore mm	Number of extensions	Outer diameter piston rod mm	Stroke mm	Built-in size mm	Oilports	Article
50	1	30	100	316	3/8" BSP	12953495
50	1	30	150	366	3/8" BSP	12361602
50	1	30	200	416	3/8" BSP	12361603
50	1	30	250	466	3/8" BSP	12361604
50	1	30	300	516	3/8" BSP	12361605
50	1	30	350	566	3/8" BSP	12361606
50	1	30	400	616	3/8" BSP	12361607
50	1	30	450	666	3/8" BSP	12361608
50	1	30	500	716	3/8" BSP	12361609
50	1	30	550	766	3/8" BSP	12361610
50	1	30	600	816	3/8" BSP	12361611
50	1	30	700	916	3/8" BSP	12361612
50	1	30	800	1,016	3/8" BSP	12361613
50	1	30	1000	1,216	3/8" BSP	12361614
60	1	30	100	350	3/8" BSP	12361615
60	1	30	150	400	3/8" BSP	12361616
60	1	30	200	450	3/8" BSP	12361617
60	1	30	250	500	3/8" BSP	12361618
60	1	30	300	550	3/8" BSP	12361619
60	1	30	350	600	3/8" BSP	12361620
60	1	30	400	650	3/8" BSP	12361621
60	1	30	450	700	3/8" BSP	12361622
60	1	30	500	750	3/8" BSP	12361623
60	1	30	550	800	3/8" BSP	12361624
60	1	30	600	850	3/8" BSP	12361625
60	1	30	700	950	3/8" BSP	12953494
60	1	30	800	1,050	3/8" BSP	12361626
60	1	30	1000	1,250	3/8" BSP	12361627
60	1	35	100	350	3/8" BSP	12361628
60	1	35	150	400	3/8" BSP	12361629
60	1	35	200	450	3/8" BSP	12361630
60	1	35	250	500	3/8" BSP	12361631
60	1	35	300	550	3/8" BSP	12361632
60	1	35	350	600	3/8" BSP	12361633
60	1	35	400	650	3/8" BSP	12361634
60	1	35	450	700	3/8" BSP	12361635
60	1	35	500	750	3/8" BSP	12361636
60	1	35	550	800	3/8" BSP	12361637
60	1	35	600	850	3/8" BSP	12361638
60	1	35	700	950	3/8" BSP	12953496
60	1	35	800	1,050	3/8" BSP	12361639
60	1	35	1000	1,250	3/8" BSP	12361640
60	1	40	200	450	3/8" BSP	12361641
60	1	40	250	500	3/8" BSP	12361642
60	1	40	300	550	3/8" BSP	12361643
60	1	40	350	600	3/8" BSP	12361644
60	1	40	400	650	3/8" BSP	12361645
60	1	40	450	700	3/8" BSP	12361646
60	1	40	500	750	3/8" BSP	12361647
60	1	40	550	800	3/8" BSP	12361648
60	1	40	600	850	3/8" BSP	12361650
60	1	40	700	950	3/8" BSP	12953497

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Bore mm	Number of extensions	Outer diameter piston rod mm	Stroke mm	Built-in size mm	Oilports	Article
60	1	40	800	1,050	3/8" BSP	12361651
60	1	40	1000	1,250	3/8" BSP	12361652
63	1	40	200	450	3/8" BSP	12361552
63	1	40	250	500	3/8" BSP	12361553
63	1	40	300	550	3/8" BSP	12361554
63	1	40	350	600	3/8" BSP	12361555
63	1	40	400	650	3/8" BSP	12361556
63	1	40	450	700	3/8" BSP	12361557
63	1	40	500	750	3/8" BSP	12361558
63	1	40	550	800	3/8" BSP	12361559
63	1	40	600	850	3/8" BSP	12361560
63	1	40	700	950	3/8" BSP	12953502
63	1	40	800	1,050	3/8" BSP	12361561
63	1	40	1000	1,250	3/8" BSP	12361562
70	1	35	100	350	3/8" BSP	12361653
70	1	35	150	400	3/8" BSP	12361654
70	1	35	200	450	3/8" BSP	12361655
70	1	35	250	500	3/8" BSP	12361656
70	1	35	300	550	3/8" BSP	12361657
70	1	35	350	600	3/8" BSP	12361658
70	1	35	400	650	3/8" BSP	12361659
70	1	35	450	700	3/8" BSP	12361660
70	1	35	500	750	3/8" BSP	12361661
70	1	35	550	800	3/8" BSP	12361662
70	1	35	600	850	3/8" BSP	12361663
70	1	35	700	950	3/8" BSP	12953498
70	1	35	800	1,050	3/8" BSP	12361664
70	1	35	1000	1,250	3/8" BSP	12361665
70	1	40	100	350	3/8" BSP	12953503
70	1	40	150	400	3/8" BSP	12953504
70	1	40	200	450	3/8" BSP	12361666
70	1	40	250	500	3/8" BSP	12361667
70	1	40	300	550	3/8" BSP	12361668
70	1	40	350	600	3/8" BSP	12361669
70	1	40	400	650	3/8" BSP	12361670
70	1	40	450	700	3/8" BSP	12361671
70	1	40	500	750	3/8" BSP	12361672
70	1	40	550	800	3/8" BSP	12361673
70	1	40	600	850	3/8" BSP	12361674
70	1	40	700	950	3/8" BSP	12953505
70	1	40	800	1,050	3/8" BSP	12361675
70	1	40	1000	1,250	3/8" BSP	12361676
80	1	40	200	482	BSP female 1/2" BSP	12361677
80	1	40	250	532	BSP female 1/2" BSP	12361678
80	1	40	300	582	BSP female 1/2" BSP	12361679
80	1	40	400	682	BSP female 1/2" BSP	12361680
80	1	40	500	782	BSP female 1/2" BSP	12361681
80	1	40	600	882	BSP female 1/2" BSP	12361682
80	1	40	700	982	BSP female 1/2" BSP	12953499
80	1	40	800	1,082	BSP female 1/2" BSP	12361683
80	1	40	1000	1,282	BSP female 1/2" BSP	12361684
80	1	50	200	482	BSP female 1/2" BSP	12361685

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Bore mm	Number of extensions	Outer diameter piston rod mm	Stroke mm	Built-in size mm	Oilports	Article
80	1	50	250	532	BSP female 1/2" BSP	12361686
80	1	50	300	582	BSP female 1/2" BSP	12361687
80	1	50	400	682	BSP female 1/2" BSP	12361688
80	1	50	500	782	BSP female 1/2" BSP	12361689
80	1	50	600	882	BSP female 1/2" BSP	12361690
80	1	50	600	982	BSP female 1/2" BSP	12953506
80	1	50	800	1,082	BSP female 1/2" BSP	12361691
80	1	50	1000	1,282	BSP female 1/2" BSP	12361692
90	1	50	300	624	BSP female 1/2" BSP	12361563
90	1	50	400	724	BSP female 1/2" BSP	12361564
90	1	50	500	824	BSP female 1/2" BSP	12361565
90	1	50	600	924	BSP female 1/2" BSP	12361566
90	1	50	700	1,024	BSP female 1/2" BSP	12953500
90	1	50	800	1,124	BSP female 1/2" BSP	12361567
90	1	50	1000	1,324	BSP female 1/2" BSP	12361568
100	1	60	300	648	BSP female 1/2" BSP	12361701
100	1	60	400	748	BSP female 1/2" BSP	12361702
100	1	60	500	848	BSP female 1/2" BSP	12361703
100	1	60	600	948	BSP female 1/2" BSP	12361704
100	1	60	700	1,048	BSP female 1/2" BSP	12953507
100	1	60	800	1,148	BSP female 1/2" BSP	12361705
100	1	60	1000	1,348	BSP female 1/2" BSP	12361706
100	1	50	200	548	BSP female 1/2" BSP	12361693
100	1	50	250	598	BSP female 1/2" BSP	12361694
100	1	50	300	648	BSP female 1/2" BSP	12361695
100	1	50	400	748	BSP female 1/2" BSP	12361696
100	1	50	500	848	BSP female 1/2" BSP	12361697
100	1	50	600	948	BSP female 1/2" BSP	12361698
100	1	50	700	1,048	BSP female 1/2" BSP	12953501
100	1	50	800	1,148	BSP female 1/2" BSP	12361699
100	1	50	1000	1,348	BSP female 1/2" BSP	12361700

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.