



OPTIBELT Timing Belt High Performance OMEGA HP section 8 MHP

Characteristics

Series: Omega HP

Type: 8MHP-030

Pitch length mm	Width mm	Pitch mm	Double-sided	Material	Article
424	20	8	No	CR	23612242
424	30	8	No	CR	23612243
424	50	8	No	CR	23612244
424	85	8	No	CR	23612245
480	20	8	No	CR	23612451
480	30	8	No	CR	23612452
480	50	8	No	CR	23612453
480	85	8	No	CR	23612454
560	20	8	No	CR	23612809
560	30	8	No	CR	23612810
560	50	8	No	CR	23612811
560	85	8	No	CR	23612812
600	20	8	No	CR	23613275
600	30	8	No	CR	23613276
600	50	8	No	CR	23613277
600	85	8	No	CR	23613278
640	20	8	No	CR	23613419
640	30	8	No	CR	23613420
640	50	8	No	CR	23613421
640	85	8	No	CR	23613422
656	20	8	No	CR	23613451
656	30	8	No	CR	23613452
656	50	8	No	CR	23613453
656	85	8	No	CR	23613454
680	20	8	No	CR	23613551
680	30	8	No	CR	23613552
680	50	8	No	CR	23613553
680	85	8	No	CR	23613554
720	20	8	No	CR	23613790
720	30	8	No	CR	23613792
720	50	8	No	CR	23613793
720	85	8	No	CR	23613794
760	20	8	No	CR	23613874
760	30	8	No	CR	23613875
760	50	8	No	CR	23613876
760	85	8	No	CR	23613878
800	20	8	No	CR	23614034
800	30	8	No	CR	23614035
800	50	8	No	CR	23614036
800	85	8	No	CR	23614037
840	20	8	No	CR	23614106
840	30	8	No	CR	23614107
840	50	8	No	CR	23614108

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Pitch length mm	Width mm	Pitch mm	Double-sided	Material	Article
840	85	8	No	CR	23614109
880	20	8	No	CR	23614177
880	30	8	No	CR	23614178
880	50	8	No	CR	23614179
880	85	8	No	CR	23614180
896	20	8	No	CR	23614204
920	20	8	No	CR	23614467
920	30	8	No	CR	23614468
920	50	8	No	CR	23614469
920	85	8	No	CR	23614470
960	20	8	No	CR	23614524
960	30	8	No	CR	12031127
960	50	8			23201325
960	50	8	No	CR	23614526
960	85	8	No	CR	23614527
976	20	8	No	CR	23614557
976	30	8	No	CR	23614558
976	50	8	No	CR	23613877
976	85	8	No	CR	23614559
1000	20	8	No	CR	23608639
1000	30	8	No	CR	23608640
1000	50	8	No	CR	23608641
1000	85	8	No	CR	23608642
1040	20	8	No	CR	23608688
1040	30	8	No	CR	23608689
1040	50	8	No	CR	23608690
1040	85	8	No	CR	23608691
1064	20	8	No	CR	23608729
1064	30	8	No	CR	23608730
1064	50	8	No	CR	23608731
1064	85	8	No	CR	23608732
1080	20	8	No	CR	23608750
1080	30	8	No	CR	23608751
1080	50	8	No	CR	23608752
1080	85	8	No	CR	23608753
1120	20	8	No	CR	23608839
1120	30	8	No	CR	23608840
1120	50	8	No	CR	23608841
1120	85	8	No	CR	23608842
1160	20	8	No	CR	23608887
1160	30	8	No	CR	23608888
1160	50	8	No	CR	23608889
1160	85	8	No	CR	23608890
1200	20	8	No	CR	23608981
1200	30	8			23201309
1200	30	8	No	CR	23608982
1200	50	8	No	CR	23608983
1200	85	8	No	CR	23608984
1280	20	8	No	CR	23609097
1280	30	8	No	CR	23609098
1280	50	8	No	CR	23609099
1280	85	8	No	CR	23609100
1304	20	8	No	CR	23609253

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Pitch length mm	Width mm	Pitch mm	Double-sided	Material	Article
1304	30	8	No	CR	23609254
1304	50	8	No	CR	12030349
1304	85	8	No	CR	23609256
1360	20	8	No	CR	23609303
1360	30	8	No	CR	23609304
1360	50	8	No	CR	23609305
1360	85	8	No	CR	23609306
1400	20	8	No	CR	23609353
1400	30	8	No	CR	23609354
1400	50	8	No	CR	23609355
1400	85	8	No	CR	23609356
1424	20	8	No	CR	23609411
1424	30	8	No	CR	23609412
1424	50	8	No	CR	23609413
1424	85	8	No	CR	23609414
1440	20	8	No	CR	23609440
1440	30	8	No	CR	23609441
1440	50	8	No	CR	23609442
1440	85	8	No	CR	23609443
1520	20	8	No	CR	23609664
1520	30	8	No	CR	23609665
1520	50	8	No	CR	23609666
1520	85	8	No	CR	23609667
1600	20	8	No	CR	23609780
1600	30	8	No	CR	23609781
1600	50	8	No	CR	23609782
1600	85	8	No	CR	23609783
1760	20	8	No	CR	23610071
1760	30	8	No	CR	23610072
1760	50	8	No	CR	23610073
1760	85	8	No	CR	23610074
1800	20	8	No	CR	23610141
1800	30	8	No	CR	23610142
1800	50	8	No	CR	23610143
1800	85	8	No	CR	23610144
2000	20	8	No	CR	23610384
2000	30	8	No	CR	23610385
2000	50	8	No	CR	23610386
2000	85	8	No	CR	23610387
2240	20	8	No	CR	23610687
2240	30	8	No	CR	23610688
2240	50	8	No	CR	23610689
2240	85	8	No	CR	23610690
2400	20	8	No	CR	23610794
2400	30	8	No	CR	23610795
2400	50	8	No	CR	23610796
2400	85	8	No	CR	23610797
2600	20	8	No	CR	23610972
2600	30	8	No	CR	23610973
2600	50	8	No	CR	23610974
2600	85	8	No	CR	23610975
2800	20	8	No	CR	23611117
2800	30	8	No	CR	23611118

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Pitch length mm	Width mm	Pitch mm	Double-sided	Material	Article
2800	50	8	No	CR	23611119

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.