



OPTIBELT Timing Belt ZR section XL

Characteristics
Series: ZR CLASSIC
Type: XL-037

Pitch length	Pitch length	Width	Pitch	Pitch	Double-sided	Material	Article
mm	in	mm	mm	in			Max. 200 articles in the table
152.4	6	6.35	5.08	1/5	No	CR	12026307
152.4	6	7.94	5.08	1/5	No	CR	12026308
152.4	6	9.525	5.08	1/5	No	CR	12026309
218.44	8.6	6.35	5.08	1/5	No	CR	12026431
218.44	8.6	7.94	5.08	1/5	No	CR	12026432
218.44	8.6	9.525	5.08	1/5	No	CR	12026433
223.52	8.8	6.35	5.08	1/5	No	CR	12026437
223.52	8.8	7.94	5.08	1/5	No	CR	12026438
247.32	10.8	6.35	5.08	1/5	No	CR	12025817
259.08	10.2	6.35	5.08	1/5	No	CR	12025799
259.08	10.2	7.94	5.08	1/5	No	CR	12025800
259.08	10.2	9.525	5.08	1/5	No	CR	12025801
269.24	10.6	6.35	5.08	1/5	No	CR	12025808
269.24	10.6	7.94	5.08	1/5			12025809
269.24	10.6	9.525	5.08	1/5	No	CR	12025810
274.32	10.8	7.94	5.08	1/5	No	CR	12025818
274.32	10.8	9.525	5.08	1/5	No	CR	12025819
284.48	11.2	6.35	5.08	1/5	No	CR	12025836
284.48	11.2	9.525	5.08	1/5	No	CR	12025838
294.64	11.6	6.35	5.08	1/5	No	CR	12025842
294.64	11.6	7.94	5.08	1/5	No	CR	12025843
294.64	11.6	9.525	5.08	1/5	No	CR	12025844
299.72	11.8	6.35	5.08	1/5	No	CR	12025851
299.72	11.8	7.94	5.08	1/5	No	CR	12025852
299.72	11.8	9.525	5.08	1/5	No	CR	12025853
304.8	12	6.35	5.08	1/5	No	CR	12025861
314.96	12.4	6.35	5.08	1/5	No	CR	12025866
314.96	12.4	7.94	5.08	1/5	No	CR	12025867
320.04	12.6	6.35	5.08	1/5	No	CR	12025874
320.04	12.6	7.94	5.08	1/5	No	CR	12025875
320.04	12.6	9.525	5.08	1/5	No	CR	12025876
325.12	12.8	6.35	5.08	1/5	No	CR	12025883
325.12	12.8	7.94	5.08	1/5	No	CR	12025884
325.12	12.8	9.525	5.08	1/5	No	CR	12025885
340.36	13.4	6.35	5.08	1/5	No	CR	12025889
340.36	13.4	7.94	5.08	1/5	No	CR	12025890
340.36	13.4	9.525	5.08	1/5	No	CR	12025891
345.44	13.6	6.35	5.08	1/5	No	CR	12025895
345.44	13.6	7.94	5.08	1/5	No	CR	12025896
345.44	13.6	9.525	5.08	1/5	No	CR	12025897
350.52	13.8	6.35	5.08	1/5	No	CR	12025898
350.52	13.8	7.94	5.08	1/5	No	CR	12025899
350.52	13.8	9.525	5.08	1/5	No	CR	12025900

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Timing Belts | Timing Belts (Chloroprene Rubber)

Pitch length mm	Pitch length in	Width mm	Pitch mm	Pitch in	Double-sided	Material	Article Max. 200 articles in the table
355.6	14	6.35	5.08	1/5	No	CR	12025914
360.68	14.2	6.35	5.08	1/5	No	CR	12025915
360.68	14.2	7.94	5.08	1/5	No	CR	12025916
360.68	14.2	9.525	5.08	1/5			12025917
375.92	14.8	6.35	5.08	1/5	No	CR	12025924
375.92	14.8	7.94	5.08	1/5	No	CR	12025925
375.92	14.8	9.525	5.08	1/5	No	CR	12025926
381	15	7.94	5.08	1/5	No	CR	12025927
396.24	15.6	6.35	5.08	1/5	No	CR	12025937
396.24	15.6	7.94	5.08	1/5	No	CR	12025938
411.48	16.2	6.35	5.08	1/5	No	CR	12025946
411.48	16.2	7.94	5.08	1/5	No	CR	12025947
411.48	16.2	9.525	5.08	1/5	No	CR	12025948
421.64	16.6	6.35	5.08	1/5	No	CR	12025952
421.64	16.6	7.94	5.08	1/5	No	CR	12025953
421.64	16.6	9.525	5.08	1/5	No	CR	12025954
426.72	16.8	6.35	5.08	1/5	No	CR	12025955
426.72	16.8	7.94	5.08	1/5	No	CR	12025956
426.72	16.8	9.525	5.08	1/5	No	CR	12025957
431.8	17	7.94	5.08	1/5	No	CR	12025964
441.96	17.4	6.35	5.08	1/5	No	CR	12025968
441.96	17.4	7.94	5.08	1/5	No	CR	12025969
441.96	17.4	9.525	5.08	1/5	No	CR	12025970
447.04	17.6	6.35	5.08	1/5	No	CR	12025978
447.04	17.6	7.94	5.08	1/5	No	CR	12025979
447.04	17.6	9.525	5.08	1/5	No	CR	12025980
452.12	17.8	6.35	5.08	1/5	No	CR	12025981
452.12	17.8	7.94	5.08	1/5	No	CR	12025982
452.12	17.8	9.525	5.08	1/5	No	CR	12025983
457.2	18	6.35	5.08	1/5	No	CR	12025991
457.2	18	7.94	5.08	1/5	No	CR	12025992
462.28	18.2	6.35	5.08	1/5	No	CR	12025993
462.28	18.2	7.94	5.08	1/5	No	CR	12025994
462.28	18.2	9.525	5.08	1/5	No	CR	12025995
467.36	18.4	6.35	5.08	1/5	No	CR	12025996
467.36	18.4	7.94	5.08	1/5	No	CR	12025997
467.36	18.4	9.525	5.08	1/5	No	CR	12025998
477.52	18.8	6.35	5.08	1/5	No	CR	12026002
477.52	18.8	7.94	5.08	1/5	No	CR	12026003
477.52	18.8	9.525	5.08	1/5	No	CR	12026004
482.6	19	6.35	5.08	1/5	No	CR	12026005
482.6	19	7.94	5.08	1/5	No	CR	12026006
487.68	19.2	6.35	5.08	1/5	No	CR	12026007
487.68	19.2	7.94	5.08	1/5	No	CR	12026008
487.68	19.2	9.525	5.08	1/5	No	CR	12026009
492.76	19.4	6.35	5.08	1/5	No	CR	12026010
492.76	19.4	7.94	5.08	1/5	No	CR	12026011
492.76	19.4	9.525	5.08	1/5	No	CR	12026012
497.84	19.6	6.35	5.08	1/5	No	CR	12026013
497.84	19.6	7.94	5.08	1/5	No	CR	12026014
497.84	19.6	9.525	5.08	1/5	No	CR	12026015
533.4	21	6.35	5.08	1/5	No	CR	12026032
533.4	21	7.94	5.08	1/5	No	CR	12026033

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Pitch length mm	Pitch length in	Width mm	Pitch mm	Pitch in	Double-sided	Material	Article Max. 200 articles in the table
558.8	22	7.94	5.08	1/5	No	CR	12026037
584.2	23	6.35	5.08	1/5	No	CR	12026046
584.2	23	7.94	5.08	1/5	No	CR	12026047
609.6	24	7.94	5.08	1/5	No	CR	12026056
619.76	24.4	6.35	5.08	1/5	No	CR	12026057
619.76	24.4	7.94	5.08	1/5	No	CR	12026058
619.76	24.4	9.525	5.08	1/5	No	CR	12026059
629.92	24.8	6.35	5.08	1/5	No	CR	12026063
629.92	24.8	7.94	5.08	1/5	No	CR	12026064
629.92	24.8	9.525	5.08	1/5	No	CR	12026065
635	25	7.94	5.08	1/5	No	CR	12026066
660.4	26	6.35	5.08	1/5	No	CR	12026074
660.4	26	7.94	5.08	1/5	No	CR	12026075
685.8	27	7.94	5.08	1/5	No	CR	12026080
690.88	27.2	6.35	5.08	1/5	No	CR	12026081
690.88	27.2	7.94	5.08	1/5	No	CR	12026082
690.88	27.2	9.525	5.08	1/5	No	CR	12026083
695.96	27.4	6.35	5.08	1/5	No	CR	12026084
695.96	27.4	7.94	5.08	1/5	No	CR	12026085
695.96	27.4	9.525	5.08	1/5	No	CR	12026086
711.2	28	7.94	5.08	1/5	No	CR	12026095
726.44	28.6	6.35	5.08	1/5	No	CR	12026096
726.44	28.6	7.94	5.08	1/5	No	CR	12026097
726.44	28.6	9.525	5.08	1/5	No	CR	12026098
736.6	29	6.35	5.08	1/5	No	CR	12026102
736.6	29	7.94	5.08	1/5	No	CR	12026103
751.84	29.6	6.35	5.08	1/5	No	CR	12026107
751.84	29.6	7.94	5.08	1/5	No	CR	12026108
751.84	29.6	9.525	5.08	1/5	No	CR	12026109
762	30	6.35	5.08	1/5	No	CR	12026111
762	30	7.94	5.08	1/5	No	CR	12026112
777.24	30.6	6.35	5.08	1/5	No	CR	12026113
777.24	30.6	7.94	5.08	1/5	No	CR	12026114
777.24	30.6	9.525	5.08	1/5	No	CR	12026115
787.4	31	7.94	5.08	1/5	No	CR	12026117
787.4	31	9.525	5.08	1/5	No	CR	12026118
802.64	31.6	6.35	5.08	1/5	No	CR	12026119
802.64	31.6	7.94	5.08	1/5	No	CR	12026120
812.8	32	6.35	5.08	1/5	No	CR	12026124
812.8	32	7.94	5.08	1/5	No	CR	12026125
812.8	32	9.525	5.08	1/5	No	CR	12026126
817.88	32.2	6.35	5.08	1/5	No	CR	12026127
817.88	32.2	7.94	5.08	1/5	No	CR	12026128
817.88	32.2	9.525	5.08	1/5	No	CR	12026129
838.2	33	6.35	5.08	1/5	No	CR	12026131
838.2	33	7.94	5.08	1/5	No	CR	12026132
863.6	34	6.35	5.08	1/5	No	CR	12026138
863.6	34	7.94	5.08	1/5	No	CR	12026139
863.6	34	9.525	5.08	1/5	No	CR	12026140
873.76	34.4	6.35	5.08	1/5	No	CR	12026141
873.76	34.4	7.94	5.08	1/5	No	CR	12026142
873.76	34.4	9.525	5.08	1/5	No	CR	12026143
889	35	6.35	5.08	1/5	No	CR	12026152

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Pitch length mm	Pitch length in	Width mm	Pitch mm	Pitch in	Double-sided	Material	Article Max. 200 articles in the table
889	35	7.94	5.08	1/5	No	CR	12026153
889	35	9.525	5.08	1/5	No	CR	12026154
914.4	36	6.35	5.08	1/5	No	CR	12026162
914.4	36	7.94	5.08	1/5	No	CR	12026163
914.4	36	9.525	5.08	1/5	No	CR	12026164
965.2	38	6.35	5.08	1/5	No	CR	12026177
965.2	38	7.94	5.08	1/5	No	CR	12026178
965.2	38	9.525	5.08	1/5	No	CR	12026179
970.28	38.2	6.35	5.08	1/5	No	CR	12026180
970.28	38.2	7.94	5.08	1/5	No	CR	12026181
970.28	38.2	9.525	5.08	1/5	No	CR	12026182
985.52	38.8	6.35	5.08	1/5	No	CR	12026183
985.52	38.8	7.94	5.08	1/5	No	CR	12026184
985.52	38.8	9.525	5.08	1/5	No	CR	12026185
990.6	39	6.35	5.08	1/5	No	CR	12026186
990.6	39	7.94	5.08	1/5	No	CR	12026187
995.68	39.2	6.35	5.08	1/5	No	CR	12026188
995.68	39.2	7.94	5.08	1/5	No	CR	12026189
995.68	39.2	9.525	5.08	1/5	No	CR	12026190
1046.48	41.2	6.35	5.08	1/5	No	CR	12026201
1046.48	41.2	7.94	5.08	1/5	No	CR	12026202
1046.48	41.2	9.525	5.08	1/5	No	CR	12026203
1051.56	41.4	6.35	5.08	1/5	No	CR	12026204
1051.56	41.4	7.94	5.08	1/5	No	CR	12026205
1051.56	41.4	9.525	5.08	1/5	No	CR	12026206
1097.28	43.2	6.35	5.08	1/5	No	CR	12026216
1097.28	43.2	7.94	5.08	1/5	No	CR	12026217
1097.28	43.2	9.525	5.08	1/5	No	CR	12026218
1102.36	43.4	6.35	5.08	1/5	No	CR	12026219
1102.36	43.4	7.94	5.08	1/5	No	CR	12026220
1102.36	43.4	9.525	5.08	1/5	No	CR	12026221
1112.52	43.8	6.35	5.08	1/5	No	CR	12026225
1112.52	43.8	7.94	5.08	1/5	No	CR	12026226
1112.52	43.8	9.525	5.08	1/5	No	CR	12026227
1168.4	46	6.35	5.08	1/5	No	CR	12026240
1168.4	46	7.94	5.08	1/5	No	CR	12026241
1264.92	49.8	6.35	5.08	1/5	No	CR	12026256
1264.92	49.8	7.94	5.08	1/5	No	CR	12026257
1264.92	49.8	9.525	5.08	1/5	No	CR	12026258
1285.24	50.6	6.35	5.08	1/5	No	CR	12026259
1285.24	50.6	7.94	5.08	1/5	No	CR	12026260
1285.24	50.6	9.525	5.08	1/5	No	CR	12026261
1305.56	51.4	6.35	5.08	1/5	No	CR	12026266
1305.56	51.4	7.94	5.08	1/5	No	CR	12026267
1305.56	51.4	9.525	5.08	1/5	No	CR	12026268
1473.2	58	6.35	5.08	1/5	No	CR	12026297
1473.2	58	7.94	5.08	1/5	No	CR	12026298
1473.2	58	9.525	5.08	1/5	No	CR	12026299
1600.2	63	6.35	5.08	1/5	No	CR	12026318
1600.2	63	7.94	5.08	1/5	No	CR	12026319

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.