



OPTIBELT Timing Belt ZR section L

Characteristics

Series: ZR CLASSIC

Type: L-100

Pitch length mm	Pitch length in	Width mm	Pitch mm	Pitch in	Double-sided	Material	Article
276.23	10.88	12.7	9.525	3/8	No	CR	12025820
276.23	10.88	19.05	9.525	3/8	No	CR	12025821
276.23	10.88	25.4	9.525	3/8	No	CR	12025822
314.96	12.4	12.7	9.525	3/8			23200787
314.96	12.4	12.7	9.525	3/8	No	CR	23609027
314.96	12.4	19.05	9.525	3/8			23200788
314.96	12.4	19.05	9.525	3/8	No	CR	23609028
314.96	12.4	25.4	9.525	3/8	No	CR	12025865
381	15	12.7	9.525	3/8			23200805
381	15	12.7	9.525	3/8	No	CR	23609638
381	15	19.05	9.525	3/8			23200809
381	15	19.05	9.525	3/8	No	CR	23609640
381	15	25.4	9.525	3/8			23200804
381	15	25.4	9.525	3/8	No	CR	23609641
419.1	16.5	12.7	9.525	3/8	No	CR	12025949
419.1	16.5	25.4	9.525	3/8	No	CR	12025951
428.63	16.88	12.7	9.525	3/8			23200806
428.63	16.88	12.7	9.525	3/8	No	CR	23609828
428.63	16.88	19.05	9.525	3/8			23200807
428.63	16.88	19.05	9.525	3/8	No	CR	23609829
428.63	16.88	25.4	9.525	3/8	No	CR	12025958
438.15	17.25	12.7	9.525	3/8	No	CR	12025965
438.15	17.25	19.05	9.525	3/8	No	CR	12025966
438.15	17.25	25.4	9.525	3/8	No	CR	12025967
476.25	18.75	12.7	9.525	3/8			23200824
476.25	18.75	12.7	9.525	3/8	No	CR	23610175
476.25	18.75	19.05	9.525	3/8	No	CR	23610176
476.25	18.75	25.4	9.525	3/8			23200823
476.25	18.75	25.4	9.525	3/8	No	CR	23610177
514.35	20.05	12.7	9.525	3/8	No	CR	12026025
514.35	20.05	19.05	9.525	3/8	No	CR	12700262
514.35	20.05	25.4	9.525	3/8	No	CR	12026027
533.4	21	12.7	9.525	3/8			23200841
533.4	21	12.7	9.525	3/8	No	CR	23610434
533.4	21	19.05	9.525	3/8			23200842
533.4	21	19.05	9.525	3/8	No	CR	23610435
533.4	21	25.4	9.525	3/8	No	CR	12026031
571.5	22.5	12.7	9.525	3/8			23200852
571.5	22.5	12.7	9.525	3/8	No	CR	23610711
571.5	22.5	19.05	9.525	3/8			23200853
571.5	22.5	19.05	9.525	3/8	No	CR	23610712
571.5	22.5	25.4	9.525	3/8			23201047
571.5	22.5	25.4	9.525	3/8	No	CR	23610713

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Pitch length mm	Pitch length in	Width mm	Pitch mm	Pitch in	Double-sided	Material	Article
590.55	23.25	12.7	9.525	3/8	No	CR	12026048
590.55	23.25	19.05	9.525	3/8	No	CR	12026049
590.55	23.25	25.4	9.525	3/8	No	CR	12026050
599.44	23.63	12.7	9.525	3/8	No	CR	12026051
599.44	23.63	19.05	9.525	3/8			23201049
599.44	23.63	19.05	9.525	3/8	No	CR	23610723
599.44	23.63	25.4	9.525	3/8	No	CR	12026052
609.6	24	12.7	9.525	3/8			23200861
609.6	24	12.7	9.525	3/8	No	CR	23610784
609.6	24	19.05	9.525	3/8			23200862
609.6	24	19.05	9.525	3/8	No	CR	23610785
609.6	24	25.4	9.525	3/8			23200860
609.6	24	25.4	9.525	3/8	No	CR	23610786
647.7	25.5	12.7	9.525	3/8			23200870
647.7	25.5	12.7	9.525	3/8	No	CR	23610937
647.7	25.5	19.05	9.525	3/8			23200871
647.7	25.5	19.05	9.525	3/8	No	CR	23610938
647.7	25.5	25.4	9.525	3/8			23200868
647.7	25.5	25.4	9.525	3/8	No	CR	23610939
685.8	27	12.7	9.525	3/8			23200880
685.8	27	12.7	9.525	3/8	No	CR	23611019
685.8	27	19.05	9.525	3/8			23200881
685.8	27	19.05	9.525	3/8	No	CR	23611020
685.8	27	25.4	9.525	3/8			23200878
723.9	28.5	12.7	9.525	3/8			23200890
723.9	28.5	12.7	9.525	3/8	No	CR	23611138
723.9	28.5	19.05	9.525	3/8			23200892
723.9	28.5	19.05	9.525	3/8	No	CR	23611139
723.9	28.5	25.4	9.525	3/8			23200889
723.9	28.5	25.4	9.525	3/8	No	CR	23611140
762	30	12.7	9.525	3/8			23200899
762	30	12.7	9.525	3/8	No	CR	23611266
762	30	19.05	9.525	3/8			23200900
762	30	19.05	9.525	3/8	No	CR	23611267
762	30	25.4	9.525	3/8			23200898
762	30	25.4	9.525	3/8	No	CR	23611268
819.15	32.25	12.7	9.525	3/8			23200904
819.15	32.25	12.7	9.525	3/8	No	CR	23611469
819.15	32.25	19.05	9.525	3/8			23200905
819.15	32.25	19.05	9.525	3/8	No	CR	23611451
819.15	32.25	25.4	9.525	3/8			23200902
819.15	32.25	25.4	9.525	3/8	No	CR	23611452
876.3	34.5	12.7	9.525	3/8			23200911
876.3	34.5	12.7	9.525	3/8	No	CR	23611580
876.3	34.5	19.05	9.525	3/8			23200913
876.3	34.5	19.05	9.525	3/8	No	CR	23611581
876.3	34.5	25.4	9.525	3/8			23200910
876.3	34.5	25.4	9.525	3/8	No	CR	23611582
914.4	36	12.7	9.525	3/8	No	CR	12026157
914.4	36	19.05	9.525	3/8	No	CR	12026158
914.4	36	25.4	9.525	3/8	No	CR	12026159
933.45	36.75	12.7	9.525	3/8			23200920
933.45	36.75	12.7	9.525	3/8	No	CR	23611675

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Pitch length mm	Pitch length in	Width mm	Pitch mm	Pitch in	Double-sided	Material	Article
933.45	36.75	19.05	9.525	3/8			23200922
933.45	36.75	19.05	9.525	3/8	No	CR	23611676
933.45	36.75	25.4	9.525	3/8			23200919
933.45	36.75	25.4	9.525	3/8	No	CR	23611677
952.5	37.5	12.7	9.525	3/8	No	CR	12026174
952.5	37.5	19.05	9.525	3/8	No	CR	12026175
952.5	37.5	25.4	9.525	3/8	No	CR	12026176
990.6	39	12.7	9.525	3/8			23200929
990.6	39	12.7	9.525	3/8	No	CR	23611811
990.6	39	19.05	9.525	3/8			23200930
990.6	39	19.05	9.525	3/8	No	CR	23611812
990.6	39	25.4	9.525	3/8			23200928
990.6	39	25.4	9.525	3/8	No	CR	23611813
1028.7	40.5	12.7	9.525	3/8			23200921
1028.7	40.5	12.7	9.525	3/8	No	CR	23612138
1028.7	40.5	19.05	9.525	3/8			23201053
1028.7	40.5	19.05	9.525	3/8	No	CR	23612139
1028.7	40.5	25.4	9.525	3/8			23201331
1028.7	40.5	25.4	9.525	3/8	No	CR	23612140
1066.8	42	12.7	9.525	3/8			23200941
1066.8	42	12.7	9.525	3/8	No	CR	23612227
1066.8	42	19.05	9.525	3/8	No	CR	12026208
1066.8	42	25.4	9.525	3/8			23200940
1066.8	42	25.4	9.525	3/8	No	CR	23612229
1104.9	43.5	12.7	9.525	3/8	No	CR	12026222
1104.9	43.5	19.05	9.525	3/8	No	CR	12026223
1104.9	43.5	25.4	9.525	3/8	No	CR	12026224
1143	45	12.7	9.525	3/8			23200949
1143	45	12.7	9.525	3/8	No	CR	23612331
1143	45	19.05	9.525	3/8	No	CR	23612332
1143	45	25.4	9.525	3/8	No	CR	23612333
1152.53	45.38	12.7	9.525	3/8	No	CR	12026234
1152.53	45.38	19.05	9.525	3/8	No	CR	12026235
1152.53	45.38	25.4	9.525	3/8	No	CR	12026236
1219.2	48	12.7	9.525	3/8			23200957
1219.2	48	12.7	9.525	3/8	No	CR	23612468
1219.2	48	19.05	9.525	3/8			23200958
1219.2	48	19.05	9.525	3/8	No	CR	23612469
1219.2	48	25.4	9.525	3/8			23200956
1219.2	48	25.4	9.525	3/8	No	CR	23612470
1295.4	51	12.7	9.525	3/8	No	CR	23612682
1295.4	51	19.05	9.525	3/8	No	CR	23612683
1295.4	51	25.4	9.525	3/8			23200967
1295.4	51	25.4	9.525	3/8	No	CR	23612684
1333.5	52.5	12.7	9.525	3/8	No	CR	12026269
1333.5	52.5	19.05	9.525	3/8	No	CR	12026270
1333.5	52.5	25.4	9.525	3/8	No	CR	12026271
1371.6	54	12.7	9.525	3/8			23200973
1371.6	54	12.7	9.525	3/8	No	CR	23612771
1371.6	54	19.05	9.525	3/8			23200974
1371.6	54	19.05	9.525	3/8	No	CR	23612772
1371.6	54	25.4	9.525	3/8			23200972
1371.6	54	25.4	9.525	3/8	No	CR	23612773

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Pitch length mm	Pitch length in	Width mm	Pitch mm	Pitch in	Double-sided	Material	Article
1524	60	12.7	9.525	3/8			23200989
1524	60	12.7	9.525	3/8	No	CR	23613299
1524	60	19.05	9.525	3/8			23200990
1524	60	19.05	9.525	3/8	No	CR	23613300
1524	60	25.4	9.525	3/8			23200988
1524	60	25.4	9.525	3/8	No	CR	23613301
1600.2	63	12.7	9.525	3/8	No	CR	12026311
1600.2	63	19.05	9.525	3/8	No	CR	12026312
1600.2	63	25.4	9.525	3/8	No	CR	12026313
1676.4	66	12.7	9.525	3/8	No	CR	12026333
1676.4	66	19.05	9.525	3/8	No	CR	12026334
1676.4	66	25.4	9.525	3/8			23201000
1676.4	66	25.4	9.525	3/8	No	CR	23613477
2078.18	81.7	12.7	9.525	3/8	No	CR	23359428

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.