


INA Carriage series KWVE..-B



Characteristics

Series: KWVE..-B

Construction width: Standard

Construction length: Standard

Construction height: Standard

Material: Steel

Manufacturer ID	Size	Preload class	Accuracy class	Coating	Width mm	Height mm	Length mm	Article
KWVE15-B-V0-G1	15	V0	G1		47	24	61.2	12633619
KWVE15-B-V0-G2	15	V0	G2		47	24	61.2	12633620
KWVE15-B-V0-G3	15	V0	G3		47	24	61.2	12633621
KWVE15-B-V0-G4	15	V0	G4		47	24	61.2	24205535
KWVE15-B-V1-G1	15	V1	G1		47	24	61.2	12633622
KWVE15-B-V1-G2	15	V1	G2		47	24	61.2	12633623
KWVE15-B-V1-G3	15	V1	G3		47	24	61.2	12622403
KWVE15-B-RROC-V1-G3	15	V1	G3	Corrotect®	47	24	61.2	12633604
KWVE15-B-V1-G4	15	V1	G4		47	24	61.2	24204857
KWVE15-B-V2-G1	15	V2	G1		47	24	61.2	12633624
KWVE15-B-V2-G2	15	V2	G2		47	24	61.2	12570824
KWVE15-B-V2-G3	15	V2	G3		47	24	61.2	12633625
KWVE15-B-RROC-V2-G3	15	V2	G3	Corrotect®	47	24	61.2	12633605
KWVE15-B-V2-G4	15	V2	G4		47	24	61.2	12633626
KWVE20-B-V0-G1	20	V0	G1		63	30	71.4	12633840
KWVE20-B-UG-V0-G1	20	V0	G1		63	25.5	71.4	12633828
KWVE20-B-V0-G2	20	V0	G2		63	30	71.4	12633841
KWVE20-B-UG-V0-G2	20	V0	G2		63	25.5	71.4	12633829
KWVE20-B-UG-V0-G3	20	V0	G3		63	25.5	71.4	12633830
KWVE20-B-V0-G3	20	V0	G3		63	30	71.4	12633842
KWVE20-B-V0-G4	20	V0	G4		63	30	71.4	24206248
KWVE20-B-UG-V0-G4	20	V0	G4		63	25.5	71.4	12633831
KWVE20-B-V1-G1	20	V1	G1		63	30	71.4	12633843
KWVE20-B-UG-V1-G1	20	V1	G1		63	25.5	71.4	12633832
KWVE20-B-UG-V1-G2	20	V1	G2		63	25.5	71.4	12633833
KWVE20-B-V1-G2	20	V1	G2		63	30	71.4	12633844
KWVE20-B-UG-V1-G3	20	V1	G3		63	25.5	71.4	12633834
KWVE20-B-V1-G3	20	V1	G3		63	30	71.4	12508647
KWVE20-B-RROC-V1-G3	20	V1	G3	Corrotect®	63	25.5	71.4	12633751
KWVE20-B-UG-RROC-V1-G3	20	V1	G3	Corrotect®	63	25.5	71.4	13261175
KWVE20-B-V1-G4	20	V1	G4		63	30	71.4	24208897
KWVE20-B-UG-V1-G4	20	V1	G4		63	25.5	71.4	12633835
KWVE20-B-V2-G1	20	V2	G1		63	30	71.4	12633845
KWVE20-B-UG-V2-G1	20	V2	G1		63	25.5	71.4	12633836
KWVE20-B-UG-V2-G2	20	V2	G2		63	25.5	71.4	12633837
KWVE20-B-V2-G2	20	V2	G2		63	30	71.4	12633846

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Manufacturer ID	Size	Preload class	Accuracy class	Coating	Width mm	Height mm	Length mm	Article
KWVE20-B-UG-V2-G3	20	V2	G3		63	25.5	71.4	12633838
KWVE20-B-V2-G3	20	V2	G3		63	30	71.4	12633847
KWVE20-B-RROC-V2-G3	20	V2	G3	Corrotect®	63	25.5	71.4	12633752
KWVE20-B-UG-RROC-V2-G3	20	V2	G3	Corrotect®	63	25.5	71.4	13261176
KWVE20-B-V2-G4	20	V2	G4		63	30	71.4	12633848
KWVE20-B-UG-V2-G4	20	V2	G4		63	25.5	71.4	12633839
KWVE25-B-V0-G1	25	V0	G1		70	36	83.3	12634228
KWVE25-B-V0-G2	25	V0	G2		70	36	83.3	12634229
KWVE25-B-V0-G3	25	V0	G3		70	36	83.3	24206439
KWVE25-B-V0-G4	25	V0	G4		70	36	83.3	24210245
KWVE25-B-V1-G1	25	V1	G1		70	36	83.3	12634230
KWVE25-B-UG-V1-G1	25	V1	G1		70	30.8	86.6	12634220
KWVE25-B-V1-G2	25	V1	G2		70	36	83.3	12634231
KWVE25-B-UG-V1-G2	25	V1	G2		70	30.8	86.6	12634221
KWVE25-B-UG-V1-G3	25	V1	G3		70	30.8	86.6	12634222
KWVE25-B-V1-G3	25	V1	G3		70	36	83.3	12634232
KWVE25-B-RROC-V1-G3	25	V1	G3	Corrotect®	70	36	83.3	12634115
KWVE25-B-UG-V1-G4	25	V1	G4		70	30.8	86.6	12634223
KWVE25-B-V1-G4	25	V1	G4		70	36	83.3	24212198
KWVE25-B-V2-G1	25	V2	G1		70	36	83.3	12634233
KWVE25-B-UG-V2-G1	25	V2	G1		70	30.8	86.6	12634224
KWVE25-B-UG-V2-G2	25	V2	G2		70	30.8	86.6	12634225
KWVE25-B-V2-G2	25	V2	G2		70	36	83.3	12634234
KWVE25-B-V2-G3	25	V2	G3		70	36	83.3	12634235
KWVE25-B-UG-V2-G3	25	V2	G3		70	30.8	86.6	12634226
KWVE25-B-RROC-V2-G3	25	V2	G3	Corrotect®	70	36	83.3	12634116
KWVE25-B-UG-V2-G4	25	V2	G4		70	30.8	86.6	12634227
KWVE25-B-V2-G4	25	V2	G4		70	36	83.3	12634236
KWVE30-B-V0-G1	30	V0	G1		90	42	99	12634529
KWVE30-B-V0-G2	30	V0	G2		90	42	99	12634530
KWVE30-B-V0-G3	30	V0	G3		90	42	99	12634531
KWVE30-B-V0-G4	30	V0	G4		90	42	99	24207813
KWVE30-B-V1-G1	30	V1	G1		90	42	99	12634532
KWVE30-B-UG-V1-G1	30	V1	G1		90	42	99	12634521
KWVE30-B-UG-V1-G2	30	V1	G2		90	42	99	12634522
KWVE30-B-V1-G2	30	V1	G2		90	42	99	12634533
KWVE30-B-V1-G3	30	V1	G3		90	42	99	12634534
KWVE30-B-UG-V1-G3	30	V1	G3		90	42	99	12634523
KWVE30-B-UG-RROC-V1-G3	30	V1	G3	Corrotect®	90	42	99	13261171
KWVE30-B-RROC-V1-G3	30	V1	G3	Corrotect®	90	42	99	12634425
KWVE30-B-V1-G4	30	V1	G4		90	42	99	12634535
KWVE30-B-UG-V1-G4	30	V1	G4		90	42	99	12634524

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Manufacturer ID	Size	Preload class	Accuracy class	Coating	Width mm	Height mm	Length mm	Article
KWVE30-B-V2-G1	30	V2	G1		90	42	99	12634536
KWVE30-B-UG-V2-G1	30	V2	G1		90	42	99	12634525
KWVE30-B-V2-G2	30	V2	G2		90	42	99	12634537
KWVE30-B-UG-V2-G2	30	V2	G2		90	42	99	12634526
KWVE30-B-V2-G3	30	V2	G3		90	42	99	12634538
KWVE30-B-UG-V2-G3	30	V2	G3		90	42	99	12634527
KWVE30-B-RROC-V2-G3	30	V2	G3	Corrotect®	90	42	99	12634426
KWVE30-B-V2-G4	30	V2	G4		90	42	99	12634539
KWVE30-B-UG-V2-G4	30	V2	G4		90	42	99	12634528
KWVE35-B-V0-G1	35	V0	G1		100	48	112	12634782
KWVE35-B-V0-G2	35	V0	G2		100	48	112	12634783
KWVE35-B-V0-G3	35	V0	G3		100	48	112	12634784
KWVE35-B-V0-G4	35	V0	G4		100	48	112	24204051
KWVE35-B-V1-G1	35	V1	G1		100	48	112	12634785
KWVE35-B-UG-V1-G1	35	V1	G1		100	48	112	12634774
KWVE35-B-UG-V1-G2	35	V1	G2		100	48	112	12634775
KWVE35-B-V1-G2	35	V1	G2		100	48	112	12634786
KWVE35-B-V1-G3	35	V1	G3		100	48	112	24208493
KWVE35-B-UG-V1-G3	35	V1	G3		100	48	112	12634776
KWVE35-B-RROC-V1-G3	35	V1	G3	Corrotect®	100	48	112	12634686
KWVE35-B-UG-V1-G4	35	V1	G4		100	48	112	12634777
KWVE35-B-V1-G4	35	V1	G4		100	48	112	12634787
KWVE35-B-UG-V2-G1	35	V2	G1		100	48	112	12634778
KWVE35-B-V2-G1	35	V2	G1		100	48	112	12634788
KWVE35-B-UG-V2-G2	35	V2	G2		100	48	112	12634779
KWVE35-B-V2-G2	35	V2	G2		100	48	112	12634789
KWVE35-B-V2-G3	35	V2	G3		100	48	112	12634790
KWVE35-B-UG-V2-G3	35	V2	G3		100	48	112	12634780
KWVE35-B-RROC-V2-G3	35	V2	G3	Corrotect®	100	48	112	12634687
KWVE35-B-UG-V2-G4	35	V2	G4		100	48	112	12634781
KWVE35-B-V2-G4	35	V2	G4		100	48	112	12634791
KWVE45-B-V0-G1	45	V0	G1		120	60	140.6	12635033
KWVE45-B-V0-G2	45	V0	G2		120	60	140.6	12635034
KWVE45-B-V0-G3	45	V0	G3		120	60	140.6	12635035
KWVE45-B-V0-G4	45	V0	G4		120	60	140.6	12635036
KWVE45-B-UG-V1-G1	45	V1	G1		120	60	140.6	12635025
KWVE45-B-V1-G1	45	V1	G1		120	60	140.6	12635037
KWVE45-B-V1-G2	45	V1	G2		120	60	140.6	12635038
KWVE45-B-UG-V1-G2	45	V1	G2		120	60	140.6	12635026
KWVE45-B-V1-G3	45	V1	G3		120	60	140.6	12635039
KWVE45-B-UG-V1-G3	45	V1	G3		120	60	140.6	12635027
KWVE45-B-RROC-V1-G3	45	V1	G3	Corrotect®	120	60	140.6	12634942
KWVE45-B-V1-G4	45	V1	G4		120	60	140.6	12635040

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Manufacturer ID	Size	Preload class	Accuracy class	Coating	Width mm	Height mm	Length mm	Article
KWVE45-B-UG-V1-G4	45	V1	G4		120	60	140.6	12635028
KWVE45-B-UG-V2-G1	45	V2	G1		120	60	140.6	12635029
KWVE45-B-V2-G1	45	V2	G1		120	60	140.6	12635041
KWVE45-B-UG-V2-G2	45	V2	G2		120	60	140.6	12635030
KWVE45-B-V2-G2	45	V2	G2		120	60	140.6	12635042
KWVE45-B-UG-V2-G3	45	V2	G3		120	60	140.6	12635031
KWVE45-B-V2-G3	45	V2	G3		120	60	140.6	12635043
KWVE45-B-RROC-V2-G3	45	V2	G3	Corrotect®	120	60	140.6	12634943
KWVE45-B-V2-G4	45	V2	G4		120	60	140.6	12635044
KWVE45-B-UG-V2-G4	45	V2	G4		120	60	140.6	12635032
KWVE55-B-V0-G1	55	V0	G1		140	70	173.6	12635115
KWVE55-B-V0-G2	55	V0	G2		140	70	173.6	12635116
KWVE55-B-V0-G3	55	V0	G3		140	70	173.6	12635117
KWVE55-B-V0-G4	55	V0	G4		140	70	173.6	12635118
KWVE55-B-V1-G1	55	V1	G1		140	70	173.6	12635119
KWVE55-B-V1-G2	55	V1	G2		140	70	173.6	12635120
KWVE55-B-UG-V1-G3	55	V1	G3		140	70	173.6	12635109
KWVE55-B-V1-G3	55	V1	G3		140	70	173.6	12635121
KWVE55-B-RROC-V1-G3	55	V1	G3	Corrotect®	140	70	173.6	12635071
KWVE55-B-V1-G4	55	V1	G4		140	70	173.6	12635122
KWVE55-B-V2-G1	55	V2	G1		140	70	173.6	12635123
KWVE55-B-V2-G2	55	V2	G2		140	70	173.6	12635124
KWVE55-B-V2-G3	55	V2	G3		140	70	173.6	12635125
KWVE55-B-UG-V2-G3	55	V2	G3		140	70	173.6	12635113
KWVE55-B-RROC-V2-G3	55	V2	G3	Corrotect®	140	70	173.6	12635072
KWVE55-B-V2-G4	55	V2	G4		140	70	173.6	12635126

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.