


INA Carriage series KWVE..-B-S



Characteristics

Series: KWVE..-B
Construction type: S
Construction width: Narrow
Construction length: Standard
Construction height: Standard
Material: Steel

Manufacturer ID	Size	Preload class	Accuracy class	Coating	Width mm	Height mm	Length mm	Article
KWVE15-B-S-V0-G1	15	V0	G1		34	24	61.2	12633608
KWVE15-B-S-V0-G2	15	V0	G2		34	24	61.2	12633609
KWVE15-B-S-V0-G3	15	V0	G3		34	24	61.2	12633610
KWVE15-B-S-V0-G4	15	V0	G4		34	24	61.2	12633611
KWVE15-B-S-V1-G1	15	V1	G1		34	24	61.2	12633612
KWVE15-B-S-V1-G2	15	V1	G2		34	24	61.2	12633613
KWVE15-B-S-V1-G3	15	V1	G3		34	24	61.2	12573448
KWVE15-B-S-RROC-V1-G3	15	V1	G3	Corrotect®	34	24	61.2	12635751
KWVE15-B-S-V1-G4	15	V1	G4		34	24	61.2	12633614
KWVE15-B-S-V2-G1	15	V2	G1		34	24	61.2	12633615
KWVE15-B-S-V2-G2	15	V2	G2		34	24	61.2	12633616
KWVE15-B-S-V2-G3	15	V2	G3		34	24	61.2	12633617
KWVE15-B-S-RROC-V2-G3	15	V2	G3	Corrotect®	34	24	61.2	12635752
KWVE15-B-S-V2-G4	15	V2	G4		34	24	61.2	12633618
KWVE20-B-S-UG-V0-G1	20	V0	G1		44	30	71.4	12633806
KWVE20-B-S-V0-G1	20	V0	G1		44	30	71.4	12633818
KWVE20-B-S-V0-G2	20	V0	G2		44	30	71.4	12633819
KWVE20-B-S-UG-V0-G2	20	V0	G2		44	30	71.4	12633807
KWVE20-B-S-UG-V0-G3	20	V0	G3		44	30	71.4	12633808
KWVE20-B-S-V0-G3	20	V0	G3		44	30	71.4	12633820
KWVE20-B-S-UG-V0-G4	20	V0	G4		44	30	71.4	12633809
KWVE20-B-S-V0-G4	20	V0	G4		44	30	71.4	24211386
KWVE20-B-S-V1-G1	20	V1	G1		44	30	71.4	12633821
KWVE20-B-S-UG-V1-G1	20	V1	G1		44	30	71.4	12633810
KWVE20-B-S-UG-V1-G2	20	V1	G2		44	30	71.4	12633811
KWVE20-B-S-V1-G2	20	V1	G2		44	30	71.4	12633822
KWVE20-B-S-UG-V1-G3	20	V1	G3		44	30	71.4	12633812
KWVE20-B-S-V1-G3	20	V1	G3		44	30	71.4	12633823

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Manufacturer ID	Size	Preload class	Accuracy class	Coating	Width mm	Height mm	Length mm	Article
KWVE20-B-S-RROC-V1-G3	20	V1	G3	Corrotect®	44	30	71.4	12635795
KWVE20-B-S-UG-V1-G4	20	V1	G4		44	30	71.4	12633813
KWVE20-B-S-V1-G4	20	V1	G4		44	30	71.4	24203569
KWVE20-B-S-UG-V2-G1	20	V2	G1		44	30	71.4	12633814
KWVE20-B-S-V2-G1	20	V2	G1		44	30	71.4	12633824
KWVE20-B-S-UG-V2-G2	20	V2	G2		44	30	71.4	12633815
KWVE20-B-S-V2-G2	20	V2	G2		44	30	71.4	12633825
KWVE20-B-S-V2-G3	20	V2	G3		44	30	71.4	12633826
KWVE20-B-S-UG-V2-G3	20	V2	G3		44	30	71.4	12633816
KWVE20-B-S-RROC-V2-G3	20	V2	G3	Corrotect®	44	30	71.4	12635796
KWVE20-B-S-V2-G4	20	V2	G4		44	30	71.4	12633827
KWVE20-B-S-UG-V2-G4	20	V2	G4		44	30	71.4	12633817
KWVE25-B-S-V0-G1	25	V0	G1		48	36	83.3	12634207
KWVE25-B-S-V0-G2	25	V0	G2		48	36	83.3	12634208
KWVE25-B-S-V0-G3	25	V0	G3		48	36	83.3	12634209
KWVE25-B-S-V0-G4	25	V0	G4		48	36	83.3	24212802
KWVE25-B-S-V1-G1	25	V1	G1		48	36	83.3	12634210
KWVE25-B-S-UG-V1-G1	25	V1	G1		48	36	83.3	12634199
KWVE25-B-S-V1-G2	25	V1	G2		48	36	83.3	12634211
KWVE25-B-S-UG-V1-G2	25	V1	G2		48	36	83.3	12634200
KWVE25-B-S-UG-V1-G3	25	V1	G3		48	36	83.3	12634201
KWVE25-B-S-V1-G3	25	V1	G3		48	36	83.3	12634212
KWVE25-B-S-RROC-V1-G3	25	V1	G3	Corrotect®	48	36	83.3	12634195
KWVE25-B-S-V1-G4	25	V1	G4		48	36	83.3	12634213
KWVE25-B-S-UG-V1-G4	25	V1	G4		48	36	83.3	12634202
KWVE25-B-S-UG-V2-G1	25	V2	G1		48	36	83.3	12634203
KWVE25-B-S-V2-G1	25	V2	G1		48	36	83.3	12634214
KWVE25-B-S-V2-G2	25	V2	G2		48	36	83.3	12634215
KWVE25-B-S-UG-V2-G2	25	V2	G2		48	36	83.3	12634204
KWVE25-B-S-UG-V2-G3	25	V2	G3		48	36	83.3	12634205
KWVE25-B-S-V2-G3	25	V2	G3		48	36	83.3	12634216
KWVE25-B-S-RROC-V2-G3	25	V2	G3	Corrotect®	48	36	83.3	12634196
KWVE25-B-S-UG-V2-G4	25	V2	G4		48	36	83.3	12634206
KWVE25-B-S-V2-G4	25	V2	G4		48	36	83.3	12634217
KWVE30-B-S-V0-G1	30	V0	G1		60	42	99	12634507

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Manufacturer ID	Size	Preload class	Accuracy class	Coating	Width mm	Height mm	Length mm	Article
KWVE30-B-S-V0-G2	30	V0	G2		60	42	99	12634508
KWVE30-B-S-V0-G3	30	V0	G3		60	42	99	12634509
KWVE30-B-S-V0-G4	30	V0	G4		60	42	99	12634510
KWVE30-B-S-V1-G1	30	V1	G1		60	42	99	12634511
KWVE30-B-S-UG-V1-G1	30	V1	G1		60	42	99	12634499
KWVE30-B-S-V1-G2	30	V1	G2		60	42	99	12634512
KWVE30-B-S-UG-V1-G2	30	V1	G2		60	42	99	12634500
KWVE30-B-S-UG-V1-G3	30	V1	G3		60	42	99	12634501
KWVE30-B-S-V1-G3	30	V1	G3		60	42	99	12634513
KWVE30-B-S-RROC-V1-G3	30	V1	G3	Corrotect®	60	42	99	12634497
KWVE30-B-S-V1-G4	30	V1	G4		60	42	99	12634514
KWVE30-B-S-UG-V1-G4	30	V1	G4		60	42	99	12634502
KWVE30-B-S-V2-G1	30	V2	G1		60	42	99	12634515
KWVE30-B-S-UG-V2-G1	30	V2	G1		60	42	99	12634503
KWVE30-B-S-UG-V2-G2	30	V2	G2		60	42	99	12634504
KWVE30-B-S-V2-G2	30	V2	G2		60	42	99	12634516
KWVE30-B-S-V2-G3	30	V2	G3		60	42	99	12634517
KWVE30-B-S-UG-V2-G3	30	V2	G3		60	42	99	12634505
KWVE30-B-S-RROC-V2-G3	30	V2	G3	Corrotect®	60	42	99	12634498
KWVE30-B-S-V2-G4	30	V2	G4		60	42	99	12634518
KWVE30-B-S-UG-V2-G4	30	V2	G4		60	42	99	12634506
KWVE35-B-S-V0-G1	35	V0	G1		70	48	112	12634762
KWVE35-B-S-V0-G2	35	V0	G2		70	48	112	12634763
KWVE35-B-S-V0-G3	35	V0	G3		70	48	112	12634764
KWVE35-B-S-V0-G4	35	V0	G4		70	48	112	12634765
KWVE35-B-S-UG-V1-G1	35	V1	G1		70	48	112	12634754
KWVE35-B-S-V1-G1	35	V1	G1		70	48	112	12634766
KWVE35-B-S-V1-G2	35	V1	G2		70	48	112	12634767
KWVE35-B-S-UG-V1-G2	35	V1	G2		70	48	112	12634755
KWVE35-B-S-UG-V1-G3	35	V1	G3		70	48	112	12634756
KWVE35-B-S-V1-G3	35	V1	G3		70	48	112	12634768
KWVE35-B-S-RROC-V1-G3	35	V1	G3	Corrotect®	70	48	112	12634752
KWVE35-B-S-V1-G4	35	V1	G4		70	48	112	12634769
KWVE35-B-S-UG-V1-G4	35	V1	G4		70	48	112	12634757
KWVE35-B-S-V2-G1	35	V2	G1		70	48	112	12634770

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Manufacturer ID	Size	Preload class	Accuracy class	Coating	Width mm	Height mm	Length mm	Article
KWVE35-B-S-UG-V2-G1	35	V2	G1		70	48	112	12634758
KWVE35-B-S-UG-V2-G2	35	V2	G2		70	48	112	12634759
KWVE35-B-S-V2-G2	35	V2	G2		70	48	112	12634771
KWVE35-B-S-UG-V2-G3	35	V2	G3		70	48	112	12634760
KWVE35-B-S-V2-G3	35	V2	G3		70	48	112	12634772
KWVE35-B-S-RROC-V2-G3	35	V2	G3	Corrotect®	70	48	112	12634753
KWVE35-B-S-V2-G4	35	V2	G4		70	48	112	12634773
KWVE35-B-S-UG-V2-G4	35	V2	G4		70	48	112	12634761
KWVE45-B-S-V0-G1	45	V0	G1		86	60	140.6	12635013
KWVE45-B-S-V0-G2	45	V0	G2		86	60	140.6	12635014
KWVE45-B-S-V0-G3	45	V0	G3		86	60	140.6	12635015
KWVE45-B-S-V0-G4	45	V0	G4		86	60	140.6	12635016
KWVE45-B-S-V1-G1	45	V1	G1		86	60	140.6	12635017
KWVE45-B-S-V1-G2	45	V1	G2		86	60	140.6	12635018
KWVE45-B-S-V1-G3	45	V1	G3		86	60	140.6	12635019
KWVE45-B-S-RROC-V1-G3	45	V1	G3	Corrotect®	86	60	140.6	12635003
KWVE45-B-S-V1-G4	45	V1	G4		86	60	140.6	12635020
KWVE45-B-S-V2-G1	45	V2	G1		86	60	140.6	12635021
KWVE45-B-S-V2-G2	45	V2	G2		86	60	140.6	12635022
KWVE45-B-S-V2-G3	45	V2	G3		86	60	140.6	12635023
KWVE45-B-S-RROC-V2-G3	45	V2	G3	Corrotect®	86	60	140.6	12635004
KWVE45-B-S-V2-G4	45	V2	G4		86	60	140.6	12635024
KWVE55-B-S-V0-G1	55	V0	G1		100	70	173.6	12635093
KWVE55-B-S-V0-G2	55	V0	G2		100	70	173.6	12635094
KWVE55-B-S-V0-G3	55	V0	G3		100	70	173.6	12635095
KWVE55-B-S-V0-G4	55	V0	G4		100	70	173.6	12635097
KWVE55-B-S-V1-G1	55	V1	G1		100	70	173.6	12635098
KWVE55-B-S-V1-G2	55	V1	G2		100	70	173.6	12635099
KWVE55-B-S-V1-G3	55	V1	G3		100	70	173.6	12635100
KWVE55-B-S-RROC-V1-G3	55	V1	G3	Corrotect®	100	70	173.6	12635091
KWVE55-B-S-V1-G4	55	V1	G4		100	70	173.6	12635101
KWVE55-B-S-V2-G1	55	V2	G1		100	70	173.6	12635102
KWVE55-B-S-V2-G2	55	V2	G2		100	70	173.6	12635103
KWVE55-B-S-V2-G3	55	V2	G3		100	70	173.6	12635104
KWVE55-B-S-RROC-V2-G3	55	V2	G3	Corrotect®	100	70	173.6	12635092

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Manufacturer ID	Size	Preload class	Accuracy class	Coating	Width mm	Height mm	Length mm	Article
KWVE55-B-S-V2-G4	55	V2	G4		100	70	173.6	12635106

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.