

Straight bushing Low-maintenance Sinterbronze/ Sinterbronze Series: SBC



Characteristics

Series: SBC

With collar: No

Maintenance: Low-maintenance

Tread material: Sinterbronze

Manufacturer ID	Shaft diameter	Outer diameter	Width	Article
	mm	mm	mm	Max. 200 articles in the table
SBC 002/004 X 004	2	4	4	12440800
SBC 002/005 X 002	2	5	2	12440801
SBC 003/006 X 004	3	6	4	12440802
SBC 003/006 X 005	3	6	5	12440803
SBC 003/006 X 006	3	6	6	12440804
SBC 003/006 X 010	3	6	10	12440805
SBC 003/008 X 004	3	8	4	12440806
SBC 003/008 X 006	3	8	6	12440807
SBC 004/006 X 006	4	6	6	12440808
SBC 004/006 X 012	4	6	12	12440809
SBC 004/007 X 004	4	7	4	12440810
SBC 004/007 X 006	4	7	6	12440811
SBC 004/007 X 008	4	7	8	12440812
SBC 004/007 X 012	4	7	12	12440813
SBC 004/008 X 004	4	8	4	12440814
SBC 004/008 X 005	4	8	5	12440815
SBC 004/008 X 006	4	8	6	12440816
SBC 004/008 X 008	4	8	8	12440817
SBC 004/008 X 010	4	8	10	12440818
SBC 004/008 X 012	4	8	12	12440819
SBC 004/010 X 008	4	10	8	12440820
SBC 005/008 X 005	5	8	5	12440821
SBC 005/008 X 006	5	8	6	12440822
SBC 005/008 X 008	5	8	8	12440823
SBC 005/008 X 010	5	8	10	12440824
SBC 005/008 X 012	5	8	12	12440825
SBC 005/008 X 015	5	8	15	12440826
SBC 005/008 X 016	5	8	16	12440827
SBC 005/009 X 008	5	9	8	12440828
SBC 005/009 X 010	5	9	10	12440832
SBC 005/010 X 005	5	10	5	12440833
SBC 005/010 X 006	5	10	6	12440834
SBC 005/010 X 008	5	10	8	12440835
SBC 005/010 X 010	5	10	10	12440836
SBC 005/010 X 015	5	10	15	12440837
SBC 005/012 X 010	5	12	10	12440838
SBC 006/008 X 010	6	8	10	12440839
SBC 006/008 X 012	6	8	12	12440840
SBC 006/008 X 014	6	8	14	12440841
SBC 006/009 X 004	6	9	4	12440842
SBC 006/009 X 006	6	9	6	12440843
SBC 006/009 X 008	6	9	8	12440844

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Manufacturer ID	Shaft diameter	Outer diameter	Width	Article
	mm	mm	mm	Max. 200 articles in the table
SBC 006/009 X 010	6	9	10	12440845
SBC 006/009 X 012	6	9	12	12440846
SBC 006/009 X 016	6	9	16	12440847
SBC 006/010 X 004	6	10	4	12440848
SBC 006/010 X 005	6	10	5	12440849
SBC 006/010 X 006	6	10	6	12440850
SBC 006/010 X 008	6	10	8	12440851
SBC 006/010 X 010	6	10	10	12440852
SBC 006/010 X 012	6	10	12	12440853
SBC 006/010 X 015	6	10	15	12440854
SBC 006/010 X 016	6	10	16	12440855
SBC 006/012 X 005	6	12	5	12440856
SBC 006/012 X 006	6	12	6	12440857
SBC 006/012 X 008	6	12	8	12440858
SBC 006/012 X 010	6	12	10	12440859
SBC 006/012 X 012	6	12	12	12440860
SBC 006/012 X 015	6	12	15	12440861
SBC 006/012 X 016	6	12	16	12440862
SBC 006/014 X 012	6	14	12	12440863
SBC 007/010 X 008	7	10	8	12440865
SBC 007/012 X 015	7	12	15	12440866
SBC 008/010 X 006	8	10	6	12440867
SBC 008/010 X 010	8	10	10	12440868
SBC 008/010 X 012	8	10	12	12440869
SBC 008/010 X 015	8	10	15	12440870
SBC 008/010 X 020	8	10	20	12440871
SBC 008/011 X 006	8	11	6	12440872
SBC 008/011 X 008	8	11	8	12440873
SBC 008/011 X 012	8	11	12	12440874
SBC 008/011 X 016	8	11	16	12440875
SBC 008/011 X 020	8	11	20	12440876
SBC 008/012 X 006	8	12	6	12440877
SBC 008/012 X 008	8	12	8	12440878
SBC 008/012 X 010	8	12	10	12440879
SBC 008/012 X 012	8	12	12	12440880
SBC 008/012 X 015	8	12	15	12440881
SBC 008/012 X 016	8	12	16	12440882
SBC 008/012 X 020	8	12	20	12440883
SBC 008/013 X 008	8	13	8	12440884
SBC 008/013 X 010	8	13	10	12440885
SBC 008/013 X 012	8	13	12	12440886
SBC 008/014 X 008	8	14	8	12440887
SBC 008/014 X 010	8	14	10	12440888
SBC 008/014 X 012	8	14	12	12440889
SBC 008/014 X 015	8	14	15	12440890
SBC 008/014 X 016	8	14	16	12440891
SBC 008/014 X 020	8	14	20	12440892
SBC 008/018 X 016	8	18	16	12440893
SBC 009/012 X 006	9	12	6	12440894
SBC 009/012 X 010	9	12	10	12440895
SBC 009/012 X 014	9	12	14	12440896
SBC 009/014 X 010	9	14	10	12440897
SBC 009/014 X 012	9	14	12	12440898

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Manufacturer ID	Shaft diameter	Outer diameter	Width	Article
	mm	mm	mm	Max. 200 articles in the table
SBC 009/014 X 015	9	14	15	12440899
SBC 009/014 X 020	9	14	20	12440900
SBC 010/013 X 008	10	13	8	12440901
SBC 010/013 X 010	10	13	10	12440902
SBC 010/013 X 013	10	13	13	12440903
SBC 010/013 X 016	10	13	16	12440904
SBC 010/013 X 020	10	13	20	12440905
SBC 010/013 X 025	10	13	25	12440906
SBC 010/014 X 008	10	14	8	12440907
SBC 010/014 X 010	10	14	10	12440908
SBC 010/014 X 015	10	14	15	12440909
SBC 010/014 X 016	10	14	16	12440910
SBC 010/014 X 020	10	14	20	12440911
SBC 010/014 X 025	10	14	25	12440912
SBC 010/015 X 010	10	15	10	12440913
SBC 010/015 X 012	10	15	12	12440914
SBC 010/015 X 015	10	15	15	12440915
SBC 010/015 X 016	10	15	16	12440916
SBC 010/015 X 020	10	15	20	12440917
SBC 010/015 X 025	10	15	25	12440918
SBC 010/016 X 008	10	16	8	12440919
SBC 010/016 X 010	10	16	10	12440920
SBC 010/016 X 012	10	16	12	12440921
SBC 010/016 X 014	10	16	14	12440922
SBC 010/016 X 015	10	16	15	12440923
SBC 010/016 X 016	10	16	16	12440924
SBC 010/016 X 020	10	16	20	12440925
SBC 010/016 X 025	10	16	25	12440926
SBC 010/018 X 010	10	18	10	12440927
SBC 010/018 X 012	10	18	12	12440928
SBC 010/018 X 015	10	18	15	12440929
SBC 010/018 X 020	10	18	20	12440930
SBC 010/018 X 025	10	18	25	12440931
SBC 010/020 X 024	10	20	24	12440932
SBC 010/022 X 020	10	22	20	12440934
SBC 012/014 X 010	12	14	10	12440935
SBC 012/014 X 020	12	14	20	12440937
SBC 012/015 X 012	12	15	12	12440938
SBC 012/015 X 016	12	15	16	12440939
SBC 012/015 X 020	12	15	20	12440940
SBC 012/015 X 025	12	15	25	12440941
SBC 012/016 X 008	12	16	8	12440942
SBC 012/016 X 010	12	16	10	12440943
SBC 012/016 X 012	12	16	12	12440944
SBC 012/016 X 015	12	16	15	12440945
SBC 012/016 X 016	12	16	16	12440946
SBC 012/016 X 020	12	16	20	12440947
SBC 012/016 X 025	12	16	25	12440948
SBC 012/017 X 012	12	17	12	12440949
SBC 012/017 X 015	12	17	15	12440950
SBC 012/017 X 016	12	17	16	12440951
SBC 012/017 X 020	12	17	20	12440952
SBC 012/017 X 025	12	17	25	12440953

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Manufacturer ID	Shaft diameter	Outer diameter	Width	Article
	mm	mm	mm	Max. 200 articles in the table
SBC 012/018 X 008	12	18	8	12440954
SBC 012/018 X 010	12	18	10	12440955
SBC 012/018 X 012	12	18	12	12440956
SBC 012/018 X 016	12	18	16	12440957
SBC 012/018 X 018	12	18	18	12440958
SBC 012/018 X 020	12	18	20	12440959
SBC 012/018 X 025	12	18	25	12440960
SBC 012/020 X 012	12	20	12	12440961
SBC 012/020 X 015	12	20	15	12440962
SBC 012/020 X 020	12	20	20	12440963
SBC 012/020 X 025	12	20	25	12440964
SBC 012/025 X 016	12	25	16	12440965
SBC 012/025 X 025	12	25	25	12440966
SBC 013/018 X 018	13	18	18	12440967
SBC 013/018 X 020	13	18	20	12440968
SBC 013/020 X 013	13	20	13	12440969
SBC 013/020 X 015	13	20	15	12440970
SBC 013/020 X 024	13	20	24	12440971
SBC 013/020 X 040	13	20	40	12440972
SBC 014/018 X 010	14	18	10	12440973
SBC 014/018 X 014	14	18	14	12440974
SBC 014/018 X 018	14	18	18	12440975
SBC 014/018 X 020	14	18	20	12440976
SBC 014/018 X 022	14	18	22	12440977
SBC 014/018 X 028	14	18	28	12440978
SBC 014/020 X 010	14	20	10	12440979
SBC 014/020 X 012	14	20	12	12440980
SBC 014/020 X 014	14	20	14	12440981
SBC 014/020 X 015	14	20	15	12440982
SBC 014/020 X 018	14	20	18	12440983
SBC 014/020 X 020	14	20	20	12440984
SBC 014/020 X 022	14	20	22	12440985
SBC 014/020 X 025	14	20	25	12440986
SBC 014/020 X 028	14	20	28	12440987
SBC 014/020 X 030	14	20	30	12440988
SBC 014/022 X 015	14	22	15	12440989
SBC 014/022 X 020	14	22	20	12440990
SBC 014/022 X 025	14	22	25	12440991
SBC 014/022 X 030	14	22	30	12440992
SBC 014/028 X 030	14	28	30	12440993
SBC 015/018 X 020	15	18	20	12440994
SBC 015/019 X 010	15	19	10	12440995
SBC 015/019 X 014	15	19	14	12440996
SBC 015/019 X 015	15	19	15	12440997
SBC 015/019 X 016	15	19	16	12440998
SBC 015/019 X 020	15	19	20	12440999
SBC 015/019 X 025	15	19	25	12441000
SBC 015/019 X 030	15	19	30	12441001
SBC 015/019 X 032	15	19	32	12441002
SBC 015/020 X 010	15	20	10	12441003
SBC 015/020 X 015	15	20	15	12441004

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.