



FAG Double-row spherical roller bearing Cylindrical bore

Characteristics

Series: 213

Bore: Cylindrical bore

With sealing: No

Manufacturer ID	Inner diameter	Outer diameter	Width	Internal clearance	Cage	Article
	mm	mm	mm			Max. 200 articles in the table
21304-E1-XL-TVPB-C3	20	52	15	C3	Polyamide	11831797
21304-E1-XL-TVPB	20	52	15	CN (normal)	Polyamide	11660268
22205-E1-XL-C3	25	52	18	C3	Steel	11831832
22205-E1-XL	25	52	18	CN (normal)	Steel	11660331
21305-E1-XL-TVPB	25	62	17	CN (normal)	Polyamide	11660269
22206-E1-XL-C3	30	62	20	C3	Steel	11831834
22206-E1-XL	30	62	20	CN (normal)	Steel	11660332
21306-E1-XL-TVPB	30	72	19	CN (normal)	Polyamide	11660270
22207-E1-XL-C3	35	72	23	C3	Steel	11831835
22207-E1-XL	35	72	23	CN (normal)	Steel	11660334
21307-E1-XL-TVPB	35	80	21	CN (normal)	Polyamide	11660272
22208-E1-XL-C3	40	80	23	C3	Steel	11831837
22208-E1-XL-C4	40	80	23	C4	Steel	11831838
22208-E1-XL	40	80	23	CN (normal)	Steel	11660336
21308-E1-XL-TVPB	40	90	23	CN (normal)	Polyamide	11831798
21308-E1-XL	40	90	23	CN (normal)	Steel	11660323
22308-E1-XL-C3	40	90	33	C3	Steel	11831912
22308-E1-XL	40	90	33	CN (normal)	Steel	11660348
22209-E1-XL-C3	45	85	23	C3	Steel	11831840
22209-E1-XL	45	85	23	CN (normal)	Steel	11660338
21309-E1-XL-TVPB-C3	45	100	25	C3	Polyamide	11831803
21309-E1-XL-TVPB	45	100	25	CN (normal)	Polyamide	11831802
21309-E1-XL	45	100	25	CN (normal)	Steel	11660325
22309-E1-XL-C3	45	100	36	C3	Steel	11831914
22309-E1-XL	45	100	36	CN (normal)	Steel	11660350
22210-E1-XL-C3	50	90	23	C3	Steel	11831842
21310-E1-XL-TVPB	50	110	27	CN (normal)	Polyamide	11831806
21310-E1-XL	50	110	27	CN (normal)	Steel	11660327
22310-E1-XL-C3	50	110	40	C3	Steel	11831916
22310-E1A-XL-M	50	110	40	CN (normal)	Brass	11831917
22310-E1-XL	50	110	40	CN (normal)	Steel	11660352
22211-E1-XL-C3	55	100	25	C3	Steel	11831844
22211-E1-XL	55	100	25	CN (normal)	Steel	11660342
21311-E1-XL-TVPB	55	120	29	CN (normal)	Polyamide	11831809
21311-E1-XL	55	120	29	CN (normal)	Steel	11660329
22311-E1-XL-C3	55	120	43	C3	Steel	11831920
22311-E1-XL	55	120	43	CN (normal)	Steel	11660354
22212-E1-XL-C3	60	110	28	C3	Steel	11831847
22212-E1-XL	60	110	28	CN (normal)	Steel	11660344
21312-E1-XL-TVPB-C3	60	130	31	C3	Polyamide	11831811
21312-E1-XL-TVPB	60	130	31	CN (normal)	Polyamide	11831810
21312-E1-XL	60	130	31	CN (normal)	Steel	11660358
22312-E1A-XL-M-C3	60	130	46	C3	Brass	11831924

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Spherical Roller Bearings | Double Row Spherical Roller Bearings

Manufacturer ID	Inner diameter	Outer diameter	Width	Internal clearance	Cage	Article
	mm	mm	mm			Max. 200 articles in the table
22312-E1-XL-C3	60	130	46	C3	Steel	11831922
22312-E1A-XL-M	60	130	46	CN (normal)	Brass	11831923
22312-E1-XL	60	130	46	CN (normal)	Steel	11660417
22213-E1-XL-C3	65	120	31	C3	Steel	11831849
22213-E1-XL	65	120	31	CN (normal)	Steel	11660346
21313-E1-XL-TVPB	65	140	33	CN (normal)	Polyamide	11831814
21313-E1-XL	65	140	33	CN (normal)	Steel	11660360
22313-E1A-XL-M-C3	65	140	48	C3	Brass	11831929
22313-E1-XL-C3	65	140	48	C3	Steel	11831927
22313-E1A-XL-M	65	140	48	CN (normal)	Brass	11831928
22313-E1-XL	65	140	48	CN (normal)	Steel	11660419
22214-E1-XL-C3	70	125	31	C3	Steel	11831851
22214-E1-XL	70	125	31	CN (normal)	Steel	11660380
21314-E1-XL-TVPB	70	150	35	CN (normal)	Polyamide	11831815
21314-E1-XL	70	150	35	CN (normal)	Steel	11660363
22314-E1-XL-C3	70	150	51	C3	Steel	11831931
22314-E1-XL	70	150	51	CN (normal)	Steel	11660423
22215-E1-XL-C3	75	130	31	C3	Steel	11831853
22215-E1A-XL-M	75	130	31	CN (normal)	Brass	11831857
22215-E1-XL	75	130	31	CN (normal)	Steel	11660382
21315-E1-XL-TVPB-C3	75	160	37	C3	Polyamide	11831819
21315-E1-XL-TVPB	75	160	37	CN (normal)	Polyamide	11831818
21315-E1-XL	75	160	37	CN (normal)	Steel	11660365
22315-E1A-XL-M-C3	75	160	55	C3	Brass	11831934
22315-E1-XL-C3	75	160	55	C3	Steel	11831932
22315-E1A-XL-M	75	160	55	CN (normal)	Brass	11831933
22315-E1-XL	75	160	55	CN (normal)	Steel	11660426
22216-E1-XL-C3	80	140	33	C3	Steel	11831859
22216-E1-XL	80	140	33	CN (normal)	Steel	11660384
21316-E1-XL-TVPB	80	170	39	CN (normal)	Polyamide	11831820
21316-E1-XL	80	170	39	CN (normal)	Steel	11660368
22316-E1-XL	80	170	58	CN (normal)	Steel	11660428
22217-E1A-XL-M-C3	85	150	36	C3	Brass	11831866
22217-E1-XL-C3	85	150	36	C3	Steel	11831863
22217-E1A-XL-M	85	150	36	CN (normal)	Brass	11831865
21317-E1-XL-TVPB	85	180	41	CN (normal)	Polyamide	11831822
21317-E1-XL	85	180	41	CN (normal)	Steel	11660370
22317-E1-XL	85	180	60	CN (normal)	Steel	11660432
22218-E1A-XL-M-C3	90	160	40	C3	Brass	11831870
22218-E1-XL-C3	90	160	40	C3	Steel	11831868
22218-E1-XL	90	160	40	CN (normal)	Steel	11660388
23218-E1-XL-TVPB	90	160	52.4	CN (normal)	Polyamide	11660580
21318-E1-XL-TVPB	90	190	43	CN (normal)	Polyamide	11831823
21318-E1-XL	90	190	43	CN (normal)	Steel	11660373
22318-E1-XL	90	190	64	CN (normal)	Steel	11660434
22219-E1-XL-C3	95	170	43	C3	Steel	11831872
22219-E1-XL	95	170	43	CN (normal)	Steel	11660390
21319-E1-XL-TVPB	95	200	45	CN (normal)	Polyamide	11660375
22319-E1-XL	95	200	67	CN (normal)	Steel	11660436
23120-E1A-XL-M	100	165	52	CN (normal)	Brass	11660528
23120-E1-XL-TVPB	100	165	52	CN (normal)	Polyamide	11660530
22220-E1A-XL-M-C3	100	180	46	C3	Brass	11831878
22220-E1-XL-C3	100	180	46	C3	Steel	11831874

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Spherical Roller Bearings | Double Row Spherical Roller Bearings

Manufacturer ID	Inner diameter	Outer diameter	Width	Internal clearance	Cage	Article
	mm	mm	mm			Max. 200 articles in the table
22220-E1A-XL-M	100	180	46	CN (normal)	Brass	11831877
22220-E1-XL	100	180	46	CN (normal)	Steel	11660392
23220-E1A-XL-M	100	180	60.3	CN (normal)	Brass	11660582
23220-E1-XL-TVPB	100	180	60.3	CN (normal)	Polyamide	11660584
21320-E1-XL-TVPB	100	215	47	CN (normal)	Polyamide	11660377
22320-E1-XL	100	215	73	CN (normal)	Steel	11660438
23022-E1A-XL-M	110	170	45	CN (normal)	Brass	11660465
23022-E1-XL-TVPB	110	170	45	CN (normal)	Polyamide	11660466
23122-E1A-XL-M	110	180	56	CN (normal)	Brass	11660532
23122-E1-XL-TVPB	110	180	56	CN (normal)	Polyamide	11660534
22222-E1A-XL-M-C3	110	200	53	C3	Brass	11831882
22222-E1-XL-C3	110	200	53	C3	Steel	11831880
22222-E1A-XL-M	110	200	53	CN (normal)	Brass	11831881
22222-E1-XL	110	200	53	CN (normal)	Steel	11660394
23222-E1A-XL-M	110	200	69.8	CN (normal)	Brass	11660586
23222-E1-XL-TVPB	110	200	69.8	CN (normal)	Polyamide	11660588
21322-E1-XL-TVPB	110	240	50	CN (normal)	Polyamide	11660379
22322-E1-XL	110	240	80	CN (normal)	Steel	11660440
23024-E1A-XL-M	120	180	46	CN (normal)	Brass	11660468
23024-E1-XL-TVPB	120	180	46	CN (normal)	Polyamide	11660470
23124-E1A-XL-M	120	200	62	CN (normal)	Brass	11660536
23124-E1-XL-TVPB	120	200	62	CN (normal)	Polyamide	11660538
22224-E1A-XL-M-C3	120	215	58	C3	Brass	11831886
22224-E1-XL-C3	120	215	58	C3	Steel	11831884
22224-E1A-XL-M	120	215	58	CN (normal)	Brass	11831885
22224-E1-XL	120	215	58	CN (normal)	Steel	11660396
23224-E1A-XL-M	120	215	76	CN (normal)	Brass	11660590
23224-E1-XL-TVPB	120	215	76	CN (normal)	Polyamide	11660592
22324-E1-XL	120	260	86	CN (normal)	Steel	11660442
23026-E1A-XL-M	130	200	52	CN (normal)	Brass	11660472
23026-E1-XL-TVPB	130	200	52	CN (normal)	Polyamide	11660474
23126-E1A-XL-M	130	210	64	CN (normal)	Brass	11660539
23126-E1-XL-TVPB	130	210	64	CN (normal)	Polyamide	11660540
22226-E1A-XL-M-C3	130	230	64	C3	Brass	11831890
22226-E1-XL-C3	130	230	64	C3	Steel	11831888
22226-E1A-XL-M	130	230	64	CN (normal)	Brass	11831889
22226-E1-XL	130	230	64	CN (normal)	Steel	11660398
23226-E1A-XL-M	130	230	80	CN (normal)	Brass	11660594
23226-E1-XL-TVPB	130	230	80	CN (normal)	Polyamide	11660596
22326-E1-XL	130	280	93	CN (normal)	Steel	11660444
23028-E1A-XL-M	140	210	53	CN (normal)	Brass	11660476
23028-E1-XL-TVPB	140	210	53	CN (normal)	Polyamide	11660478
23128-E1A-XL-M	140	225	68	CN (normal)	Brass	11660541
23128-E1-XL-TVPB	140	225	68	CN (normal)	Polyamide	11660543
22228-E1-XL-C3	140	250	68	C3	Steel	11831892
22228-E1-XL	140	250	68	CN (normal)	Steel	11660400
23228-E1A-XL-M	140	250	88	CN (normal)	Brass	11660598
23228-E1-XL-TVPB	140	250	88	CN (normal)	Polyamide	11660600
22328-E1-XL	140	300	102	CN (normal)	Steel	11660447
23030-E1A-XL-M	150	225	56	CN (normal)	Brass	11660480
23030-E1-XL-TVPB	150	225	56	CN (normal)	Polyamide	11660482
23130-E1A-XL-M	150	250	80	CN (normal)	Brass	11660545
23130-E1-XL-TVPB	150	250	80	CN (normal)	Polyamide	11660546

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Spherical Roller Bearings | Double Row Spherical Roller Bearings

Manufacturer ID	Inner diameter	Outer diameter	Width	Internal clearance	Cage	Article
	mm	mm	mm			Max. 200 articles in the table
22230-E1-XL-C3	150	270	73	C3	Steel	11831895
22230-E1-XL	150	270	73	CN (normal)	Steel	11660402
23230-E1A-XL-M	150	270	96	CN (normal)	Brass	11660602
23230-E1-XL-TVPB	150	270	96	CN (normal)	Polyamide	11660603
22330-E1-XL	150	320	108	CN (normal)	Steel	11660449
22330-E1-XL-T41D	150	320	108	CN (normal)	Steel	11660451
23032-E1A-XL-M	160	240	60	CN (normal)	Brass	11660484
23032-E1-XL-TVPB	160	240	60	CN (normal)	Polyamide	11660486
23132-E1A-XL-M	160	270	86	CN (normal)	Brass	11660548
23132-E1-XL-TVPB	160	270	86	CN (normal)	Polyamide	11660549
22232-E1-XL-C3	160	290	80	C3	Steel	11831897
22232-E1A-XL-M	160	290	80	CN (normal)	Brass	11831898
22232-E1-XL	160	290	80	CN (normal)	Steel	11660404
23232-E1A-XL-M	160	290	104	CN (normal)	Brass	11660605
22332-BEA-XL-MB1	160	340	114	CN (normal)	Brass	11660454
23034-E1A-XL-M	170	260	67	CN (normal)	Brass	11660487
23034-E1-XL-TVPB	170	260	67	CN (normal)	Polyamide	11660489
23134-E1A-XL-M	170	280	88	CN (normal)	Brass	11660551
23134-E1-XL-TVPB	170	280	88	CN (normal)	Polyamide	11660553
22234-E1-XL-C3	170	310	86	C3	Steel	11831901
22234-E1-XL	170	310	86	CN (normal)	Steel	11660406
23234-E1A-XL-M	170	310	110	CN (normal)	Brass	11660608
23234-E1-XL-TVPB	170	310	110	CN (normal)	Polyamide	11660609
23936-S-MB	180	250	52	CN (normal)	Brass	11660624
23036-E1A-XL-M	180	280	74	CN (normal)	Brass	11660491
23036-E1-XL-TVPB	180	280	74	CN (normal)	Polyamide	11660493
23136-E1A-XL-M	180	300	96	CN (normal)	Brass	11660555
23136-E1-XL-TVPB	180	300	96	CN (normal)	Polyamide	11660557
22236-E1-XL-C3	180	320	86	C3	Steel	11831904
22236-E1-XL	180	320	86	CN (normal)	Steel	11660408
23236-E1A-XL-M	180	320	112	CN (normal)	Brass	11660611
23236-E1-XL-TVPB	180	320	112	CN (normal)	Polyamide	11660612
23038-E1A-XL-M	190	290	75	CN (normal)	Brass	11660495
23038-E1-XL-TVPB	190	290	75	CN (normal)	Polyamide	11660496
23138-E1A-XL-M	190	320	104	CN (normal)	Brass	11660559
23138-E1-XL-TVPB	190	320	104	CN (normal)	Polyamide	11660561
23940-S-MB	200	280	60	CN (normal)	Brass	11660626
23040-E1A-XL-M	200	310	82	CN (normal)	Brass	11660498
23040-E1-XL-TVPB	200	310	82	CN (normal)	Polyamide	11660500
23140-BE-XL	200	340	112	CN (normal)	Steel	11660562
23944-S-MB	220	300	60	CN (normal)	Brass	11660627
23044-BE-XL	220	340	90	CN (normal)	Steel	11660502
23048-BE-XL	240	360	92	CN (normal)	Steel	11660506
23148-BE-XL	240	400	128	CN (normal)	Steel	11660567
23952-MB	260	360	75	CN (normal)	Brass	11660628
23052-BE-XL	260	400	104	CN (normal)	Steel	11660511
23156-BE-XL	280	460	146	CN (normal)	Steel	11660572
23960-B-MB	300	420	90	CN (normal)	Brass	11660629
23964-MB	320	440	90	CN (normal)	Brass	11660631
23968-MB	340	460	90	CN (normal)	Brass	11660632

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.