SAF-FRO Électrode en tungstène TIG (tige tig bleu)

Tungsten Electrode Selection Chart

Tungsten Type	Colour
Pure	Green
Ceriated 2%	Grey
Lanthanated 1%	Black
Lanthanated 1.5%	Gold
Lanthanated 2%	Blue
Thoriated 1%	Yellow
Thoriated 2%	Red
Zirconiated 1%	White
	Pure Ceriated 2% Lanthanated 1% Lanthanated 1.5% Lanthanated 2% Thoriated 1% Thoriated 2%

Diamètre	Longueur totale	Emballage	Article
mm	mm		
1.6	150	10	11899269
2	150	10	11899270
2.4	150	10	11899271
			11899374

Désistement: Le contenu de ce support d\'informations a été composé avec le plus grand soin. Néanmoins, il se pourrait que certaines informations changent au fil du temps, ne sont plus correctes ou incomplètes. ERIKS ne se porte pas garant pour l'actualité, la précision et l'exhaustivité des informations fournies, celles-ci ne sont pas conçues comme conseil. ERIKS n'est en aucun cas responsable pour d'éventuels dommages causés par l'utilisation des informations offertes.

I/l Page 1/1

Bage 1/1 PR_HG38SP_0014_MVB_FR_20.05.2024