



ERIKS Oil Seal type RST

The ERIKS oil seal type RST is a standard design with a rubber outer jacket according to DIN 3760-A. The difference relative to the ERIKS oil seal type R is that the type RST features an additional dust lip, which offers effective protection against light to moderate contamination from the outside. You can use the oil seal type RST in a wide range of applications in most industries. The rubber outer jacket ensures a reliable seal in the housing bore (static side) - remaining effective if the surface is rougher than normal, when thermal expansion takes place and when used in split housings. As a result, this oil seal is also suitable for sealing low-viscosity and gaseous media. Do you want to order a oil seal without a dust lip, for example because you want to avoid the extra heat generated by friction at the dust lip? Choose the ERIKS oil seal type R.



Characteristics

Norm design: DIN 3760-AS

Material lip: NBR

Material surface: Rubber

Equivalent Types: FA, BASL, R23, CC, ASL, HMSA7, DL, 104, ASN#, (TR)E, GP, WAS, IEL, 94, AS, DGS, 32, TC, 827S, OSA-DL

Application

- Recommended in: Chemical

Shaft diameter mm	Housing diameter mm	Article Max. 200 articles in the table
10	26	R10X26X7ASN#
12	20	R12X20X5ASN#
12	22	R12X22X5ASN#
12	22	R12X22X7ASN#
12	24	R12X24X7ASN#
12	25	R12X25X7ASN#
12	28	R12X28X7ASN#
12	32	R12X32X7ASN#
14	24	R14X24X7ASN#
14	25	R14X25X7ASN#
14	28	R14X28X7ASN#
14	30	R14X30X7ASN#
14	32	R14X32X7ASN#
15	24	R15X24X5ASN#
15	24	R15X24X7ASN#
15	25	R15X25X7ASN#
15	26	R15X26X7ASN#
15	28	R15X28X7ASN#
15	30	R15X30X7ASN#
15	32	R15X32X7ASN#
15	35	R15X35X7ASN#
16	28	R16X28X7ASN#
16	30	R16X30X7ASN#
16	35	R16X35X7ASN#
17	28	R17X28X7ASN#
17	30	R17X30X6ASN#
17	30	R17X30X7ASN#
17	32	R17X32X7ASN#
17	35	R17X35X7ASN#
17	40	R17X40X7ASN#

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Shaft diameter	Housing diameter	Article
mm	mm	Max. 200 articles in the table
18	30	R18X30X7ASN#
18	32	R18X32X7ASN#
18	35	R18X35X7ASN#
20	26	R20X26X4ASN#
20	30	R20X30X5ASN#
20	30	R20X30X6ASN#
20	30	R20X30X7ASN#
20	32	R20X32X5ASN#
20	32	R20X32X7ASN#
20	35	R20X35X6ASN#
20	35	R20X35X7ASN#
20	35	R20X35X8ASN#
20	35	R20X35X10ASN#
20	38	R20X38X7ASN#
20	40	R20X40X7ASN#
20	40	R20X40X10ASN#
20	42	R20X42X7ASN#
20	47	R20X47X7ASN#
20	47	R20X47X10ASN#
22	32	R22X32X7ASN#
22	35	R22X35X5ASN#
22	35	R22X35X7ASN#
24	35	R24X35X7ASN#
24	40	R24X40X7ASN#
24	47	R24X47X10ASN#
25	32	R25X32X7ASN#
25	35	R25X35X7ASN#
25	35	R25X35X8ASN#
25	37	R25X37X7ASN#
25	38	R25X38X7ASN#
25	40	R25X40X7ASN#
25	40	R25X40X8ASN#
25	40	R25X40X10ASN#
25	42	R25X42X7ASN#
25	42	R25X42X8ASN#
25	42	R25X42X10ASN#
25	45	R25X45X10ASN#
25	47	R25X47X7ASN#
25	47	R25X47X10ASN#
25	52	R25X52X7ASN#
25	52	R25X52X8ASN#
25	52	R25X52X10ASN#
25	62	R25X62X7ASN#
25	62	R25X62X8ASN#
25	62	R25X62X10ASN#
25.4	38.1	R100I5025ASN#
26	37	R26X37X7ASN#
26	38	R26X38X7ASN#
28	38	R28X38X7ASN#
28	40	R28X40X7ASN#
28	42	R28X42X7ASN#
28	42	R28X42X8ASN#
28	45	R28X45X7ASN#

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Shaft diameter	Housing diameter	Article
mm	mm	Max. 200 articles in the table
28	47	R28X47X7ASN#
28	47	R28X47X10ASN#
28	52	R28X52X7ASN#
28	52	R28X52X10ASN#
30	40	R30X40X7ASN#
30	42	R30X42X6ASN#
30	42	R30X42X7ASN#
30	42	R30X42X8ASN#
30	44	R30X44X7ASN#
30	45	R30X45X7ASN#
30	45	R30X45X8ASN#
30	47	R30X47X7ASN#
30	47	R30X47X8ASN#
30	47	R30X47X10ASN#
30	48	R30X48X8ASN#
30	50	R30X50X7ASN#
30	50	R30X50X10ASN#
30	52	R30X52X7ASN#
30	52	R30X52X10ASN#
30	55	R30X55X7ASN#
30	55	R30X55X10ASN#
30	62	R30X62X7ASN#
30	62	R30X62X10ASN#
30	72	R30X72X10ASN#
32	45	R32X45X7ASN#
32	47	R32X47X7ASN#
32	48	R32X48X8ASN#
32	50	R32X50X10ASN#
32	52	R32X52X7ASN#
32	52	R32X52X8ASN#
32	52	R32X52X10ASN#
33	50	R33X50X10ASN#
34	47	R34X47X7ASN#
35	45	R35X45X7ASN#
35	47	R35X47X7ASN#
35	48	R35X48X8ASN#
35	50	R35X50X7ASN#
35	50	R35X50X8ASN#
35	50	R35X50X10ASN#
35	52	R35X52X6ASN#
35	52	R35X52X7ASN#
35	52	R35X52X8ASN#
35	52	R35X52X10ASN#
35	55	R35X55X8ASN#
35	55	R35X55X10ASN#
35	58	R35X58X10ASN#
35	62	R35X62X7ASN#
35	62	R35X62X8ASN#
35	62	R35X62X10ASN#
35	62	R35X62X12ASN#
35	65	R35X65X10ASN#
35	72	R35X72X10ASN#
35	72	R35X72X12ASN#

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Shaft diameter	Housing diameter	Article
mm	mm	Max. 200 articles in the table
35	80	R35X80X8ASN#
35	80	R35X80X10ASN#
36	47	R36X47X7ASN#
38	50	R38X50X7ASN#
38	52	R38X52X7ASN#
38	52	R38X52X8ASN#
38	55	R38X55X7ASN#
38	55	R38X55X8ASN#
38	58	R38X58X10ASN#
38	60	R38X60X10ASN#
38	62	R38X62X7ASN#
40	50	R40X50X7ASN#
40	50	R40X50X8ASN#
40	52	R40X52X5ASN#
40	52	R40X52X7ASN#
40	52	R40X52X8ASN#
40	55	R40X55X7ASN#
40	55	R40X55X8ASN#
40	56	R40X56X7ASN#
40	58	R40X58X8ASN#
40	58	R40X58X10ASN#
41.27	60.32	R16223737ASN#
100	120	R100X120X10ASN#
100	120	R100X120X12ASN#
100	125	R100X125X12ASN#
100	125	R100X125X13ASN#
100	130	R100X130X12ASN#
100	130	R100X130X13ASN#
105	130	R105X130X12ASN#
105	130	R105X130X13ASN#
105	140	R105X140X12ASN#
110	130	R110X130X12ASN#
110	140	R110X140X12ASN#
110	140	R110X140X13ASN#
110	150	R110X150X13ASN#
115	135	R115X135X14ASN#
115	140	R115X140X12ASN#
120	140	R120X140X13ASN#
120	150	R120X150X12ASN#
120	150	R120X150X15ASN#
120	160	R120X160X15ASN#
125	150	R125X150X12ASN#
130	150	R130X150X10ASN#
130	150	R130X150X12ASN#
130	160	R130X160X12ASN#
130	160	R130X160X15ASN#
135	160	R135X160X12ASN#
135	170	R135X170X12ASN#
140	160	R140X160X12ASN#
140	170	R140X170X12ASN#
140	170	R140X170X14ASN#
140	170	R140X170X15ASN#
150	180	R150X180X13ASN#

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Shaft diameter	Housing diameter	Article
mm	mm	Max. 200 articles in the table
150	180	R150X180X15ASN#
160	190	R160X190X15ASN#
160	200	R160X200X15ASN#
165	190	R165X190X13ASN#
170	200	R170X200X15ASN#
180	210	R180X210X15ASN#
190	220	R190X220X15ASN#
200	230	R200X230X15ASN#
210	240	R210X240X15ASN#
240	270	R240X270X15ASN#

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.