


FENNER POWERFLEX PU Timing belt section T5 width 12mm



Characteristics

Series: PowerFlex

Type: T5-012

Pitch length mm	Width mm	Pitch mm	Material	Article
120	12	5	PU	12T5-120-FEN
150	12	5	PU	12T5-150-FEN
165	12	5	PU	12T5-165-FEN
180	12	5	PU	12T5-180-FEN
185	12	5	PU	12T5-185-FEN
200	12	5	PU	12T5-200-FEN
210	12	5	PU	12T5-210-FEN
215	12	5	PU	12T5-215-FEN
220	12	5	PU	12T5-220-FEN
225	12	5	PU	12T5-225-FEN
245	12	5	PU	12T5-245-FEN
250	12	5	PU	12T5-250-FEN
255	12	5	PU	12T5-255-FEN
260	12	5	PU	12T5-260-FEN
270	12	5	PU	12T5-270-FEN
275	12	5	PU	12T5-275-FEN
280	12	5	PU	12T5-280-FEN
295	12	5	PU	12T5-295-FEN
300	12	5	PU	12T5-300-FEN
305	12	5	PU	12T5-305-FEN
330	12	5	PU	12T5-330-FEN
340	12	5	PU	12T5-340-FEN
350	12	5	PU	12T5-350-FEN
355	12	5	PU	12T5-355-FEN
365	12	5	PU	12T5-365-FEN
375	12	5	PU	12T5-375-FEN
390	12	5	PU	12T5-390-FEN
400	12	5	PU	12T5-400-FEN
410	12	5	PU	12T5-410-FEN
410	12	5	PU	12T5-410DL-FEN
420	12	5	PU	12T5-420-FEN
425	12	5	PU	12T5-425-FEN
440	12	5	PU	12T5-440-FEN
445	12	5	PU	12T5-445-FEN
450	12	5	PU	12T5-450-FEN
455	12	5	PU	12T5-455-FEN
460	12	5	PU	12T5-460-FEN
460	12	5	PU	12T5-460DL-FEN
475	12	5	PU	12T5-475-FEN
480	12	5	PU	12T5-480-FEN
500	12	5	PU	12T5-500-FEN
510	12	5	PU	12T5-510-FEN
515	12	5	PU	12T5-515-FEN

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Pitch length mm	Width mm	Pitch mm	Material	Article
515	12	5	PU	12T5-515DL-FEN
525	12	5	PU	12T5-525-FEN
525	12	5	PU	12T5-525DL-FEN
545	12	5	PU	12T5-545-FEN
550	12	5	PU	12T5-550-FEN
560	12	5	PU	12T5-560-FEN
575	12	5	PU	12T5-575-FEN
590	12	5	PU	12T5-590-FEN
590	12	5	PU	12T5-590DL-FEN
600	12	5	PU	12T5-600-FEN
610	12	5	PU	12T5-610-FEN
620	12	5	PU	12T5-620-FEN
630	12	5	PU	12T5-630-FEN
640	12	5	PU	12T5-640-FEN
650	12	5	PU	12T5-650-FEN
660	12	5	PU	12T5-660-FEN
675	12	5	PU	12T5-675-FEN
690	12	5	PU	12T5-690-FEN
700	12	5	PU	12T5-700-FEN
720	12	5	PU	12T5-720-FEN
725	12	5	PU	12T5-725-FEN
750	12	5	PU	12T5-750DL-FEN
750	12	5	PU	12T5-750-FEN
765	12	5	PU	12T5-765-FEN
780	12	5	PU	12T5-780-FEN
800	12	5	PU	12T5-800-FEN
815	12	5	PU	12T5-815DL-FEN
815	12	5	PU	12T5-815-FEN
830	12	5	PU	12T5-830-FEN
840	12	5	PU	12T5-840DL-FEN
840	12	5	PU	12T5-840-FEN
850	12	5	PU	12T5-850-FEN
860	12	5	PU	12T5-860DL-FEN
860	12	5	PU	12T5-860-FEN
885	12	5	PU	12T5-885-FEN
900	12	5	PU	12T5-900-FEN
920	12	5	PU	12T5-920-FEN
940	12	5	PU	12T5-940-FEN
940	12	5	PU	12T5-940DL-FEN
990	12	5	PU	12T5-990-FEN
1075	12	5	PU	12T5-1075-FEN
1100	12	5	PU	12T5-1100-FEN
1100	12	5	PU	12T5-1100DL-FEN
1160	12	5	PU	12T5-1160-FEN
1200	12	5	PU	12T5-1200-FEN
1215	12	5	PU	12T5-1215-FEN
1275	12	5	PU	12T5-1275-FEN
1280	12	5	PU	12T5-1280-FEN
1315	12	5	PU	12T5-1315-FEN
1355	12	5	PU	12T5-1355-FEN
1380	12	5	PU	12T5-1380-FEN
1440	12	5	PU	12T5-1440-FEN
1470	12	5	PU	12T5-1470-FEN

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Pitch length mm	Width mm	Pitch mm	Material	Article
1500	12	5	PU	12T5-1500-FEN
1580	12	5	PU	12T5-1580-FEN
1955	12	5	PU	12T5-1955-FEN

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.