## FORMAT Band saw HSS bimetal type 2760



Design: HSS bimetal, metal band saw blade with unbreakable and flexible backing material with combination tooth pitch.

Application: For sawing construction and low-alloy steels, as well as aluminium and non-ferrous metals.

## **Characteristics**

Type: Band saw blade

Length	Number of teeth per inch	Thickness	Height	Material	Article
mm		mm	mm		
1138	10/14	0.6	13	Bimetal	W90A-27600004
1138	8/12	0.6	13	Bimetal	W90A-27600001
1325	10/14	0.6	13	Bimetal	W90A-27600010
1325	8/12	0.6	13	Bimetal	W90A-27600007
1330	10/14	0.6	13	Bimetal	W90A-27600012
1330	8/12	0.6	13	Bimetal	W90A-27600011
1440	10/14	0.6	13	Bimetal	W90A-27600003
1440	8/12	0.6	13	Bimetal	W90A-27600002
1638	8/12	0.6	13	Bimetal	W90A-27600017
1638	6/10	0.6	13	Bimetal	W90A-27600009
1638	10/14	0.6	13	Bimetal	W90A-27600018
2140	5/8	0.9	20	Bimetal	W90A-27600019
2140	8/12	0.9	20	Bimetal	W90A-27600022
2360	10/14	0.9	20	Bimetal	W90A-27600023
2360	6/10	0.9	20	Bimetal	W90A-27600020
2360	8/12	0.9	20	Bimetal	W90A-27600021
2450	5/8	0.9	27	Bimetal	W90A-27600170
2450	3/4	0.9	27	Bimetal	W90A-27600164
2450	6/10	0.9	27	Bimetal	W90A-27600173
2450	10/14	0.9	27	Bimetal	W90A-27600161
2450	4/6	0.9	27	Bimetal	W90A-27600167
2450	8/12	0.9	27	Bimetal	W90A-27600174
2465	5/8	0.9	19	Bimetal	W90A-27600029
2465	8/12	0.9	19	Bimetal	W90A-27600030
2700	5/8	0.9	27	Bimetal	W90A-27600026
2700	8/12	0.9	27	Bimetal	W90A-27600032
2700	4/6	0.9	27	Bimetal	W90A-27600024
2700	6/10	0.9	27	Bimetal	W90A-27600027
2750	5/8	0.9	27	Bimetal	W90A-27600034
2750	8/12	0.9	27	Bimetal	W90A-27600040
2750	10/14	0.9	27	Bimetal	W90A-27600043
2750	6/10	0.9	27	Bimetal	W90A-27600037
2750	4/6	0.9	27	Bimetal	W90A-27600031
2835	5/8	0.9	27	Bimetal	W90A-27600049
2835	4/6	0.9	27	Bimetal	W90A-27600046
2835	10/14	0.9	27	Bimetal	W90A-27600058
2835	8/12	0.9	27	Bimetal	W90A-27600055
2835	6/10	0.9	27	Bimetal	W90A-27600052

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Page 1/2

Т



## Saws | Band Saws

Length	Number of teeth per inch	Thickness	Height	Material	Article
mm		mm	mm		
2950	5/8	0.9	27	Bimetal	W90A-27600067
2950	3/4	0.9	27	Bimetal	W90A-27600061
2950	10/14	0.9	27	Bimetal	W90A-27600076
2950	6/10	0.9	27	Bimetal	W90A-27600070
2950	8/12	0.9	27	Bimetal	W90A-27600073
2950	4/6	0.9	27	Bimetal	W90A-27600064
3150	5/8	0.9	27	Bimetal	W90A-27600085
3150	6/10	0.9	27	Bimetal	W90A-27600088
3150	8/12	0.9	27	Bimetal	W90A-27600091
3150	10/14	0.9	27	Bimetal	W90A-27600094
3150	4/6	0.9	27	Bimetal	W90A-27600082
3320	5/8	0.9	27	Bimetal	W90A-27600096
3320	8/12	0.9	27	Bimetal	W90A-27600099
3320	4/6	0.9	27	Bimetal	W90A-27600095
3320	6/10	0.9	27	Bimetal	W90A-27600098
3660	5/8	0.9	27	Bimetal	W90A-27600103
3660	3/4	0.9	27	Bimetal	W90A-27600097
3660	6/10	0.9	27	Bimetal	W90A-27600106
3660	8/12	0.9	27	Bimetal	W90A-27600109
3660	4/6	0.9	27	Bimetal	W90A-27600100
3660	10/14	0.9	27	Bimetal	W90A-27600112
3830	5/8	0.9	27	Bimetal	W90A-27600121
3830	3/4	0.9	27	Bimetal	W90A-27600115
3830	6/10	0.9	27	Bimetal	W90A-27600124
3830	4/6	0.9	27	Bimetal	W90A-27600118

e or e advice. FRI443770437414\_EN\_13.05.2024 Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

