



FESTO Compact cylinder ADNGF

Characteristics

Series: ADNGF

Function: Double acting

Magnetic: Yes

Barrel material: Wrought aluminium alloy, smooth anodized

Operating temperature: -20 / 80 °C

Manufacturer ID	Cushioning	Bore diameter	Stroke length	Port Size	Port Size	Operating pressure bar	Article
		mm	mm	mm	in		
ADNGF-12-5-P-A	Mechanical	12	5	M 5		1.5 / 10	ADNGF-12-5-P-A
ADNGF-12-10-P-A	Mechanical	12	10	M 5		1.5 / 10	ADNGF-12-10-P-A
ADNGF-12-15-P-A	Mechanical	12	15	M 5		1.5 / 10	ADNGF-12-15-P-A
ADNGF-12-20-P-A	Mechanical	12	20	M 5		1.5 / 10	ADNGF-12-20-P-A
ADNGF-12-25-P-A	Mechanical	12	25	M 5		1.5 / 10	ADNGF-12-25-P-A
ADNGF-12-30-P-A	Mechanical	12	30	M 5		1.5 / 10	ADNGF-12-30-P-A
ADNGF-12-40-P-A	Mechanical	12	40	M 5		1.5 / 10	ADNGF-12-40-P-A
ADNGF-16-5-P-A	Mechanical	16	5	M 5		1.5 / 10	ADNGF-16-5-P-A
ADNGF-16-10-P-A	Mechanical	16	10	M 5		1.5 / 10	ADNGF-16-10-P-A
ADNGF-16-15-P-A	Mechanical	16	15	M 5		1.5 / 10	ADNGF-16-15-P-A
ADNGF-16-20-P-A	Mechanical	16	20	M 5		1.5 / 10	ADNGF-16-20-P-A
ADNGF-16-25-P-A	Mechanical	16	25	M 5		1.5 / 10	ADNGF-16-25-P-A
ADNGF-16-30-P-A	Mechanical	16	30	M 5		1.5 / 10	ADNGF-16-30-P-A
ADNGF-16-40-P-A	Mechanical	16	40	M 5		1.5 / 10	ADNGF-16-40-P-A
ADNGF-16-50-P-A	Mechanical	16	50	M 5		1.5 / 10	ADNGF-16-50-P-A
ADNGF-20-5-P-A	Mechanical	20	5	M 5		1.5 / 10	ADNGF-20-5-P-A
ADNGF-20-10-P-A	Mechanical	20	10	M 5		1.5 / 10	ADNGF-20-10-P-A
ADNGF-20-15-P-A	Mechanical	20	15	M 5		1.5 / 10	ADNGF-20-15-P-A
ADNGF-20-20-P-A	Mechanical	20	20	M 5		1.5 / 10	ADNGF-20-20-P-A
ADNGF-20-25-P-A	Mechanical	20	25	M 5		1.5 / 10	ADNGF-20-25-P-A
ADNGF-20-30-P-A	Mechanical	20	30	M 5		1.5 / 10	ADNGF-20-30-P-A
ADNGF-20-40-P-A	Mechanical	20	40	M 5		1.5 / 10	ADNGF-20-40-P-A
ADNGF-20-50-P-A	Mechanical	20	50	M 5		1.5 / 10	ADNGF-20-50-P-A
ADNGF-20-60-P-A	Mechanical	20	60	M 5		1.5 / 10	ADNGF-20-60-P-A
ADNGF-25-5-P-A	Mechanical	25	5	M 5		1 / 10	ADNGF-25-5-P-A
ADNGF-25-10-P-A	Mechanical	25	10	M 5		1 / 10	ADNGF-25-10-P-A
ADNGF-25-15-P-A	Mechanical	25	15	M 5		1 / 10	ADNGF-25-15-P-A
ADNGF-25-20-P-A	Mechanical	25	20	M 5		1 / 10	ADNGF-25-20-P-A
ADNGF-25-25-P-A	Mechanical	25	25	M 5		1 / 10	ADNGF-25-25-P-A
ADNGF-25-30-P-A	Mechanical	25	30	M 5		1 / 10	ADNGF-25-30-P-A
ADNGF-25-40-P-A	Mechanical	25	40	M 5		1 / 10	ADNGF-25-40-P-A
ADNGF-25-50-P-A	Mechanical	25	50	M 5		1 / 10	ADNGF-25-50-P-A
ADNGF-25-60-P-A	Mechanical	25	60	M 5		1 / 10	ADNGF-25-60-P-A
ADNGF-32-5-P-A	Mechanical	32	5		G1/8	1 / 10	ADNGF-32-5-P-A
ADNGF-32-10-P-A	Mechanical	32	10		G1/8	1 / 10	ADNGF-32-10-P-A
ADNGF-32-15-P-A	Mechanical	32	15		G1/8	1 / 10	ADNGF-32-15-P-A
ADNGF-32-20-P-A	Mechanical	32	20		G1/8	1 / 10	ADNGF-32-20-P-A
ADNGF-32-25-P-A	Mechanical	32	25		G1/8	1 / 10	ADNGF-32-25-P-A
ADNGF-32-30-P-A	Mechanical	32	30		G1/8	1 / 10	ADNGF-32-30-P-A
ADNGF-32-40-P-A	Mechanical	32	40		G1/8	1 / 10	ADNGF-32-40-P-A
ADNGF-32-50-P-A	Mechanical	32	50		G1/8	1 / 10	ADNGF-32-50-P-A

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Manufacturer ID	Cushioning	Bore diameter	Stroke length	Port Size mm	Port Size in	Operating pressure bar	Article
		mm	mm				
ADNGF-32-60-P-A	Mechanical	32	60		G1/8	1 / 10	ADNGF-32-60-P-A
ADNGF-32-80-P-A	Mechanical	32	80		G1/8	1 / 10	ADNGF-32-80-P-A
ADNGF-40-5-P-A	Mechanical	40	5		G1/8	1 / 10	ADNGF-40-5-P-A
ADNGF-40-10-P-A	Mechanical	40	10		G1/8	1 / 10	ADNGF-40-10-P-A
ADNGF-40-15-P-A	Mechanical	40	15		G1/8	1 / 10	ADNGF-40-15-P-A
ADNGF-40-20-P-A	Mechanical	40	20		G1/8	1 / 10	ADNGF-40-20-P-A
ADNGF-40-25-P-A	Mechanical	40	25		G1/8	1 / 10	ADNGF-40-25-P-A
ADNGF-40-30-P-A	Mechanical	40	30		G1/8	1 / 10	ADNGF-40-30-P-A
ADNGF-40-40-P-A	Mechanical	40	40		G1/8	1 / 10	ADNGF-40-40-P-A
ADNGF-40-50-P-A	Mechanical	40	50		G1/8	1 / 10	ADNGF-40-50-P-A
ADNGF-40-60-P-A	Mechanical	40	60		G1/8	1 / 10	ADNGF-40-60-P-A
ADNGF-40-80-P-A	Mechanical	40	80		G1/8	1 / 10	ADNGF-40-80-P-A
ADNGF-50-5-P-A	Mechanical	50	5		G1/8	1 / 10	ADNGF-50-5-P-A
ADNGF-50-10-P-A	Mechanical	50	10		G1/8	1 / 10	ADNGF-50-10-P-A
ADNGF-50-15-P-A	Mechanical	50	15		G1/8	1 / 10	ADNGF-50-15-P-A
ADNGF-50-20-P-A	Mechanical	50	20		G1/8	1 / 10	ADNGF-50-20-P-A
ADNGF-50-25-P-A	Mechanical	50	25		G1/8	1 / 10	ADNGF-50-25-P-A
ADNGF-50-30-P-A	Mechanical	50	30		G1/8	1 / 10	ADNGF-50-30-P-A
ADNGF-50-40-P-A	Mechanical	50	40		G1/8	1 / 10	ADNGF-50-40-P-A
ADNGF-50-50-P-A	Mechanical	50	50		G1/8	1 / 10	ADNGF-50-50-P-A
ADNGF-50-60-P-A	Mechanical	50	60		G1/8	1 / 10	ADNGF-50-60-P-A
ADNGF-50-80-P-A	Mechanical	50	80		G1/8	1 / 10	ADNGF-50-80-P-A
ADNGF-63-10-P-A	Mechanical	63	10		G1/8	1 / 10	ADNGF-63-10-P-A
ADNGF-63-15-P-A	Mechanical	63	15		G1/8	1 / 10	ADNGF-63-15-P-A
ADNGF-63-20-P-A	Mechanical	63	20		G1/8	1 / 10	ADNGF-63-20-P-A
ADNGF-63-25-P-A	Mechanical	63	25		G1/8	1 / 10	ADNGF-63-25-P-A
ADNGF-63-30-P-A	Mechanical	63	30		G1/8	1 / 10	ADNGF-63-30-P-A
ADNGF-63-40-P-A	Mechanical	63	40		G1/8	1 / 10	ADNGF-63-40-P-A
ADNGF-63-50-P-A	Mechanical	63	50		G1/8	1 / 10	ADNGF-63-50-P-A
ADNGF-63-60-P-A	Mechanical	63	60		G1/8	1 / 10	ADNGF-63-60-P-A
ADNGF-63-80-P-A	Mechanical	63	80		G1/8	1 / 10	ADNGF-63-80-P-A
ADNGF-80-15-P-A	Mechanical	80	15		G1/8	1 / 10	ADNGF-80-15-P-A
ADNGF-80-20-P-A	Mechanical	80	20		G1/8	1 / 10	ADNGF-80-20-P-A
ADNGF-80-25-P-A	Mechanical	80	25		G1/8	1 / 10	ADNGF-80-25-P-A
ADNGF-80-30-P-A	Mechanical	80	30		G1/8	1 / 10	ADNGF-80-30-P-A
ADNGF-80-40-P-A	Mechanical	80	40		G1/8	1 / 10	ADNGF-80-40-P-A
ADNGF-80-80-P-A	Mechanical	80	80		G1/8	1 / 10	ADNGF-80-80-P-A
ADNGF-100-15-P-A	Mechanical	100	15		G1/8	1 / 10	ADNGF-100-15-P-A
ADNGF-100-20-P-A	Mechanical	100	20		G1/8	1 / 10	ADNGF-100-20-P-A
ADNGF-100-30-P-A	Mechanical	100	30		G1/8	1 / 10	ADNGF-100-30-P-A
ADNGF-20-25-PPS-A	Self-adjusting	20	25	M 5		1.9 / 10	ADNGF-20-25-PPS-A
ADNGF-20-40-PPS-A	Self-adjusting	20	40	M 5		1.9 / 10	ADNGF-20-40-PPS-A
ADNGF-20-60-PPS-A	Self-adjusting	20	60	M 5		1.9 / 10	ADNGF-20-60-PPS-A
ADNGF-32-10-PPS-A	Self-adjusting	32	10		G1/8	1.9 / 10	ADNGF-32-10-PPS-A
ADNGF-32-15-PPS-A	Self-adjusting	32	15		G1/8	1.9 / 10	ADNGF-32-15-PPS-A
ADNGF-32-20-PPS-A	Self-adjusting	32	20		G1/8	1.9 / 10	ADNGF-32-20-PPS-A
ADNGF-32-25-PPS-A	Self-adjusting	32	25		G1/8	1.9 / 10	ADNGF-32-25-PPS-A
ADNGF-32-30-PPS-A	Self-adjusting	32	30		G1/8	1.9 / 10	ADNGF-32-30-PPS-A
ADNGF-32-50-PPS-A	Self-adjusting	32	50		G1/8	1.9 / 10	ADNGF-32-50-PPS-A

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Manufacturer ID	Cushioning	Bore diameter	Stroke length	Port Size	Port Size	Operating pressure bar	Article
		mm	mm	mm	in		
ADNGF-32-60-PPS-A	Self-adjusting	32	60		G1/8	1.9 / 10	ADNGF-32-60-PPS-A
ADNGF-32-80-PPS-A	Self-adjusting	32	80		G1/8	1.9 / 10	ADNGF-32-80-PPS-A
ADNGF-40-10-PPS-A	Self-adjusting	40	10		G1/8	1.4 / 10	ADNGF-40-10-PPS-A
ADNGF-40-15-PPS-A	Self-adjusting	40	15		G1/8	1.4 / 10	ADNGF-40-15-PPS-A
ADNGF-40-20-PPS-A	Self-adjusting	40	20		G1/8	1.4 / 10	ADNGF-40-20-PPS-A
ADNGF-40-25-PPS-A	Self-adjusting	40	25		G1/8	1.4 / 10	ADNGF-40-25-PPS-A
ADNGF-40-30-PPS-A	Self-adjusting	40	30		G1/8	1.4 / 10	ADNGF-40-30-PPS-A
ADNGF-40-40-PPS-A	Self-adjusting	40	40		G1/8	1.4 / 10	ADNGF-40-40-PPS-A
ADNGF-40-50-PPS-A	Self-adjusting	40	50		G1/8	1.4 / 10	ADNGF-40-50-PPS-A
ADNGF-40-60-PPS-A	Self-adjusting	40	60		G1/8	1.4 / 10	ADNGF-40-60-PPS-A
ADNGF-40-80-PPS-A	Self-adjusting	40	80		G1/8	1.4 / 10	ADNGF-40-80-PPS-A
ADNGF-50-10-PPS-A	Self-adjusting	50	10		G1/8	1.4 / 10	ADNGF-50-10-PPS-A
ADNGF-50-15-PPS-A	Self-adjusting	50	15		G1/8	1.4 / 10	ADNGF-50-15-PPS-A
ADNGF-50-20-PPS-A	Self-adjusting	50	20		G1/8	1.4 / 10	ADNGF-50-20-PPS-A
ADNGF-50-25-PPS-A	Self-adjusting	50	25		G1/8	1.4 / 10	ADNGF-50-25-PPS-A
ADNGF-50-30-PPS-A	Self-adjusting	50	30		G1/8	1.4 / 10	ADNGF-50-30-PPS-A
ADNGF-50-40-PPS-A	Self-adjusting	50	40		G1/8	1.4 / 10	ADNGF-50-40-PPS-A
ADNGF-50-50-PPS-A	Self-adjusting	50	50		G1/8	1.4 / 10	ADNGF-50-50-PPS-A
ADNGF-50-60-PPS-A	Self-adjusting	50	60		G1/8	1.4 / 10	ADNGF-50-60-PPS-A
ADNGF-50-80-PPS-A	Self-adjusting	50	80		G1/8	1.4 / 10	ADNGF-50-80-PPS-A
ADNGF-63-10-PPS-A	Self-adjusting	63	10		G1/8	1.4 / 10	ADNGF-63-10-PPS-A
ADNGF-63-15-PPS-A	Self-adjusting	63	15		G1/8	1.4 / 10	ADNGF-63-15-PPS-A
ADNGF-63-20-PPS-A	Self-adjusting	63	20		G1/8	1.4 / 10	ADNGF-63-20-PPS-A
ADNGF-63-25-PPS-A	Self-adjusting	63	25		G1/8	1.4 / 10	ADNGF-63-25-PPS-A
ADNGF-63-30-PPS-A	Self-adjusting	63	30		G1/8	1.4 / 10	ADNGF-63-30-PPS-A
ADNGF-63-40-PPS-A	Self-adjusting	63	40		G1/8	1.4 / 10	ADNGF-63-40-PPS-A
ADNGF-63-50-PPS-A	Self-adjusting	63	50		G1/8	1.4 / 10	ADNGF-63-50-PPS-A
ADNGF-63-60-PPS-A	Self-adjusting	63	60		G1/8	1.4 / 10	ADNGF-63-60-PPS-A
ADNGF-63-80-PPS-A	Self-adjusting	63	80		G1/8	1.4 / 10	ADNGF-63-80-PPS-A
ADNGF-80-10-PPS-A	Self-adjusting	80	10		G1/8	1.4 / 10	ADNGF-80-10-PPS-A
ADNGF-80-15-PPS-A	Self-adjusting	80	15		G1/8	1.4 / 10	ADNGF-80-15-PPS-A
ADNGF-80-20-PPS-A	Self-adjusting	80	20		G1/8	1.4 / 10	ADNGF-80-20-PPS-A
ADNGF-80-30-PPS-A	Self-adjusting	80	30		G1/8	1.4 / 10	ADNGF-80-30-PPS-A
ADNGF-80-50-PPS-A	Self-adjusting	80	50		G1/8	1.4 / 10	ADNGF-80-50-PPS-A
ADNGF-80-60-PPS-A	Self-adjusting	80	60		G1/8	1.4 / 10	ADNGF-80-60-PPS-A

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.