

FESTO Guided drives DFM, metric



Characteristics

Series: DFM

Function: Double acting

Magnetic: Yes

Housing material: Aluminium alloy

Operating temperature: -5 / 60 °C

Manufacturer ID	Cushioning	Bore diameter	Stroke length	Port Size	Port Size	Operating pressure	Article
		mm	mm	mm	in		
DFM-12-10-P-A-GF	Mechanical	12	10	M 5		2 / 10	DFM-12-10-PA-GF
DFM-12-10-P-A-KF	Mechanical	12	10	M 5		2 / 10	DFM-12-10-PA-KF
DFM-12-20-P-A-KF	Mechanical	12	20	M 5		2 / 10	DFM-12-20-PA-KF
DFM-12-30-P-A-GF	Mechanical	12	30	M 5		2 / 10	DFM-12-30-PA-GF
DFM-12-30-P-A-KF	Mechanical	12	30	M 5		2 / 10	DFM-12-30-P-A-KF
DFM-12-40-P-A-GF	Mechanical	12	40	M 5		2 / 10	DFM-12-40-PA-GF
DFM-12-40-P-A-KF	Mechanical	12	40	M 5		2 / 10	DFM-12-40-PA-KF
DFM-12-50-P-A-KF	Mechanical	12	50	M 5		2 / 10	DFM-12-50-PA-KF
DFM-12-50-P-A-GF	Mechanical	12	50	M 5		2 / 10	DFM-12-50-PA-GF
DFM-12-80-P-A-KF	Mechanical	12	80	M 5		2 / 10	DFM-12-80-PA-KF
DFM-12-80-P-A-GF	Mechanical	12	80	M 5		2 / 10	DFM-12-80-PA-GF
DFM-12-100-P-A-KF	Mechanical	12	100	M 5		2 / 10	DFM-12-100-P-A-KF
DFM-12-100-P-A-GF	Mechanical	12	100	M 5		2 / 10	DFM-12-100-PA-GF
DFM-16-10-P-A-GF	Mechanical	16	10	M 5		2 / 10	DFM-16-10-PA-GF
DFM-16-10-P-A-KF	Mechanical	16	10	M 5		2 / 10	DFM-16-10-PA-KF
DFM-16-25-P-A-KF	Mechanical	16	25	M 5		2 / 10	DFM-16-25-PA-KF
DFM-16-25-P-A-GF	Mechanical	16	25	M 5		2 / 10	DFM-16-25-PA-GF
DFM-16-30-P-A-KF	Mechanical	16	30	M 5		2 / 10	DFM-16-30-PA-KF
DFM-16-30-P-A-GF	Mechanical	16	30	M 5		2 / 10	DFM-16-30-PA-GF
DFM-16-40-P-A-KF	Mechanical	16	40	M 5		2 / 10	DFM-16-40-PA-KF
DFM-16-40-P-A-GF	Mechanical	16	40	M 5		2 / 10	DFM-16-40-PA-GF
DFM-16-50-P-A-GF	Mechanical	16	50	M 5		2 / 10	DFM-16-50-PA-GF
DFM-16-50-P-A-KF	Mechanical	16	50	M 5		2 / 10	DFM-16-50-P-A-KF
DFM-16-80-P-A-KF	Mechanical	16	80	M 5		2 / 10	DFM-16-80-P-A-KF
DFM-16-80-P-A-GF	Mechanical	16	80	M 5		2 / 10	DFM-16-80-PA-GF
DFM-16-100-P-A-GF	Mechanical	16	100	M 5		2 / 10	DFM-16-100-PA-GF
DFM-16-100-P-A-KF	Mechanical	16	100	M 5		2 / 10	DFM-16-100-P-A-KF
DFM-20-20-P-A-GF	Mechanical	20	20	M 5		2 / 10	DFM-20-20-PA-GF
DFM-20-20-P-A-KF	Mechanical	20	20	M 5		2 / 10	DFM-20-20-PA-KF
DFM-20-25-P-A-KF	Mechanical	20	25	M 5		2 / 10	DFM-20-25-PA-KF
DFM-20-30-P-A-GF	Mechanical	20	30	M 5		2 / 10	DFM-20-30-PA-GF
DFM-20-30-P-A-KF	Mechanical	20	30	M 5		2 / 10	DFM-20-30-PA-KF
DFM-20-40-P-A-GF	Mechanical	20	40	M 5		2 / 10	DFM-20-40-P-A-GF
DFM-20-40-P-A-KF	Mechanical	20	40	M 5		2 / 10	DFM-20-40-PA-KF
DFM-20-50-P-A-KF	Mechanical	20	50	M 5		2 / 10	DFM-20-50-PA-KF
DFM-20-50-P-A-GF	Mechanical	20	50	M 5		2 / 10	DFM-20-50-PA-GF
DFM-20-80-P-A-KF	Mechanical	20	80	M 5		2 / 10	DFM-20-80-PA-KF
DFM-20-80-P-A-GF	Mechanical	20	80	M 5		2 / 10	DFM-20-80-PA-GF
DFM-20-100-P-A-GF	Mechanical	20	100	M 5		2 / 10	DFM-20-100-PA-GF
DFM-20-100-P-A-KF	Mechanical	20	100	M 5		2 / 10	DFM-20-100-PA-KF
DFM-25-20-P-A-KF	Mechanical	25	20		G1/8	1.5 / 10	DFM-25-20-P-A-KF
DFM-25-20-P-A-GF	Mechanical	25	20		G1/8	1.5 / 10	DFM-25-20-P-A-GF

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Manufacturer ID	Cushioning	Bore diameter	Stroke length	Port Size	Port Size	Operating pressure bar	Article
		mm	mm	mm	in		
DFM-25-25-P-A-GF	Mechanical	25	25		G1/8	1.5 / 10	DFM-25-25-PA-GF
DFM-25-30-P-A-KF	Mechanical	25	30		G1/8	1.5 / 10	DFM-25-30-PA-KF
DFM-25-30-P-A-GF	Mechanical	25	30		G1/8	1.5 / 10	DFM-25-30-PA-GF
DFM-25-40-P-A-KF	Mechanical	25	40		G1/8	1.5 / 10	DFM-25-40-PA-KF
DFM-25-40-P-A-GF	Mechanical	25	40		G1/8	1.5 / 10	DFM-25-40-P-A-GF
DFM-25-50-P-A-KF	Mechanical	25	50		G1/8	1.5 / 10	DFM-25-50-PA-KF
DFM-25-80-P-A-GF	Mechanical	25	80		G1/8	1.5 / 10	DFM-25-80-P-A-GF
DFM-25-100-P-A-KF	Mechanical	25	100		G1/8	1.5 / 10	DFM-25-100-PA-KF
DFM-25-100-P-A-GF	Mechanical	25	100		G1/8	1.5 / 10	DFM-25-100-PA-GF
DFM-32-20-P-A-KF	Mechanical	32	20		G1/8	1.5 / 10	DFM-32-20-PA-KF
DFM-32-20-P-A-GF	Mechanical	32	20		G1/8	1.5 / 10	DFM-32-20-PA-GF
DFM-32-25-P-A-KF	Mechanical	32	25		G1/8	1.5 / 10	DFM-32-25-PA-KF
DFM-32-30-P-A-GF	Mechanical	32	30		G1/8	1.5 / 10	DFM-32-30-PA-GF
DFM-32-30-P-A-KF	Mechanical	32	30		G1/8	1.5 / 10	DFM-32-30-PA-KF
DFM-32-40-P-A-GF	Mechanical	32	40		G1/8	1.5 / 10	DFM-32-40-PA-GF
DFM-32-50-P-A-GF	Mechanical	32	50		G1/8	1.5 / 10	DFM-32-50-P-A-GF
DFM-32-80-P-A-KF	Mechanical	32	80		G1/8	1.5 / 10	DFM-32-80-P-A-KF
DFM-32-80-P-A-GF	Mechanical	32	80		G1/8	1.5 / 10	DFM-32-80-PA-GF
DFM-32-100-P-A-KF	Mechanical	32	100		G1/8	1.5 / 10	DFM-32-100-PA-KF
DFM-32-125-P-A-GF	Mechanical	32	125		G1/8	1.5 / 10	DFM-32-125-PA-GF
DFM-32-125-P-A-KF	Mechanical	32	125		G1/8	1.5 / 10	DFM-32-125-PA-KF
DFM-32-160-P-A-GF	Mechanical	32	160		G1/8	1.5 / 10	DFM-32-160-P-A-GF
DFM-32-160-P-A-KF	Mechanical	32	160		G1/8	1.5 / 10	DFM-32-160-PA-KF
DFM-32-200-P-A-KF	Mechanical	32	200		G1/8	1.5 / 10	DFM-32-200-PA-KF
DFM-32-200-P-A-GF	Mechanical	32	200		G1/8	1.5 / 10	DFM-32-200-PA-GF
DFM-40-25-P-A-KF	Mechanical	40	25		G1/8	1.5 / 10	DFM-40-25-P-A-KF
DFM-40-50-P-A-KF	Mechanical	40	50		G1/8	1.5 / 10	DFM-40-50-P-A-KF
DFM-40-80-P-A-GF	Mechanical	40	80		G1/8	1.5 / 10	DFM-40-80-PA-GF
DFM-40-80-P-A-KF	Mechanical	40	80		G1/8	1.5 / 10	DFM-40-80-PA-KF
DFM-40-100-P-A-KF	Mechanical	40	100		G1/8	1.5 / 10	DFM-40-100-P-A-KF
DFM-40-125-P-A-GF	Mechanical	40	125		G1/8	1.5 / 10	DFM-40-125-PA-GF
DFM-40-125-P-A-KF	Mechanical	40	125		G1/8	1.5 / 10	DFM-40-125-PA-KF
DFM-40-160-P-A-GF	Mechanical	40	160		G1/8	1.5 / 10	DFM-40-160-PA-GF
DFM-40-160-P-A-KF	Mechanical	40	160		G1/8	1.5 / 10	DFM-40-160-P-A-KF
DFM-40-200-P-A-KF	Mechanical	40	200		G1/8	1.5 / 10	DFM-40-200-P-A-KF
DFM-40-200-P-A-GF	Mechanical	40	200		G1/8	1.5 / 10	DFM-40-200-P-A-GF
DFM-50-25-P-A-GF	Mechanical	50	25		G1/4	1 / 10	DFM-50-25-PA-GF
DFM-50-50-P-A-KF	Mechanical	50	50		G1/4	1 / 10	DFM-50-50-P-A-KF
DFM-50-50-P-A-GF	Mechanical	50	50		G1/4	1 / 10	DFM-50-50-PA-GF
DFM-50-80-P-A-GF	Mechanical	50	80		G1/4	1 / 10	DFM-50-80-P-A-GF
DFM-50-100-P-A-KF	Mechanical	50	100		G1/4	1 / 10	DFM-50-100-P-A-KF
DFM-50-100-P-A-GF	Mechanical	50	100		G1/4	1 / 10	DFM-50-100-P-A-GF
DFM-50-125-P-A-KF	Mechanical	50	125		G1/4	1 / 10	DFM-50-125-P-A-KF
DFM-50-125-P-A-GF	Mechanical	50	125		G1/4	1 / 10	DFM-50-125-P-A-GF
DFM-50-160-P-A-KF	Mechanical	50	160		G1/4	1 / 10	DFM-50-160-PA-KF
DFM-50-160-P-A-GF	Mechanical	50	160		G1/4	1 / 10	DFM-50-160-PA-GF
DFM-50-200-P-A-GF	Mechanical	50	200		G1/4	1 / 10	DFM-50-200-PA-GF
DFM-50-200-P-A-KF	Mechanical	50	200		G1/4	1 / 10	DFM-50-200-P-A-KF
DFM-63-80-P-A-KF	Mechanical	63	80		G1/4	1 / 10	DFM-63-80-P-A-KF
DFM-63-80-P-A-GF	Mechanical	63	80		G1/4	1 / 10	DFM-63-80-PA-GF
DFM-63-100-P-A-KF	Mechanical	63	100		G1/4	1 / 10	DFM-63-100-P-A-KF
DFM-63-100-P-A-GF	Mechanical	63	100		G1/4	1 / 10	DFM-63-100-PA-GF

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Manufacturer ID	Cushioning	Bore diameter	Stroke length	Port Size	Port Size	Operating pressure	Article
		mm	mm	mm	in	bar	
DFM-63-125-P-A-KF	Mechanical	63	125		G1/4	1 / 10	DFM-63-125-PA-KF
DFM-63-125-P-A-GF	Mechanical	63	125		G1/4	1 / 10	DFM-63-125-P-A-GF
DFM-63-160-P-A-GF	Mechanical	63	160		G1/4	1 / 10	DFM-63-160-PA-GF
DFM-63-200-P-A-KF	Mechanical	63	200		G1/4	1 / 10	DFM-63-200-P-A-KF
DFM-63-200-P-A-GF	Mechanical	63	200		G1/4	1 / 10	DFM-63-200-P-A-GF
DFM-80-25-P-A-KF	Mechanical	80	25		G3/8	0.5 / 10	DFM-80-25-P-A-KF
DFM-80-50-P-A-KF	Mechanical	80	50		G3/8	0.5 / 10	DFM-80-50-PA-KF
DFM-80-100-P-A-KF	Mechanical	80	100		G3/8	0.5 / 10	DFM-80-100-P-A-KF
DFM-80-125-P-A-GF	Mechanical	80	125		G3/8	0.5 / 10	DFM-80-125-P-A-GF
DFM-80-125-P-A-KF	Mechanical	80	125		G3/8	0.5 / 10	DFM-80-125-P-A-KF
DFM-80-160-P-A-KF	Mechanical	80	160		G3/8	0.5 / 10	DFM-80-160-P-A-KF
DFM-80-200-P-A-GF	Mechanical	80	200		G3/8	0.5 / 10	DFM-80-200-P-A-GF
DFM-80-200-P-A-KF	Mechanical	80	200		G3/8	0.5 / 10	DFM-80-200-P-A-KF
DFM-100-25-P-A-KF	Mechanical	100	25		G3/8	0.5 / 10	DFM-100-25-P-A-KF
DFM-100-50-P-A-KF	Mechanical	100	50		G3/8	0.5 / 10	DFM-100-50-P-A-KF
DFM-100-80-P-A-KF	Mechanical	100	80		G3/8	0.5 / 10	DFM-100-80-P-A-KF
DFM-100-100-P-A-KF	Mechanical	100	100		G3/8	0.5 / 10	DFM-100-100-P-A-KF
DFM-100-125-P-A-GF	Mechanical	100	125		G3/8	0.5 / 10	DFM-100-125-P-A-GF
DFM-100-125-P-A-KF	Mechanical	100	125		G3/8	0.5 / 10	DFM-100-125-P-A-KF
DFM-100-160-P-A-KF	Mechanical	100	160		G3/8	0.5 / 10	DFM-100-160-P-A-KF
DFM-100-200-P-A-KF	Mechanical	100	200		G3/8	0.5 / 10	DFM-100-200-P-A-KF

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.