



FESTO Short stroke cylinder ADVC

Characteristics

Series: ADVC

Function: Double acting

Magnetic: Yes

Housing material: Anodised aluminium

Operating temperature: -20 / 80 °C

Manufacturer ID	Cushioning	Bore diameter	Stroke length	Port Size	Port Size	Operating pressure	Article
		mm	mm	mm	in		
ADVC-4-2.5-A-P	Mechanical	4	2.5	M 3		2 / 8	ADVC-4-2.5-A-P
ADVC-4-2.5-P	Mechanical	4	2.5	M 3		2 / 8	ADVC-4-2.5-P
ADVC-4-5-P	Mechanical	4	5	M 3		2 / 8	ADVC-4-5-P
ADVC-4-5-A-P	Mechanical	4	5	M 3		2 / 8	ADVC-4-5-A-P
ADVC-6-5-P	Mechanical	6	5	M 3		1.5 / 8	ADVC-6-5-P
ADVC-6-5-A-P	Mechanical	6	5	M 3		1.5 / 8	ADVC-6-5-A-P
ADVC-6-10-P	Mechanical	6	10	M 3		1.5 / 8	ADVC-6-10-P
ADVC-6-10-A-P	Mechanical	6	10	M 3		1.5 / 8	ADVC-6-10-A-P
ADVC-10-5-A-P	Mechanical	10	5	M 5		1 / 8	ADVC-10-5-A-P
ADVC-10-5-P	Mechanical	10	5	M 5		1 / 8	ADVC-10-5-P
ADVC-10-10-P	Mechanical	10	10	M 5		1 / 8	ADVC-10-10-P
ADVC-12-5-A-P	Mechanical	12	5	M 5		1 / 10	ADVC-12-5-A-P
ADVC-12-5-I-P	Mechanical	12	5	M 5		1 / 10	ADVC-12-5-I-P
ADVC-12-5-P	Mechanical	12	5	M 5		1 / 10	ADVC-12-5-P
ADVC-12-10-A-P	Mechanical	12	10	M 5		1 / 10	ADVC-12-10-A-P
ADVC-12-10-P	Mechanical	12	10	M 5		1 / 10	ADVC-12-10-P
ADVC-12-10-I-P	Mechanical	12	10	M 5		1 / 10	ADVC-12-10-I-P
ADVC-16-5-A-P	Mechanical	16	5	M 5		1 / 10	ADVC-16-5-A-P
ADVC-16-10-I-P	Mechanical	16	10	M 5		1 / 10	ADVC-16-10-I-P
ADVC-16-10-A-P	Mechanical	16	10	M 5		1 / 10	ADVC-16-10-A-P
ADVC-16-15-I-P	Mechanical	16	15	M 5		1 / 10	ADVC-16-15-I-P
ADVC-16-15-A-P	Mechanical	16	15	M 5		1 / 10	ADVC-16-15-A-P
ADVC-16-20-A-P	Mechanical	16	20	M 5		1 / 10	ADVC-16-20-A-P
ADVC-16-20-I-P	Mechanical	16	20	M 5		1 / 10	ADVC-16-20-I-P
ADVC-16-25-A-P	Mechanical	16	25	M 5		1 / 10	ADVC-16-25-A-P
ADVC-16-25-I-P	Mechanical	16	25	M 5		1 / 10	ADVC-16-25-I-P
ADVC-20-5-I-P	Mechanical	20	5	M 5		1 / 10	ADVC-20-5-I-P
ADVC-20-5-A-P	Mechanical	20	5	M 5		1 / 10	ADVC-20-5-A-P
ADVC-20-10-A-P	Mechanical	20	10	M 5		1 / 10	ADVC-20-10-A-P
ADVC-20-10-I-P	Mechanical	20	10	M 5		1 / 10	ADVC-20-10-I-P
ADVC-20-15-A-P	Mechanical	20	15	M 5		1 / 10	ADVC-20-15-A-P
ADVC-20-15-I-P	Mechanical	20	15	M 5		1 / 10	ADVC-20-15-I-P
ADVC-20-20-I-P	Mechanical	20	20	M 5		1 / 10	ADVC-20-20-I-P
ADVC-20-20-A-P	Mechanical	20	20	M 5		1 / 10	ADVC-20-20-A-P
ADVC-20-25-A-P	Mechanical	20	25	M 5		1 / 10	ADVC-20-25-A-P
ADVC-20-25-I-P	Mechanical	20	25	M 5		1 / 10	ADVC-20-25-I-P
ADVC-25-5-I-P	Mechanical	25	5	M 5		1 / 10	ADVC-25-5-I-P
ADVC-25-5-A-P	Mechanical	25	5	M 5		1 / 10	ADVC-25-5-A-P
ADVC-25-10-I-P	Mechanical	25	10	M 5		1 / 10	ADVC-25-10-I-P
ADVC-25-10-A-P	Mechanical	25	10	M 5		1 / 10	ADVC-25-10-A-P
ADVC-25-15-A-P	Mechanical	25	15	M 5		1 / 10	ADVC-25-15-A-P
ADVC-25-15-I-P	Mechanical	25	15	M 5		1 / 10	ADVC-25-15-I-P

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Manufacturer ID	Cushioning	Bore diameter	Stroke length	Port Size	Port Size	Operating pressure bar	Article
		mm	mm	mm	in		
ADVC-25-20-A-P	Mechanical	25	20	M 5		1 / 10	ADVC-25-20-A-P
ADVC-25-20-I-P	Mechanical	25	20	M 5		1 / 10	ADVC-25-20-I-P
ADVC-25-25-I-P	Mechanical	25	25	M 5		1 / 10	ADVC-25-25-I-P
ADVC-25-25-A-P	Mechanical	25	25	M 5		1 / 10	ADVC-25-25-A-P
ADVC-32-5-I-P	Mechanical	32	5		G1/8	0.6 / 10	ADVC-32-5-I-P
ADVC-32-5-A-P	Mechanical	32	5		G1/8	0.6 / 10	ADVC-32-5-A-P
ADVC-32-10-A-P	Mechanical	32	10		G1/8	0.6 / 10	ADVC-32-10-A-P
ADVC-32-10-I-P	Mechanical	32	10		G1/8	0.6 / 10	ADVC-32-10-I-P
ADVC-32-15-A-P	Mechanical	32	15		G1/8	0.6 / 10	ADVC-32-15-A-P
ADVC-32-15-I-P	Mechanical	32	15		G1/8	0.6 / 10	ADVC-32-15-I-P
ADVC-32-20-A-P	Mechanical	32	20		G1/8	0.6 / 10	ADVC-32-20-A-P
ADVC-32-20-I-P	Mechanical	32	20		G1/8	0.6 / 10	ADVC-32-20-I-P
ADVC-32-25-I-P	Mechanical	32	25		G1/8	0.6 / 10	ADVC-32-25-I-P
ADVC-32-25-A-P	Mechanical	32	25		G1/8	0.6 / 10	ADVC-32-25-A-P
ADVC-40-5-A-P	Mechanical	40	5		G1/8	0.6 / 10	ADVC-40-5-A-P
ADVC-40-5-I-P	Mechanical	40	5		G1/8	0.6 / 10	ADVC-40-5-I-P
ADVC-40-10-A-P	Mechanical	40	10		G1/8	0.6 / 10	ADVC-40-10-A-P
ADVC-40-15-A-P	Mechanical	40	15		G1/8	0.6 / 10	ADVC-40-15-A-P
ADVC-40-15-I-P	Mechanical	40	15		G1/8	0.6 / 10	ADVC-40-15-I-P
ADVC-40-20-I-P	Mechanical	40	20		G1/8	0.6 / 10	ADVC-40-20-I-P
ADVC-40-20-A-P	Mechanical	40	20		G1/8	0.6 / 10	ADVC-40-20-A-P
ADVC-40-25-A-P	Mechanical	40	25		G1/8	0.6 / 10	ADVC-40-25-A-P
ADVC-40-25-I-P	Mechanical	40	25		G1/8	0.6 / 10	ADVC-40-25-I-P
ADVC-50-10-A-P	Mechanical	50	10		G1/8	0.6 / 10	ADVC-50-10-A-P
ADVC-50-10-I-P	Mechanical	50	10		G1/8	0.6 / 10	ADVC-50-10-I-P
ADVC-50-15-A-P	Mechanical	50	15		G1/8	0.6 / 10	ADVC-50-15-A-P
ADVC-50-15-I-P	Mechanical	50	15		G1/8	0.6 / 10	ADVC-50-15-I-P
ADVC-50-20-I-P	Mechanical	50	20		G1/8	0.6 / 10	ADVC-50-20-I-P
ADVC-50-20-A-P	Mechanical	50	20		G1/8	0.6 / 10	ADVC-50-20-A-P
ADVC-50-25-I-P	Mechanical	50	25		G1/8	0.6 / 10	ADVC-50-25-I-P
ADVC-63-10-A-P	Mechanical	63	10		G1/8	0.6 / 10	ADVC-63-10-A-P
ADVC-63-10-I-P	Mechanical	63	10		G1/8	0.6 / 10	ADVC-63-10-I-P
ADVC-63-15-A-P	Mechanical	63	15		G1/8	0.6 / 10	ADVC-63-15-A-P
ADVC-63-15-I-P	Mechanical	63	15		G1/8	0.6 / 10	ADVC-63-15-I-P
ADVC-63-20-A-P	Mechanical	63	20		G1/8	0.6 / 10	ADVC-63-20-A-P
ADVC-63-25-A-P	Mechanical	63	25		G1/8	0.6 / 10	ADVC-63-25-A-P
ADVC-63-25-I-P	Mechanical	63	25		G1/8	0.6 / 10	ADVC-63-25-I-P
ADVC-80-10-I-P	Mechanical	80	10		G1/8	0.6 / 10	ADVC-80-10-I-P
ADVC-80-10-A-P	Mechanical	80	10		G1/8	0.6 / 10	ADVC-80-10-A-P
ADVC-80-15-I-P	Mechanical	80	15		G1/8	0.6 / 10	ADVC-80-15-I-P
ADVC-80-15-A-P	Mechanical	80	15		G1/8	0.6 / 10	ADVC-80-15-A-P
ADVC-80-20-A-P	Mechanical	80	20		G1/8	0.6 / 10	ADVC-80-20-A-P
ADVC-80-20-I-P	Mechanical	80	20		G1/8	0.6 / 10	ADVC-80-20-I-P
ADVC-80-25-I-P	Mechanical	80	25		G1/8	0.6 / 10	ADVC-80-25-I-P
ADVC-80-25-A-P	Mechanical	80	25		G1/8	0.6 / 10	ADVC-80-25-A-P
ADVC-100-10-A-P	Mechanical	100	10		G1/4	0.6 / 10	ADVC-100-10-A-P
ADVC-100-10-I-P	Mechanical	100	10		G1/4	0.6 / 10	ADVC-100-10-I-P
ADVC-100-15-A-P	Mechanical	100	15		G1/4	0.6 / 10	ADVC-100-15-A-P
ADVC-100-15-I-P	Mechanical	100	15		G1/4	0.6 / 10	ADVC-100-15-I-P
ADVC-100-20-A-P	Mechanical	100	20		G1/4	0.6 / 10	ADVC-100-20-A-P
ADVC-100-20-I-P	Mechanical	100	20		G1/4	0.6 / 10	ADVC-100-20-I-P
ADVC-100-25-A-P	Mechanical	100	25		G1/4	0.6 / 10	ADVC-100-25-A-P

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Manufacturer ID	Cushioning	Bore diameter	Stroke length	Port Size	Port Size	Operating pressure bar	Article
		mm	mm	mm	in		
ADVC-100-25-I-P	Mechanical	100	25		G1/4	0.6 / 10	ADVC-100-25-I-P
ADVC-6-5-P-A	Mechanical	6	5	M 3		1.5 / 8	ADVC-6-5-P-A
ADVC-6-10-A-P-A	Mechanical	6	10	M 3		1.5 / 8	ADVC-6-10-A-P-A
ADVC-6-10-P-A	Mechanical	6	10	M 3		1.5 / 8	ADVC-6-10-P-A
ADVC-10-5-P-A	Mechanical	10	5	M 5		1 / 8	ADVC-10-5-P-A
ADVC-10-5-A-P-A	Mechanical	10	5	M 5		1 / 8	ADVC-10-5-A-P-A
ADVC-10-10-P-A	Mechanical	10	10	M 5		1 / 8	ADVC-10-10-P-A
ADVC-10-10-A-P-A	Mechanical	10	10	M 5		1 / 8	ADVC-10-10-A-P-A
ADVC-12-5-I-P-A	Mechanical	12	5	M 5		1 / 10	ADVC-12-5-I-P-A
ADVC-12-5-P-A	Mechanical	12	5	M 5		1 / 10	ADVC-12-5-P-A
ADVC-12-5-A-P-A	Mechanical	12	5	M 5		1 / 10	ADVC-12-5-A-P-A
ADVC-12-10-I-P-A	Mechanical	12	10	M 5		1 / 10	ADVC-12-10-I-P-A
ADVC-12-10-A-P-A	Mechanical	12	10	M 5		1 / 10	ADVC-12-10-A-P-A
ADVC-12-10-P-A	Mechanical	12	10	M 5		1 / 10	ADVC-12-10-P-A
ADVC-16-5-I-P-A	Mechanical	16	5	M 5		1 / 10	ADVC-16-5-I-P-A
ADVC-16-5-A-P-A	Mechanical	16	5	M 5		1 / 10	ADVC-16-5-A-P-A
ADVC-16-10-I-P-A	Mechanical	16	10	M 5		1 / 10	ADVC-16-10-I-P-A
ADVC-16-15-I-P-A	Mechanical	16	15	M 5		1 / 10	ADVC-16-15-I-P-A
ADVC-16-20-I-P-A	Mechanical	16	20	M 5		1 / 10	ADVC-16-20-I-P-A
ADVC-16-20-A-P-A	Mechanical	16	20	M 5		1 / 10	ADVC-16-20-A-P-A
ADVC-16-25-A-P-A	Mechanical	16	25	M 5		1 / 10	ADVC-16-25-A-P-A
ADVC-16-25-I-P-A	Mechanical	16	25	M 5		1 / 10	ADVC-16-25-I-P-A
ADVC-20-5-I-P-A	Mechanical	20	5	M 5		1 / 10	ADVC-20-5-I-P-A
ADVC-20-5-A-P-A	Mechanical	20	5	M 5		1 / 10	ADVC-20-5-A-P-A
ADVC-20-10-A-P-A	Mechanical	20	10	M 5		1 / 10	ADVC-20-10-A-P-A
ADVC-20-10-I-P-A	Mechanical	20	10	M 5		1 / 10	ADVC-20-10-I-P-A
ADVC-20-15-A-P-A	Mechanical	20	15	M 5		1 / 10	ADVC-20-15-A-P-A
ADVC-20-20-A-P-A	Mechanical	20	20	M 5		1 / 10	ADVC-20-20-A-P-A
ADVC-20-20-I-P-A	Mechanical	20	20	M 5		1 / 10	ADVC-20-20-I-P-A
ADVC-20-25-A-P-A	Mechanical	20	25	M 5		1 / 10	ADVC-20-25-A-P-A
ADVC-20-25-I-P-A	Mechanical	20	25	M 5		1 / 10	ADVC-20-25-I-P-A
ADVC-25-5-I-P-A	Mechanical	25	5	M 5		1 / 10	ADVC-25-5-I-P-A
ADVC-25-5-A-P-A	Mechanical	25	5	M 5		1 / 10	ADVC-25-5-A-P-A
ADVC-25-10-I-P-A	Mechanical	25	10	M 5		1 / 10	ADVC-25-10-I-P-A
ADVC-25-15-I-P-A	Mechanical	25	15	M 5		1 / 10	ADVC-25-15-I-P-A
ADVC-25-15-A-P-A	Mechanical	25	15	M 5		1 / 10	ADVC-25-15-A-P-A
ADVC-25-20-A-P-A	Mechanical	25	20	M 5		1 / 10	ADVC-25-20-A-P-A
ADVC-25-25-A-P-A	Mechanical	25	25	M 5		1 / 10	ADVC-25-25-A-P-A
ADVC-32-5-A-P-A	Mechanical	32	5		G1/8	0.6 / 10	ADVC-32-5-A-P-A
ADVC-32-5-I-P-A	Mechanical	32	5		G1/8	0.6 / 10	ADVC-32-5-I-P-A
ADVC-32-10-I-P-A	Mechanical	32	10		G1/8	0.6 / 10	ADVC-32-10-I-P-A
ADVC-32-15-I-P-A	Mechanical	32	15		G1/8	0.6 / 10	ADVC-32-15-I-P-A
ADVC-32-15-A-P-A	Mechanical	32	15		G1/8	0.6 / 10	ADVC-32-15-A-P-A
ADVC-32-20-I-P-A	Mechanical	32	20		G1/8	0.6 / 10	ADVC-32-20-I-P-A
ADVC-32-20-A-P-A	Mechanical	32	20		G1/8	0.6 / 10	ADVC-32-20-A-P-A
ADVC-32-25-I-P-A	Mechanical	32	25		G1/8	0.6 / 10	ADVC-32-25-I-P-A
ADVC-32-25-A-P-A	Mechanical	32	25		G1/8	0.6 / 10	ADVC-32-25-A-P-A
ADVC-40-5-I-P-A	Mechanical	40	5		G1/8	0.6 / 10	ADVC-40-5-I-P-A
ADVC-40-5-A-P-A	Mechanical	40	5		G1/8	0.6 / 10	ADVC-40-5-A-P-A
ADVC-40-10-A-P-A	Mechanical	40	10		G1/8	0.6 / 10	ADVC-40-10-A-P-A
ADVC-40-10-I-P-A	Mechanical	40	10		G1/8	0.6 / 10	ADVC-40-10-I-P-A
ADVC-40-15-A-P-A	Mechanical	40	15		G1/8	0.6 / 10	ADVC-40-15-A-P-A

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Manufacturer ID	Cushioning	Bore diameter	Stroke length	Port Size	Port Size	Operating pressure bar	Article
		mm	mm	mm	in		
ADVC-40-15-I-P-A	Mechanical	40	15		G1/8	0.6 / 10	ADVC-40-15-I-P-A
ADVC-40-20-I-P-A	Mechanical	40	20		G1/8	0.6 / 10	ADVC-40-20-I-P-A
ADVC-40-20-A-P-A	Mechanical	40	20		G1/8	0.6 / 10	ADVC-40-20-A-PA
ADVC-40-25-A-P-A	Mechanical	40	25		G1/8	0.6 / 10	ADVC-40-25-A-PA
ADVC-40-25-I-P-A	Mechanical	40	25		G1/8	0.6 / 10	ADVC-40-25-I-P-A
ADVC-50-10-I-P-A	Mechanical	50	10		G1/8	0.6 / 10	ADVC-50-10-I-P-A
ADVC-50-10-A-P-A	Mechanical	50	10		G1/8	0.6 / 10	ADVC-50-10-A-P-A
ADVC-50-15-A-P-A	Mechanical	50	15		G1/8	0.6 / 10	ADVC-50-15-A-P-A
ADVC-50-15-I-P-A	Mechanical	50	15		G1/8	0.6 / 10	ADVC-50-15-I-P-A
ADVC-50-20-I-P-A	Mechanical	50	20		G1/8	0.6 / 10	ADVC-50-20-I-P-A
ADVC-50-20-A-P-A	Mechanical	50	20		G1/8	0.6 / 10	ADVC-50-20-A-P-A
ADVC-50-25-A-P-A	Mechanical	50	25		G1/8	0.6 / 10	ADVC-50-25-A-P-A
ADVC-50-25-I-P-A	Mechanical	50	25		G1/8	0.6 / 10	ADVC-50-25-I-P-A
ADVC-63-10-I-P-A	Mechanical	63	10		G1/8	0.6 / 10	ADVC-63-10-I-P-A
ADVC-63-10-A-P-A	Mechanical	63	10		G1/8	0.6 / 10	ADVC-63-10-A-P-A
ADVC-63-15-I-P-A	Mechanical	63	15		G1/8	0.6 / 10	ADVC-63-15-I-P-A
ADVC-63-15-A-P-A	Mechanical	63	15		G1/8	0.6 / 10	ADVC-63-15-A-P-A
ADVC-63-20-I-P-A	Mechanical	63	20		G1/8	0.6 / 10	ADVC-63-20-I-P-A
ADVC-63-20-A-P-A	Mechanical	63	20		G1/8	0.6 / 10	ADVC-63-20-A-P-A
ADVC-63-25-A-P-A	Mechanical	63	25		G1/8	0.6 / 10	ADVC-63-25-A-P-A
ADVC-63-25-I-P-A	Mechanical	63	25		G1/8	0.6 / 10	ADVC-63-25-I-PA
ADVC-80-10-I-P-A	Mechanical	80	10		G1/8	0.6 / 10	ADVC-80-10-I-P-A
ADVC-80-10-A-P-A	Mechanical	80	10		G1/8	0.6 / 10	ADVC-80-10-A-P-A
ADVC-80-15-A-P-A	Mechanical	80	15		G1/8	0.6 / 10	ADVC-80-15-A-P-A
ADVC-80-15-I-P-A	Mechanical	80	15		G1/8	0.6 / 10	ADVC-80-15-I-P-A
ADVC-80-20-A-P-A	Mechanical	80	20		G1/8	0.6 / 10	ADVC-80-20-A-P-A
ADVC-80-20-I-P-A	Mechanical	80	20		G1/8	0.6 / 10	ADVC-80-20-I-P-A
ADVC-80-25-I-P-A	Mechanical	80	25		G1/8	0.6 / 10	ADVC-80-25-I-P-A
ADVC-80-25-A-PA	Mechanical	80	25		G1/8	0.6 / 10	ADVC-80-25-A-PA
ADVC-100-10-A-P-A	Mechanical	100	10		G1/4	0.6 / 10	ADVC-100-10-A-P-A
ADVC-100-10-I-P-A	Mechanical	100	10		G1/4	0.6 / 10	ADVC-100-10-I-P-A
ADVC-100-15-A-P-A	Mechanical	100	15		G1/4	0.6 / 10	ADVC-100-15-A-P-A
ADVC-100-15-I-P-A	Mechanical	100	15		G1/4	0.6 / 10	ADVC-100-15-I-P-A
ADVC-100-20-A-P-A	Mechanical	100	20		G1/4	0.6 / 10	ADVC-100-20-A-P-A
ADVC-100-20-I-P-A	Mechanical	100	20		G1/4	0.6 / 10	ADVC-100-20-I-P-A
ADVC-100-25-A-P-A	Mechanical	100	25		G1/4	0.6 / 10	ADVC-100-25-A-P-A
ADVC-100-25-I-P-A	Mechanical	100	25		G1/4	0.6 / 10	ADVC-100-25-I-P-A

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.