

FORMAT Hole saw type 2722



HM

Design: With axial and radial special grinding, guaranteeing optimum cutting results. Carbide hole saws achieve long tool lives and can be reground several times.No breaking under increased loads. The tapered pilot drill ensures smooth spot drilling [spot marking is not required] and is fixed using a tightening screw.
Scope of supply: Hole saw incl. drill.

Application: Can be used on portable and pillar drilling machines.

Note: With pillar drilling machines always choose manual feed.

With ejection spring. This ejects the drilled part and protects the carbide teeth during spot drilling. For material thicknesses up to max. 10 mm. [With material thicknesses over 6 mm the tool needs to be set down for chips to be emptied several times.] From 37 mm with specially hardened bit holders to compensate the torsion forces. We recommend MK 2/MK 3 from 37 mm. The sturdy design and advanced cutting edge geometry achieves a significant improvement in cutting behaviour combined with a high cutting capacity and tool life. For flat material but also fur use on pipe material and curved surfaces.

Cup height: 22 mm

Ø 18?36 mm ^= 10 mm shaft,
Ø 37?100 mm ^= 13 mm shaft.

Diameter mm	Cutting depth mm	Material	Article
18	22	Hard metal	W90A-27220180
19	22	Hard metal	W90A-27220190
20	22	Hard metal	W90A-27220200
21	22	Hard metal	W90A-27220210
22	22	Hard metal	W90A-27220220
23	22	Hard metal	W90A-27220230
24	22	Hard metal	W90A-27220240
25	22	Hard metal	W90A-27220250
26	22	Hard metal	W90A-27220260
27	22	Hard metal	W90A-27220270
28	22	Hard metal	W90A-27220280
29	22	Hard metal	W90A-27220290
30	22	Hard metal	W90A-27220300
31	22	Hard metal	W90A-27220310
32	22	Hard metal	W90A-27220320
33	22	Hard metal	W90A-27220330
34	22	Hard metal	W90A-27220340
35	22	Hard metal	W90A-27220350
36	22	Hard metal	W90A-27220360
37	22	Hard metal	W90A-27220370
38	22	Hard metal	W90A-27220380
39	22	Hard metal	W90A-27220390
40	22	Hard metal	W90A-27220400
41	22	Hard metal	W90A-27220410
42	22	Hard metal	W90A-27220420
43	22	Hard metal	W90A-27220430
44	22	Hard metal	W90A-27220440
45	22	Hard metal	W90A-27220450

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Diameter	Cutting depth	Material	Article
mm	mm		
46	22	Hard metal	W90A-27220460
47	22	Hard metal	W90A-27220470
48	22	Hard metal	W90A-27220480
49	22	Hard metal	W90A-27220490
50	22	Hard metal	W90A-27220500
51	22	Hard metal	W90A-27220510
52	22	Hard metal	W90A-27220520
53	22	Hard metal	W90A-27220530
54	22	Hard metal	W90A-27220540
55	22	Hard metal	W90A-27220550
56	22	Hard metal	W90A-27220560
57	22	Hard metal	W90A-27220570
58	22	Hard metal	W90A-27220580
59	22	Hard metal	W90A-27220590
60	22	Hard metal	W90A-27220600
61	22	Hard metal	W90A-27220610
62	22	Hard metal	W90A-27220620
63	22	Hard metal	W90A-27220630
64	22	Hard metal	W90A-27220640
65	22	Hard metal	W90A-27220650
66	22	Hard metal	W90A-27220660
67	22	Hard metal	W90A-27220670
68	22	Hard metal	W90A-27220680
69	22	Hard metal	W90A-27220690
70	22	Hard metal	W90A-27220700
71	22	Hard metal	W90A-27220710
72	22	Hard metal	W90A-27220720
73	22	Hard metal	W90A-27220730
74	22	Hard metal	W90A-27220740
75	22	Hard metal	W90A-27220750
76	22	Hard metal	W90A-27220760
77	22	Hard metal	W90A-27220770
78	22	Hard metal	W90A-27220780
79	22	Hard metal	W90A-27220790
80	22	Hard metal	W90A-27220800
81	22	Hard metal	W90A-27220810
82	22	Hard metal	W90A-27220820
83	22	Hard metal	W90A-27220830
84	22	Hard metal	W90A-27220840
85	22	Hard metal	W90A-27220850
86	22	Hard metal	W90A-27220860
87	22	Hard metal	W90A-27220870
88	22	Hard metal	W90A-27220880
89	22	Hard metal	W90A-27220890
90	22	Hard metal	W90A-27220900
91	22	Hard metal	W90A-27220910
92	22	Hard metal	W90A-27220920
93	22	Hard metal	W90A-27220930
94	22	Hard metal	W90A-27220940
95	22	Hard metal	W90A-27220950
96	22	Hard metal	W90A-27220960
97	22	Hard metal	W90A-27220970
98	22	Hard metal	W90A-27220980

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Diameter	Cutting depth	Material	Article
mm	mm		
99	22	Hard metal	W90A-27220990
100	22	Hard metal	W90A-27221000

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.