

## ECON® Diaphragm drum pressure gauge Type 1481 bottom connection brass




### Characteristics

**Type:** 1481  
**Accuracy class:** 1.6 %  
**Pressure gauge attachment:** Direct  
**Connection location:** Below  
**Process connection:** External thread  
**Cabinet material:** Stainless steel 304

### Characteristics [2]

**Process connection material:** Stainless steel 316  
**Material dial:** Aluminium  
**Protection class:** IP54  
**Medium temperature:** -20 / 60 °C  
**Ambient temperature:** -20 / 60 °C



Cabinet diameter	D	a	b	c	c1	c2	c3	G	G1	h	SW	Weight
mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kg
63	64	10	47	5	2	13	13	85	3.7	53	14	0.23
100	101	20	55	6	3	20	19	132	4.8	87	22	0.5
160	161	15.5	51.5	6	3	20	19	196	5.8	115	22	0.9

Cabinet diameter mm	Measuring range	Pressure unit	Size process connection	Window material	Article
63	-100 / 0	mbar	1/4" BSPP[G]	Glass	685153
63	-20 / 40	mbar	1/4" BSPP[G]	Glass	685164
63	0 / 100	mbar	1/4" BSPP[G]	Glass	685114
100	0 / 400	mbar	1/2" BSPP[G]	Glass	684964

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.