

ECON® Bourdon tube pressure gauge Type 934 rear connection brass

Characteristics

Type: 934

Model: Bourdon tube pressure gauge


Blow-out included: Yes


Pressure gauge attachment: Direct Process connection: External thread **Process connection material:** Brass

Window material: Plastic **Protection class: IP65**

Medium temperature: $-20 / 60 \, ^{\circ}\text{C}$ Ambient temperature: -20 / 60 °C







Cabinet diameter	G	D1	D2	b1	b2	е	SW
mm	BSPP	mm	mm	mm	mm	mm	mm
R63	1/4"	62	62	36	56	10.5	14
R100	1/2"	99	99	53.5	86	11.5	22

Cabinet diameter	Measuring range	Pressure unit	Accuracy class	Cabinet filling fluid	Connection location	Size process connection	Cabinet material	Material dial	Maximum overpressure	Article
mm									bar	
63	0/4	bar	1.6 %	Glycerin	Back centric	1/4" BSPP(G)	Brass	Plastic	4	EC009341E1B1110
63	0 / 40	bar	1.6 %	Glycerin	Back centric	1/4" BSPP(G)	Brass	Plastic	40	EC009341J1B1110

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

PR_EC011170_0043_MVD_EN_20.05.2024 Page 1/1