


## Fire fighting valve Type: 901 Bronze Straight External thread (BSPP)



### Characteristics

**Type:** 901

**Construction type:** Straight

**Housing material:** Bronze

**Material quality:** CC491K [RG5]

**Surface protection:** Standard manufacturers coating

**Connection:** External thread (BSPP)

**Connection 2:** Storz coupling

**Operation:** Hand wheel, rising with rising stem

**Type of bonnet:** Screwed

**Colour:** Red, RAL3000

**Disc material:** Brass

**Spindle material:** CuZn35Ni [SoMs59]

**Material bonnet:** CuZn39Pb3 [CW614N]

**Material storz coupling:** Brass

**Actuator material:** EN-JL1030

**Minimum medium temperature (continuous):** -10 °C

**Maximum medium temperature (continuous):** 60 °C

**Maximum pressure difference at 20 °C:** 16 bar

### Application

- Recommended in: Food & Beverages, Maritime, Utilities

DN ["]	L [mm]	H (open) mm	M mm	Cam distance mm	Weight [kg]
1	118	110	80	31	1
1 ¼	130	125	80	44	1,9
1 ½	138	140	100	52	2,7
2	176	160	120	66	3,7
2 ½	212	195	120	81	5,5
3	225	200	140	89	8

### Pressure rating

PN16

### Max. medium temperature

60°C

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.