

ECON® Check valve Type: 78 Cast iron Flange PN16

Cast iron angle pattern check valve, piston type, with bolted cover and flanged ends, pressure class PN16.

Characteristics

- Type:** 78
- Norm:** EN (DIN)
- Construction type:** Angle Pattern
- Housing material:** Cast iron
- Material quality:** EN-JL1040
- Surface protection:** Standard manufacturers coating
- Connection:** Flange
- Flange finish:** Raised face
- Face to Face norm:** EN 558, Series 8
- With spring:** Yes
- Spring material:** 1.4057
- Minimum medium temperature (continuous):** -10 °C
- Maximum medium temperature (continuous):** 300 °C
- Maximum pressure difference at 20 °C:** 16 bar

Application


- General Industry.
- Neutral liquids.
- Steam, hot or cold water, oil, etc.
- Suitable for horizontal and vertical (rising flow) mounting.

Technical Information

- Design: EN 12334.
- Testing: EN 12266-1 rate C.

Options

- Available in straight pattern; type 77.
- Available with bronze internals; type 102.



DN	A	L1	H1	Weight		Kv-value	Min. opening pressure
				Angled	Angled		
mm	mm	mm	mm	[kg]			[bar]
15	95	90	50	2,2	7,2	0,05 - 0,1	
20	105	95	47	2,8	9,2	0,05 - 0,1	
25	115	100	57	3,9	16	0,05 - 0,1	
32	140	105	60	5,5	22	0,05 - 0,1	
40	150	115	70	7	37	0,05 - 0,1	
50	165	125	73	9,2	51	0,05 - 0,1	
65	185	145	79	12	98,5	0,05 - 0,1	
80	200	155	77	17,2	143	0,05 - 0,1	
100	220	175	112	25	226	0,05 - 0,1	
125	250	200	119	36	281	0,05 - 0,1	
150	285	225	123	55	455	0,05 - 0,1	
200	340	275	157	97	860	0,05 - 0,1	
250	405	325	333	196	1010	0,05 - 0,1	
300	460	375	375	302	--	0,05 - 0,1	

	-10/120°C	150°C	180°C	200°C	230°C	250°C	300°C	
PN16	16	14,4	13,4	12,8	11,8	11,2	9,6	[bar]

Nominal inner diameter	Pressure rating	Face to Face length	Valve shape	Kv value	Sealing	Material disc	Material cover	Material cover gasket	Material shaft	Article
		mm		m³/h						
DN50	PN16	125	Flap	51	Stainless steel	1.4021	EN-JL1040	Graphite	1.4021	EC000780050-GRZL

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.