



TIMKEN Double-row spherical roller bearing Tapered bore

Characteristics

Series: 223

Bore: Tapered bore

With sealing: No

Manufacturer ID	Inner diameter mm	Outer diameter mm	Width mm	Internal clearance	Cage	Article
22205KEJW33	25	52	18	CN (normal)	Steel	22205K-TIMKEN
21305KEJW33	25	62	17	CN (normal)	Steel	21305K-TIMKEN
22206KEJW33C3	30	62	20	C3	Steel	22206KC3-TIMKEN
22206KEJW33	30	62	20	CN (normal)	Steel	22206K-TIMKEN
22207KEJW33C3	35	72	23	C3	Steel	22207KC3-TIMKEN
22207KEJW33	35	72	23	CN (normal)	Steel	22207K-TIMKEN
21307KEJW33	35	80	21	CN (normal)	Steel	21307K-TIMKEN
22208KEJW33C3	40	80	23	C3	Steel	22208KC3-TIMKEN
22208KEJW33	40	80	23	CN (normal)	Steel	22208K-TIMKEN
21308KEJW33	40	90	23	CN (normal)	Steel	21308K-TIMKEN
22308KEJW33C3	40	90	33	C3	Steel	22308KC3-TIMKEN
22308KEJW33	40	90	33	CN (normal)	Steel	22308K-TIMKEN
22209KEMW33C3	45	85	23	C3	Brass	22209KMC3-TIMKEN
22209KEJW33C3	45	85	23	C3	Steel	22209KC3-TIMKEN
22209KEJW33	45	85	23	CN (normal)	Steel	22209K-TIMKEN
21309KEJW33	45	100	25	CN (normal)	Steel	21309K-TIMKEN
22309KEJW33C3	45	100	36	C3	Steel	22309KC3-TIMKEN
22309KEJW33	45	100	36	CN (normal)	Steel	22309K-TIMKEN
22210KEJW33C3	50	90	23	C3	Steel	22210KC3-TIMKEN
22210KEJW33	50	90	23	CN (normal)	Steel	22210K-TIMKEN
21310KEJW33C3	50	110	27	C3	Steel	21310KC3-TIMKEN
21310KEJW33	50	110	27	CN (normal)	Steel	21310K-TIMKEN
22310KEJW33C3	50	110	40	C3	Steel	22310KC3-TIMKEN
22310KEJW33	50	110	40	CN (normal)	Steel	22310K-TIMKEN
22211KEJW33C3	55	100	25	C3	Steel	22211KC3-TIMKEN
22211KEJW33	55	100	25	CN (normal)	Steel	22211K-TIMKEN
21311KEJW33C3	55	120	29	C3	Steel	21311KC3-TIMKEN
22311KEJW33C3	55	120	43	C3	Steel	22311KC3-TIMKEN
22311KEJW33	55	120	43	CN (normal)	Steel	22311K-TIMKEN
22212KEJW33C3	60	110	28	C3	Steel	22212KC3-TIMKEN
22212KEJW33	60	110	28	CN (normal)	Steel	22212K-TIMKEN
21312KEJW33C3	60	130	31	C3	Steel	21312KC3-TIMKEN
21312KEJW33	60	130	31	CN (normal)	Steel	21312K-TIMKEN
22312KEJW33C3	60	130	46	C3	Steel	22312KC3-TIMKEN
22312KEJW33	60	130	46	CN (normal)	Steel	22312K-TIMKEN
22213KEJW33C3	65	120	31	C3	Steel	22213KC3-TIMKEN
22213KEJW33	65	120	31	CN (normal)	Steel	22213K-TIMKEN
21313KEJW33C3	65	140	33	C3	Steel	21313KC3-TIMKEN
21313K	65	140	33	CN (normal)	Steel	21313K-TIMKEN
22313KEJW33C3	65	140	48	C3	Steel	22313KC3-TIMKEN
22313KEJW33	65	140	48	CN (normal)	Steel	22313K-TIMKEN
22214KEJW33C3	70	125	31	C3	Steel	22214KC3-TIMKEN
22214KEJW33	70	125	31	CN (normal)	Steel	22214K-TIMKEN

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Spherical Roller Bearings | Double Row Spherical Roller Bearings

Manufacturer ID	Inner diameter	Outer diameter	Width	Internal clearance	Cage	Article
	mm	mm	mm			
22314KEJW33C3	70	150	51	C3	Steel	22314KC3-TIMKEN
22314KEJW33	70	150	51	CN (normal)	Steel	22314K-TIMKEN
22215KEJW33C3	75	130	31	C3	Steel	22215KC3-TIMKEN
22215KC4	75	130	31	C4	Steel	22215KC4-TIMKEN
22215KEJW33	75	130	31	CN (normal)	Steel	22215K-TIMKEN
22315KEJW33C3	75	160	55	C3	Steel	22315KC3-TIMKEN
22315KEJW33	75	160	55	CN (normal)	Steel	22315K-TIMKEN
22216KEMW33C3	80	140	33	C3	Brass	22216KMC3-TIMKEN
22216KEJW33C3	80	140	33	C3	Steel	22216KC3-TIMKEN
22216KEMW33	80	140	33	CN (normal)	Brass	22216KM-TIMKEN
22216KEJW33	80	140	33	CN (normal)	Steel	22216K-TIMKEN
22316KEMW33C3	80	170	58	C3	Brass	22316KMC3-TIMKEN
22316KEJW33	80	170	58	CN (normal)	Steel	22316K-TIMKEN
22217KEJW33C3	85	150	36	C3	Steel	22217KC3-TIMKEN
22217KEJW33	85	150	36	CN (normal)	Steel	22217K-TIMKEN
21317KEJW33	85	180	41	CN (normal)	Steel	21317K-TIMKEN
22317KEJW33	85	180	60	CN (normal)	Steel	22317K-TIMKEN
22218KEMW33C3	90	160	40	C3	Brass	22218KMC3-TIMKEN
22218KEJW33C3	90	160	40	C3	Steel	22218KC3-TIMKEN
22218KEJW33	90	160	40	CN (normal)	Steel	22218K-TIMKEN
23218KEJW33C3	90	160	52.4	C3	Steel	23218KC3-TIMKEN
23218KEJW33	90	160	52.4	CN (normal)	Steel	23218K-TIMKEN
21318KEJW33	90	190	43	CN (normal)	Steel	21318K-TIMKEN
22318KEJW33C3	90	190	64	C3	Steel	22318KC3-TIMKEN
22318KEJW33	90	190	64	CN (normal)	Steel	22318K-TIMKEN
22219KEJW33C3	95	170	43	C3	Steel	22219KC3-TIMKEN
22219KEJW33	95	170	43	CN (normal)	Steel	22219K-TIMKEN
22319KEJW33C3	95	200	67	C3	Steel	22319KC3-TIMKEN
22319KEJW33	95	200	67	CN (normal)	Steel	22319K-TIMKEN
23120KEMW33C3	100	165	52	C3	Brass	23120KMC3-TIMKEN
23120KEJW33C3	100	165	52	C3	Steel	23120KC3-TIMKEN
22220KEMW33C3	100	180	46	C3	Brass	22220KMC3-TIMKEN
22220KEJW33C3	100	180	46	C3	Steel	22220KC3-TIMKEN
22220KEJW33	100	180	46	CN (normal)	Steel	22220K-TIMKEN
23220KEJW33	100	180	60.3	CN (normal)	Steel	23220K-TIMKEN
22320KEJW33C3	100	215	73	C3	Steel	22320KC3-TIMKEN
22320KEJW33	100	215	73	CN (normal)	Steel	22320K-TIMKEN
23122KEJW33C3	110	180	56	C3	Steel	23122KC3-TIMKEN
23122KEJW33	110	180	56	CN (normal)	Steel	23122K-TIMKEN
22222KEMW33C3	110	200	53	C3	Brass	22222KMC3-TIMKEN
22222KEJW33C3	110	200	53	C3	Steel	22222KC3-TIMKEN
22222KEMW33	110	200	53	CN (normal)	Brass	22222KM-TIMKEN
22222KEJW33	110	200	53	CN (normal)	Steel	22222K-TIMKEN
23222KEMW33C3	110	200	69.8	C3	Brass	23222KMC3-TIMKEN
23222KEMW33	110	200	69.8	CN (normal)	Brass	23222KM-TIMKEN
23222KEJW33	110	200	69.8	CN (normal)	Steel	23222K-TIMKEN
22322KEMW33C3	110	240	80	C3	Brass	22322KMC3-TIMKEN
22322KEJW33C3	110	240	80	C3	Steel	22322KC3-TIMKEN
22322KEJW33	110	240	80	CN (normal)	Steel	22322K-TIMKEN
23024KEJW33C3	120	180	46	C3	Steel	23024KC3-TIMKEN
23024KEJW33	120	180	46	CN (normal)	Steel	23024K-TIMKEN
23124KEJW33	120	200	62	CN (normal)	Steel	23124K-TIMKEN
22224KEJW33C3	120	215	58	C3	Steel	22224KC3-TIMKEN

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Manufacturer ID	Inner diameter mm	Outer diameter mm	Width mm	Internal clearance	Cage	Article
22224KEJW33	120	215	58	CN (normal)	Steel	22224K-TIMKEN
23224KEMW33C3	120	215	76	C3	Brass	23224KMC3-TIMKEN
23224KEMW33	120	215	76	CN (normal)	Brass	23224KM-TIMKEN
22324KEMW33C3	120	260	86	C3	Brass	22324KMC3-TIMKEN
22324KEJW33	120	260	86	CN (normal)	Steel	22324K-TIMKEN
23026KEJW33C3	130	200	52	C3	Steel	23026KC3-TIMKEN
23026KEJW33	130	200	52	CN (normal)	Steel	23026K-TIMKEN
23126KEJW33	130	210	64	CN (normal)	Steel	23126K-TIMKEN
22226KEMW33C3	130	230	64	C3	Brass	22226KMC3-TIMKEN
22226KEJW33C3	130	230	64	C3	Steel	22226KC3-TIMKEN
22226KEMW33	130	230	64	CN (normal)	Brass	22226KM-TIMKEN
22226KEJW33	130	230	64	CN (normal)	Steel	22226K-TIMKEN
23226KEMW33C3	130	230	80	C3	Brass	23226KMC3-TIMKEN
23226KEJW33C3	130	230	80	C3	Steel	23226KC3-TIMKEN
23226KEJW33	130	230	80	CN (normal)	Steel	23226K-TIMKEN
22326KEMW33C3	130	280	93	C3	Brass	22326KMC3-TIMKEN
22326KEJW33C3	130	280	93	C3	Steel	22326KC3-TIMKEN
22326KEJW33	130	280	93	CN (normal)	Steel	22326K-TIMKEN
23028KEJW33	140	210	53	CN (normal)	Steel	23028K-TIMKEN
23128KEMW33	140	225	68	CN (normal)	Brass	23128KM-TIMKEN
22228KEJW33C3	140	250	68	C3	Steel	22228KC3-TIMKEN
22228KEJW33	140	250	68	CN (normal)	Steel	22228K-TIMKEN
23228KEMW33C3	140	250	88	C3	Brass	23228KMC3-TIMKEN
23228KEMW33	140	250	88	CN (normal)	Brass	23228KM-TIMKEN
22328KEJW33C3	140	300	102	C3	Steel	22328KC3-TIMKEN
22328KEJW33	140	300	102	CN (normal)	Steel	22328K-TIMKEN
23030KEMW33	150	225	56	CN (normal)	Brass	23030KM-TIMKEN
24030KEJW33C3	150	225	75	C3	Steel	24030KC3-TIMKEN
23130KEMW33	150	250	80	CN (normal)	Brass	23130KM-TIMKEN
22230KEJW33	150	270	73	CN (normal)	Steel	22230K-TIMKEN
23230KEMW33C3	150	270	96	C3	Brass	23230KMC3-TIMKEN
23230KEMW33	150	270	96	CN (normal)	Brass	23230KM-TIMKEN
22330KEMBW33C3	150	320	108	C3	Brass	22330KMC3-TIMKEN
22330KEJW33C3	150	320	108	C3	Steel	22330KC3-TIMKEN
23032KEMW33	160	240	60	CN (normal)	Brass	23032KM-TIMKEN
24032KEJW33C3	160	240	80	C3	Steel	24032KC3-TIMKEN
23132KEMW33C3	160	270	86	C3	Brass	23132KMC3-TIMKEN
22232KEJW33C3	160	290	80	C3	Steel	22232KC3-TIMKEN
22232KMC4	160	290	80	C4	Brass	22232KMC4-TIMKEN
22232KEJW33	160	290	80	CN (normal)	Steel	22232K-TIMKEN
23232KEMW33C3	160	290	104	C3	Brass	23232KMC3-TIMKEN
23232KEMW33	160	290	104	CN (normal)	Brass	23232KM-TIMKEN
22332KEMBW33C3	160	340	114	C3	Brass	22332KMC3-TIMKEN
22332KEJW33	160	340	114	CN (normal)	Steel	22332K-TIMKEN
23034KEMW33C3	170	260	67	C3	Brass	23034KMC3-TIMKEN
24034KEJW33C3	170	260	90	C3	Steel	24034KC3-TIMKEN
24034KEJW33	170	260	90	CN (normal)	Steel	24034K-TIMKEN
23134KEMW33C3	170	280	88	C3	Brass	23134KMC3-TIMKEN
23134KEMW33	170	280	88	CN (normal)	Brass	23134KM-TIMKEN
22234KEJW33C3	170	310	86	C3	Steel	22234KC3-TIMKEN
22234KEJW33	170	310	86	CN (normal)	Steel	22234K-TIMKEN
23136KEMW33C3	180	300	96	C3	Brass	23136KMC3-TIMKEN
23136KEJW33C3	180	300	96	C3	Steel	23136KC3-TIMKEN

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Spherical Roller Bearings | Double Row Spherical Roller Bearings

Manufacturer ID	Inner diameter mm	Outer diameter mm	Width mm	Internal clearance	Cage	Article
23136KEJW33	180	300	96	CN (normal)	Steel	23136K-TIMKEN
22236KEJW33C3	180	320	86	C3	Steel	22236KC3-TIMKEN
22236KEJW33	180	320	86	CN (normal)	Steel	22236K-TIMKEN
23236KEMBW33C3	180	320	112	C3	Brass	23236KMC3-TIMKEN
23038KEMW33C3	190	290	75	C3	Brass	23038KMC3-TIMKEN
23038KEMW33	190	290	75	CN (normal)	Brass	23038KM-TIMKEN
23138KEMW507C08C3	190	320	104	C3	Brass	23138KMW507C08C3-TIMKEN
22238KEMBW33	190	340	92	CN (normal)	Brass	22238KM-TIMKEN
23238KEMBW33C3	190	340	120	C3	Brass	23238KMC3-TIMKEN
23040KEMW33	200	310	82	CN (normal)	Brass	23040KM-TIMKEN
23140KEMBW33C3	200	340	112	C3	Brass	23140KMC3-TIMKEN
24140KEMBW33C3	200	340	140	C3	Brass	24140KMC3-TIMKEN
22240KEMBW33	200	360	98	CN (normal)	Brass	22240KM-TIMKEN
22244KEMBW33C3	200	400	108	C3	Brass	22244KMC3-TIMKEN
22244KEMBW33	200	400	108	CN (normal)	Brass	22244KM-TIMKEN
22340KEMBW33W45A	200	420	138	CN (normal)	Brass	22340KMW45A-TIMKEN
23044KEMW33C3	220	340	90	C3	Brass	23044KMC3-TIMKEN
23044KEMW33	220	340	90	CN (normal)	Brass	23044KM-TIMKEN
24044KEMBW33	220	340	118	CN (normal)	Brass	24044KMW33-TIMKEN
23144KEMBW507C08C3	220	370	120	C3	Brass	23144KMW507C08C3-TIMKEN
23144KEMBW507C08	220	370	120	CN (normal)	Brass	23144KMW507C08-TIMKEN
23244KEMBW33W45AC3	220	400	144	C3	Brass	23244KMC3-TIMKEN
23048KEMW33C08	240	360	92	CN (normal)	Brass	23048KMC08-TIMKEN
23148KEMBW33C3	240	400	128	C3	Brass	23148KMC3-TIMKEN
23148KEMBW33	240	400	128	CN (normal)	Brass	23148KM-TIMKEN
24148KEMBW33W45AC3	240	400	160	C3	Brass	24148KMC3-TIMKEN
23052KEMBW33	260	400	104	CN (normal)	Brass	23052KM-TIMKEN
24152KEMBW33W45A	260	440	180	CN (normal)	Brass	24152KMW45A-TIMKEN
22252KEMBW33W45A	260	480	130	CN (normal)	Brass	22252KMW45A-TIMKEN
23252KEMBW507C08C3	260	480	174	C3	Brass	23252KMW507C08C3-TIMKEN
23252KEMBW507C08	260	480	174	CN (normal)	Brass	23252KMW507C08-TIMKEN
22352KEMBW33W45AC3	260	540	165	C3	Brass	22352KMW45AC3-TIMKEN
23256KEMBW507C08C3	280	500	176	C3	Brass	23256KMW507C08C3-TIMKEN
22260KEMBW33W45A	300	540	140	CN (normal)	Brass	22260KMW45A-TIMKEN

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.