


ERIKS Oil Seal type GVP

Characteristics

Material lip: PTFE

Material surface: Metal

Equivalent Types: H, AA, WCL, P



Shaft diameter		Housing diameter		Article
mm		mm		Max. 200 articles in the table
40		78		11048693
50		110		11028096
54		80		11011470
55		80		11008940
55		85		11025038
55.56		82.55		10012439
57		89		11048722
61.91		79.37		10012440
70		90		10013052
70		90		11049797
70		95		10009097
75		95		11011399
75		100		11041831
76.2		101.6		10013523
76.2		101.6		10011964
79.37		127		10011512
80		100		10013323
80.96		111.13		10012799
80.96		111.13		11048969
84		110		11001602
84		110		11054814
85		110		10013324
90		115		11009357

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Shaft diameter	Housing diameter	Article
mm	mm	Max. 200 articles in the table
90	120	10009677
90	120	10009678
90	122	11025855
90.48	114.3	10012800
92	120	10009679
95	120	11030426
95	120	11046045
95	120	11015748
95	120	10009680
95.25	127	10011965
95.25	133.35	10013057
96	117	11048773
98	130	10009681
98.42	136.52	11037427
100	125	11025033
100	125	11041744
100	130	10009802
100	135	10010427
100	150	11046162
105	140	10009803
105	150	10009804
106.36	133.35	10013058
107.95	127	11050971
107.95	139.7	11052727
110	130	11022032
110	140	10009805
114.3	152.4	10012801
117.48	152.4	10013059
118	140	10009806
118	150	10009807
119.06	152.4	10012802
120	140	10009808
120	150	11040055
120	150	10009809
120.65	146.05	11028513
120.65	146.05	11019597
125	150	10009810
125	160	11025616
125.41	146.05	10013060
127	158.75	10012441
127	158.9	10011966
127	160	11009510
128	146	11046169
128.58	160	11022731
130	155	10009811
130	160	10009812
130.18	158.75	10013329
130.18	161.93	11008520
133.35	165.1	10012803
133.35	165.1	10013061
133.35	171.45	10013062
135	165	10009813
135	165	10009814

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Shaft diameter	Housing diameter	Article
mm	mm	Max. 200 articles in the table
135	170	10009815
138	165	10009816
138.11	169.86	11052723
139.7	165.1	10012442
139.7	171.45	10013063
140	160	10009817
140	160	10009818
140	165	10009819
140	165	10009820
140	170	10009821
140	175	10009822
145	170	11051842
145	170	10009823
145	175	10009824
146.05	177.8	10013064
146.05	177.8	10013065
148	170	10009825
152	180	11001627
152.4	177.8	10012804
152.4	190.5	10012444
155	174	10009827
155	180	11012705
155	190	11001706
155	190	10009828
160	180	10013469
160	180	10009829
160	190	11001708
160	190	10009830
160	200	10009831
165.1	190.5	10012445
168.28	193.67	10013330
170	200	10009832
174.62	209.55	10013331
175	215	10009833
175	220	11012976
180	200	11051862
180	210	11021349
180	210	11048890
180	210	10009834
180	215	10009835
182	215	10009836
185	215	10009837
187	213	11055202
190	220	10009838
190	225	10009839
190.5	228.6	11010314
200	230	10067114
200	230	11001709
200	240	10009840
203.2	228.6	11009497
203.2	234.95	11035109
205	235	11017111
210	240	11009359

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Shaft diameter	Housing diameter	Article
mm	mm	Max. 200 articles in the table
212.72	250.82	11022308
215	250	11035356
220	250	10009841
224	250	11009358
225	250	11021370
230	255	10009842
230	255	10009843
230	260	10009844
230	270	10009845
235	270	10009846
240	270	10009847
245	270	11047112
250	290	10009848
254	292.1	11041747
260	290	10009849
260	300	11041095
260	300	10009850
266.7	317.7	11030445
270	310	10009851
270	330	11020118
275	310	10009852
280	310	10009853
280	320	10009854
285	325	10009855
290	330	10009856
290	330	10009857
300	330	11047507
300	332	10009858
300	335	10009859
300	340	10009860
300	340	11041749
300	340	10009861
310	340	11028097
310	350	11040762
310	350	10009862
315	355	11026367
320	350	10009863
320	360	10009864
320	360	10009865
330	370	11009356
340	380	11041130
340	380	10009866
340	400	11052446
350	390	10009867
380	420	11013288
380	420	10009868
380	430	10009869
380	439	10009870
388.95	428.89	11038267
390	430	10009871
390	450	10009872
400	440	11047377
400	440	10009873

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Shaft diameter	Housing diameter	Article
mm	mm	Max. 200 articles in the table
400.05	457.2	10012805
419.1	469.9	11016814
420	460	11052797
420	460	10009874
431.8	482.6	11027520
460	500	10009875
498	540	11037645
500	540	11045685
500	540	11032472
510	554	11055744
510	554	10009876
525	555	11033728
533.4	584.2	10012806
560	610	10009877
600	640	11047375
600	640	10009879
820.7	876.3	11020215

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.