


ERIKS Oil Seal type GVPST

Characteristics

Material lip: NBR

Material surface: Metal

Equivalent Types: AA2, WCR



Shaft diameter mm	Housing diameter mm	Article
36.51	63.65	12718927
61.6	95.25	12730154
82.55	114.3	11083706
90	110	11398617
90	115	11361863
96	117	11048896
100	125	11016701
105	130	11048774
105	145	12701558
106.35	152	12730155
110	140	11217626
110	140	11387338
115	155	12765439
118	140	12243480
118	150	11039971
118	150	10011514
120	140	11016689
120	145	10013470
120	150	11294160
123.82	160	11062430
135	165	12308571
135	165	11133524
138	168	11163151

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Shaft diameter mm	Housing diameter mm	Article
139.7	165.1	12962699
139.7	165.1	12572002
140	160	11016688
140	180	12567780
148	180	11038329
150	180	12732511
150	180	11112945
158.7	197.07	11191025
160	180	11016855
170	200	11333363
175	200	12183459
180	210	12262364
185	215	12482113
190	220	13147221
200	240	12224830
200.3	254	11462170
203.2	250.4	11117332
209.55	253.24	12992259
210	250	12698931
215	245	12583624
215	250	11226041
220	250	11661676
220	250	12168968
222.25	260.35	11072882
238.12	288.9	11084402
240	270	11037497
250	280	11065611
280	310	11348738
280	320	11200717
283.42	310	12243736
290	330	12364717
290	330	12183027
290	330	13019849
292.1	330.2	12710887
300	340	11913133
310	350	12224831
320	350	11310133
350	380	11348739
350	390	11065397
355.6	406.4	11061884
360	400	11350371
380	420	11464030
398	440	11462509
420	460	11030646
420	480	12583430
440	500	12583431
450	490	11348239
465	505	11275918
499	540	11121520
510	554	11254358
530	580	11140141
533.2	584.2	12602663
540	580	12156940

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Shaft diameter	Housing diameter	Article
mm	mm	
545	585	11275919
598	640	11462507
790	850	11488057

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.