



WIKUS Bandsaw type Proflex® M42

HSS
Bimetaal

Design: Wear-resistant saw teeth made of HSS in M42 quality combined with very hard tips.

WIKUS PROFLEX® M42 [68-69 HRC]: Tooth pitch up to 8?11 teethper inch, rake angle positive, with special tooth geometry.

Application: For the sawing of profiles and beams of various dimensions and for sawing work susceptible to vibrations. For single and bundle cutting.

Characteristics

Type: Band saw blade

Length mm	Number of teeth per inch	Thickness mm	Height mm	Material	Article
					14590399
					14590411
					14590427
					14590419
					14590418
					14590423
					14590412
					14590409
					14590425
					14590404
					14590375
					14590420
					14590426
					14590400
					14590379
					14590413
					14590373
					14590430
					14590405
					14590372
					14590416
					14590401
					14590429
					14590421
					14590374
					14590397
					14590414
					14590376
					14590422
					14590417
					14590406
					14590415
					14590428
					14590408
					14590402

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Length mm	Number of teeth per inch	Thickness mm	Height mm	Material	Article
					14590377
					14590424
					14590378
					14590403
					14590385
					14590388
					14590398
					14590381
					14590407
					14590395
					14590391
					14590382
					14590394
					14590389
					14590392
					14590393
					14590383
					14590386
					14590390
					14590387
					14590384
					14590396
					14590380
					14590437
					14590452
					14590432
					14590453
					14590438
					14590440
					14590441
					14590445
					14590431
					14590433
					14590439
					14590434
					14590448
					14590442
					14590444
					14590443
					14590436
					14590435
					14590449
					14590451
					14590447
					14590446
					14590450
					14590454
					14590351
					14590337
					14590338
					14590350
					14590339

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Length mm	Number of teeth per inch	Thickness mm	Height mm	Material	Article
					14590346
					14590355
					14590367
					14590348
					14590343
					14590352
					14590356
					14590340
					14590345
					14590354
					14590344
					14590342
					14590360
					14590365
					14590347
					14590341
					14590363
					14590370
					14590362
					14590358
					14590349
					14590357
					14590353
					14590371
					14590359
					14590368
					14590361
					14590366
					14590364
					14590369
2450	3/4	0.9	27	Bimetal	12726984
2450	5/7	0.9	27	Bimetal	12726985
2450	8/11	0.9	27	Bimetal	12726986
2750	3/4	0.9	27	Bimetal	12726987
2750	5/7	0.9	27	Bimetal	12726988
2750	8/11	0.9	27	Bimetal	12726989
3150	3/4	0.9	27	Bimetal	12726990
3150	5/7	0.9	27	Bimetal	12726991
3150	8/11	0.9	27	Bimetal	12726992
3320	3/4	0.9	27	Bimetal	12726993
3320	5/7	0.9	27	Bimetal	12726994
3320	8/11	0.9	27	Bimetal	12726995
3660	3/4	0.9	27	Bimetal	12726996
3660	5/7	0.9	27	Bimetal	12726997
3660	8/11	0.9	27	Bimetal	12726998

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.