


TIMKEN Single row tapered roller bearing Metric



Tapered roller bearings have tapered inner and outer ring raceways and tapered rollers. They are designed to accommodate combined loads, i.e. simultaneously acting radial and axial loads. The projection lines of the raceways meet at a common point on the bearing axis to provide true rolling and low friction. Single row tapered roller bearings are separable, i.e. the inner ring with roller and cage assembly [cone] can be mounted separately from the outer ring [cup].

Characteristics

Series: 323



Manufacturer ID	Inner diameter mm	Cup Outer diameter mm	Total width mm	Article
				Max. 200 articles in the table
30220				11503050
JF7049/JF7010				11502920
30302	15	42	142.5	11441129
30203	17	40	13.25	11441098
30303	17	47	15.25	11441131
32004X	20	42	15	11441167
30204	20	47	15.25	11441100
32204	20	47	19.25	11503156
30304	20	52	16.25	11441133
32304	20	52	22.25	11441241
JHM33449/JHM33410	24	55	25	11498838
32005X	25	47	15	11441169
30205	25	52	16.25	11441102
32205B	25	52	19.25	11503161
32205	25	52	19.25	11503157
30305	25	62	18.25	11441135
32305	25	62	25.25	11503187
32006X	30	55	17	11441171
30206	30	62	17.25	11441104
32206B	30	62	21.25	11503164
32206	30	62	21.25	11441215
33206	30	62	25	11441296
30306	30	72	20.75	11441137
32306	30	72	28.75	11503190
32007X	35	62	18	11441173
30207	35	72	18.25	11441106
32207	35	72	24.25	11503166
30307	35	80	22.75	11470482
32307	35	80	32.75	11441243
JL69345/JL69310	38	63		11498909
JL69349A/JL69310	38	63	17	11502929
JL69349/JL69310	38	63	17	11502976
32008X	40	68	19	11441175

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Manufacturer ID	Inner diameter	Cup Outer diameter	Total width	Article
	mm	mm	mm	Max. 200 articles in the table
33108	40	75	26	11503227
30208	40	80	19.75	11441108
32208	40	80	24.75	11441217
31308	40	90	25.25	11503071
30308	40	90	25.25	11441139
32308	40	90	35.25	11441245
32308B	40	90	35.25	11441247
JXC18437CA/Y32008XZ	41	68	19	11499407
32009X	45	75	20	11441179
33109	45	80	26	11503229
30209	45	85	20.75	11441110
32209	45	85	24.75	11503170
33209	45	85	32	11441300
30309	45	100	27.25	11503059
31309	45	100	27.25	11503072
32309	45	100	38.25	11441249
32010X	50	80	20	11441181
33010	50	80	24	11441265
JLM104948/JLM104910	50	82	21.5	11502933
JLM704649/JLM704610	50	84	22	11498971
33110	50	85	26	11503230
30210	50	90	21.75	11441112
32210	50	90	24.75	11441219
JM205149/JM205110	50	90	28	11441272
JHM807045/JHM807012	50	105	37	11498882
30310	50	110	29.25	11441141
32310B	50	110	42.25	11441253
32310	50	110	42.25	11441251
JLM506849/JLM506810	55	90	23	11502934
32011X	55	90	23	11441183
JLM506849A/JLM506810	55	90	23	11498958
33011	55	90	27	11503215
JM207049/JM207010	55	95	29	11502937
30211	55	100	22.75	11441114
32211	55	100	26.75	11503171
33211	55	100	35	11441302
JW5549/JW5510	55	115	34	11502962
31311	55	120	31.5	11441159
32311B	55	120	45.5	11503197
32311	55	120	45.5	11503196
32012X	60	95	23	11441187
JLM508748/JLM508710	60	95	24	11502935
33012	60	95	27	11441267
30212	60	110	23.75	11441116
32212	60	110	29.75	11441221
33212	60	110	38	11441304
JF6049/JF6010	60	115	40	11502919
JW6049/JW6010	60	125	37	11502963
30312	60	130	33.5	11441145
32312	60	130	48.5	11441255
32312B	60	130	48.5	11503199
32013X	65	100	23	11441189
33013	65	100	27	11441269

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Manufacturer ID	Inner diameter	Cup Outer diameter	Total width	Article
	mm	mm	mm	Max. 200 articles in the table
JLM710949C/JLM710910	65	105	24	11441743
JM511946/JM511910	65	110	28	11502938
33113	65	110	34	11441282
30213	65	120	24.75	11441118
32213	65	120	32.75	11503175
JH211749/JH211710	65	120	39	11441281
33213	65	120	41	11441306
30313	65	140	36	11503065
31313	65	140	36	11503073
32313	65	140	51	11441257
J6392/J6327	65	140	53.975	11498769
JP7049-90CB2	70	110	21	11499340
32014X	70	110	25	11441191
JLM813049/JLM813010	70	110	26	11499008
JM612949/JM612910	70	115	29	11441721
33114	70	120	37	11441284
30214	70	125	26.25	11466705
32214	70	125	33.25	11441223
33214	70	125	41	11441308
JF7049A/JF7010	70	130	43	11502921
30314	70	150	38	11441147
31314	70	150	38	11441163
JH913848/JH913811	70	150	41.275	11498817
32314	70	150	54	11441259
32015X	75	115	25	11441193
33015	75	115	31	11441271
JM714249/JM714210	75	120	31	11502940
33115	75	125	37	11441286
32215	75	130	33.25	11441225
33215	75	130	41	11441310
JH415647A/JH415610	75	145	51	11498802
30315	75	160	40	11441149
31315	75	160	40	11441165
32315	75	160	58	11503201
32016X	80	125	29	11503120
JM515649/JM515610	80	130	35	11441629
33116	80	130	37	11441288
30216	80	140	28.25	11441121
32216	80	140	35.25	11503177
33216	80	140	46	11441312
30316	80	170	42.5	11441151
32316	80	170	61.5	11503202
32017X	85	130	29	11441195
JM716649/JM716615	85.09	135.128	33.02	11502942
33117	85	140	41	11441290
30217	85	150	30.5	11441123
32217	85	150	38.5	11441227
JH217249/JH217210	85	150	46	11498789
33217	85	150	49	11441314
32317	85	180	63.5	11503203
32018X	90	140	32	11441197
33018	90	140	39	11441273
JM718149A/JM718110	90	145	35	11440488

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Manufacturer ID	Inner diameter	Cup Outer diameter	Total width	Article
	mm	mm	mm	Max. 200 articles in the table
JM718149/JM718110	90	145	35	11440490
33118	90	150	45	11441292
JHM318448/JHM318410	90	155	44	11498835
30219	90	160	32.5	11441125
30218	90	160	32.5	11503049
32218	90	160	42.5	11441229
31318	90	190	46.5	11503074
J90354/J90748	90	190	50.8	11498774
JHH221436/JHH221413	90	190	57.15	11498821
32318	90	190	67.5	11503204
32019X	95	145	32	11441199
33019	95	145	39	11441275
JM719149-99401	95	150	35	11499106
JP10049/JP10010	100	145	24	11502943
32020X	100	150	32	11441201
33020	100	150	39	11441277
JM720249/JM720210	100	155	36	11499118
JHM720249/JHM720210	100	160	41	11502927
32220	100	180	49	11503182
32220	100	180	49	11441235
JHH224333/JHH224315	100	215	66.675	11498824
32320	100	215	77.5	11503205
32021X	105	160	35	11441203
33021	105	160	43	11441279
30221	105	190	39	11441127
JM822049/JM822010	110	165	35	11440663
32022X	110	170	38	11441205
33022	110	170	47	11503224
JHM522649/JHM522610	110	180	47	11498854
32222	110	200	56	11441237
32924	120	165	29	11441261
JL724348/JL724314	120	170	25.4	11440453
32024X	120	180	38	11441207
33024	120	180	48	11503225
30224	120	215	43.5	11503052
32224	120	215	61.5	11441239
JL725346/JL725316	125	175	25.4	11498923
30226	130	230	43.75	11503054
32226	130	230	67.5	11503184
JP14049	140	190	13	11502952
32928	140	190	32	11503206
32028X	140	210	45	11441211
JL730646/JL730612	150	205	28.575	11498931
32930	150	210	38	11503207
30230	150	270	49	11503056
J450590/J451161	150	295	80	11498765
JHM133449/JHM133417	160	255	63.5	11498829
32934	170	230	38	11503208
JHM534149-99401	170	230	39	11498866
JM734449/JM734410	170	240	46	11499171
32034X	170	260	57	11503147
32936	180	250	45	11441263
JM736149/JM736110	180	250	47	11499225

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Manufacturer ID	Inner diameter	Cup Outer diameter	Total width	Article
	mm	mm	mm	Max. 200 articles in the table
32036X	180	280	64	11503148
JM738249/JM738210	190	260	46	11499238
32038X	190	290	64	11503150
32940	200	280	51	11503209
JHM840449/JHM840410	200	300	65	11498892
32040X	200	310	70	11503151
32044X	220	340	76	11503153

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

