



## Temporary blind spade ANSI

Temporary blind spades can be used to block parts of a piping system. Temporary blind spades are non-pressure-keeping.

Temporary blind spades are also known as spades, paddle spades, paddle blanks, line blanks or pancake blind.


### Characteristics

**Material:** Steel

**Material quality:** S235JR

Size table:


| A   | C   | D  | E  | F  | G  | H    | T  |
|-----|-----|----|----|----|----|------|----|
| mm  | mm  | mm | mm | mm | mm | mm   | mm |
| 45  | 100 |    | 24 | 30 | 30 | 4.8  | 5  |
| 51  | 100 |    | 24 | 30 | 30 | 4.8  | 5  |
| 60  | 105 |    | 24 | 30 | 30 | 4.8  | 5  |
| 67  | 110 |    | 24 | 30 | 30 | 4.8  | 5  |
| 54  | 100 |    | 30 | 30 | 30 | 6    | 5  |
| 64  | 105 |    | 30 | 30 | 30 | 6    | 5  |
| 67  | 110 |    | 30 | 30 | 30 | 6    | 5  |
| 73  | 110 |    | 30 | 30 | 30 | 6    | 5  |
| 64  | 100 |    | 34 | 30 | 30 | 6.8  | 5  |
| 70  | 105 |    | 34 | 30 | 30 | 6.8  | 5  |
| 76  | 115 |    | 34 | 30 | 30 | 6.8  | 5  |
| 83  | 115 |    | 34 | 30 | 30 | 6.8  | 5  |
| 83  | 100 |    | 40 | 30 | 30 | 8    | 5  |
| 92  | 110 |    | 40 | 30 | 30 | 8    | 5  |
| 96  | 120 |    | 40 | 30 | 30 | 8    | 5  |
| 114 | 120 |    | 50 | 30 | 30 | 10   | 5  |
| 102 | 100 | 20 | 50 | 30 | 30 | 10   | 5  |
| 108 | 105 | 20 | 50 | 30 | 30 | 10   | 5  |
| 140 | 115 | 26 | 66 | 30 | 30 | 13.2 | 5  |
| 143 | 125 | 30 | 75 | 30 | 30 | 15   | 5  |
| 133 | 105 | 20 | 50 | 30 | 30 | 10   | 5  |
| 146 | 110 | 22 | 56 | 30 | 30 | 11.2 | 5  |
| 165 | 115 | 26 | 66 | 30 | 30 | 13.2 | 5  |
| 171 | 125 | 32 | 80 | 30 | 30 | 16   | 5  |
| 194 | 130 | 35 | 80 | 30 | 30 | 16   | 5  |
| 171 | 105 | 20 | 50 | 30 | 30 | 10   | 5  |
| 178 | 115 | 22 | 56 | 30 | 30 | 11.2 | 5  |



Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Size table:


| A   | C   | D  | E   | F  | G  | H    | T  |
|-----|-----|----|-----|----|----|------|----|
| 178 | 120 | 26 | 66  | 30 | 30 | 13.2 | 5  |
| 203 | 125 | 32 | 80  | 30 | 30 | 16   | 5  |
| 206 | 130 | 35 | 80  | 30 | 30 | 16   | 5  |
| 232 | 140 | 42 | 85  | 30 | 30 | 17   | 5  |
| 219 | 105 | 22 | 56  | 30 | 30 | 11.2 | 5  |
| 247 | 115 | 22 | 56  | 30 | 30 | 11.2 | 5  |
| 247 | 125 | 30 | 76  | 30 | 30 | 15.2 | 5  |
| 286 | 125 | 32 | 80  | 30 | 30 | 16   | 5  |
| 279 | 135 | 39 | 80  | 30 | 30 | 16   | 5  |
| 314 | 190 | 54 | 80  | 40 | 40 | 16   | 5  |
| 276 | 110 | 22 | 56  | 30 | 30 | 11.2 | 5  |
| 305 | 115 | 26 | 66  | 30 | 30 | 13.2 | 5  |
| 305 | 130 | 32 | 80  | 30 | 30 | 16   | 5  |
| 356 | 165 | 39 | 80  | 40 | 40 | 16   | 5  |
| 349 | 175 | 45 | 80  | 30 | 30 | 16   | 5  |
| 384 | 190 | 54 | 80  | 40 | 40 | 16   | 5  |
| 337 | 110 | 26 | 66  | 30 | 30 | 13.2 | 5  |
| 359 | 120 | 30 | 76  | 30 | 30 | 15.2 | 5  |
| 359 | 165 | 35 | 80  | 40 | 40 | 16   | 5  |
| 432 | 165 | 39 | 80  | 40 | 40 | 16   | 5  |
| 432 | 185 | 51 | 80  | 40 | 40 | 16   | 5  |
| 473 | 210 | 67 | 90  | 40 | 40 | 18   | 10 |
| 473 | 210 | 67 | 90  | 40 | 40 | 18   | 5  |
| 406 | 115 | 26 | 66  | 30 | 30 | 13.2 | 5  |
| 419 | 155 | 32 | 80  | 40 | 40 | 16   | 5  |
| 419 | 165 | 35 | 80  | 40 | 40 | 16   | 5  |
| 495 | 165 | 39 | 80  | 40 | 40 | 16   | 5  |
| 518 | 185 | 54 | 80  | 40 | 40 | 16   | 10 |
| 518 | 185 | 54 | 80  | 40 | 40 | 16   | 5  |
| 546 | 215 | 73 | 100 | 40 | 40 | 20   | 5  |
| 448 | 150 | 30 | 80  | 40 | 40 | 16   | 10 |
| 448 | 150 | 30 | 80  | 40 | 40 | 16   | 5  |
| 483 | 155 | 32 | 80  | 40 | 40 | 16   | 5  |
| 483 | 155 | 32 | 80  | 40 | 40 | 16   | 10 |
| 483 | 165 | 39 | 80  | 40 | 40 | 16   | 5  |
| 483 | 165 | 39 | 80  | 40 | 40 | 16   | 10 |
| 518 | 170 | 42 | 80  | 40 | 40 | 16   | 10 |
| 518 | 170 | 42 | 80  | 40 | 40 | 16   | 5  |
| 575 | 195 | 61 | 80  | 40 | 40 | 16   | 5  |




Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Size table:

| A   | C   | D  | E   | F  | G  | H  | T  |
|-----|-----|----|-----|----|----|----|----|
| 575 | 195 | 61 | 80  | 40 | 40 | 16 | 10 |
| 511 | 150 | 30 | 80  | 40 | 40 | 16 | 10 |
| 511 | 150 | 30 | 80  | 40 | 40 | 16 | 5  |
| 536 | 165 | 35 | 80  | 40 | 40 | 16 | 10 |
| 536 | 165 | 35 | 80  | 40 | 40 | 16 | 5  |
| 536 | 170 | 42 | 80  | 40 | 40 | 16 | 5  |
| 536 | 170 | 42 | 80  | 40 | 40 | 16 | 10 |
| 572 | 175 | 45 | 80  | 40 | 40 | 16 | 5  |
| 572 | 175 | 45 | 80  | 40 | 40 | 16 | 10 |
| 638 | 200 | 67 | 90  | 40 | 40 | 18 | 5  |
| 638 | 200 | 67 | 90  | 40 | 40 | 18 | 10 |
| 546 | 150 | 32 | 80  | 40 | 40 | 16 | 5  |
| 546 | 150 | 32 | 80  | 40 | 40 | 16 | 10 |
| 594 | 170 | 35 | 80  | 40 | 40 | 16 | 5  |
| 594 | 170 | 35 | 80  | 40 | 40 | 16 | 10 |
| 594 | 175 | 45 | 80  | 40 | 40 | 16 | 10 |
| 594 | 175 | 45 | 80  | 40 | 40 | 16 | 5  |
| 635 | 185 | 51 | 80  | 40 | 40 | 16 | 10 |
| 635 | 185 | 51 | 80  | 40 | 40 | 16 | 5  |
| 702 | 215 | 73 | 100 | 40 | 40 | 20 | 5  |
| 702 | 215 | 73 | 100 | 40 | 40 | 20 | 10 |
| 603 | 155 | 32 | 80  | 40 | 40 | 16 | 10 |
| 603 | 155 | 32 | 80  | 40 | 40 | 16 | 5  |
| 651 | 170 | 35 | 80  | 40 | 40 | 16 | 5  |
| 651 | 170 | 35 | 80  | 40 | 40 | 16 | 10 |
| 651 | 175 | 45 | 80  | 40 | 40 | 16 | 10 |
| 651 | 175 | 45 | 80  | 40 | 40 | 16 | 5  |
| 695 | 190 | 54 | 80  | 40 | 40 | 16 | 5  |
| 695 | 190 | 54 | 80  | 40 | 40 | 16 | 10 |
| 753 | 225 | 80 | 100 | 40 | 40 | 20 | 5  |
| 753 | 225 | 80 | 100 | 40 | 40 | 20 | 10 |
| 714 | 160 | 35 | 80  | 40 | 40 | 16 | 5  |
| 714 | 160 | 35 | 80  | 40 | 40 | 16 | 10 |
| 772 | 180 | 42 | 80  | 40 | 40 | 16 | 5  |
| 772 | 180 | 42 | 80  | 40 | 40 | 16 | 10 |
| 772 | 185 | 51 | 100 | 40 | 40 | 20 | 10 |
| 772 | 185 | 51 | 100 | 40 | 40 | 16 | 5  |
| 835 | 210 | 67 | 80  | 40 | 40 | 16 | 5  |
| 835 | 210 | 67 | 80  | 40 | 40 | 16 | 10 |



Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.



Size table:

| A   | C   | D  | E   | F  | G  | H  | T  |
|-----|-----|----|-----|----|----|----|----|
| 899 | 245 | 92 | 115 | 40 | 40 | 23 | 5  |
| 899 | 245 | 92 | 115 | 40 | 40 | 23 | 10 |

| Nominal diameter (ASME) | Flange pressure class (ASME) | Diameter bolt circle | A   | C   | D  | E  | F  | G  | H    | Article  |
|-------------------------|------------------------------|----------------------|-----|-----|----|----|----|----|------|----------|
| in                      | lb                           | mm                   | mm  | mm  | mm | mm | mm | mm | mm   |          |
| 1/2"                    | 150                          |                      | 45  | 100 |    | 24 | 30 | 30 | 4.8  | 12989261 |
| 1/2"                    | 300                          |                      | 51  | 100 |    | 24 | 30 | 30 | 4.8  | 12989303 |
| 1/2"                    | 900                          |                      | 60  | 105 |    | 24 | 30 | 30 | 4.8  | 12989307 |
| 1/2"                    | 1500                         |                      | 60  | 105 |    | 24 | 30 | 30 | 4.8  | 12989295 |
| 1/2"                    | 2500                         |                      | 67  | 110 |    | 24 | 30 | 30 | 4.8  | 12989299 |
| 3/4"                    | 150                          |                      | 54  | 100 |    | 30 | 30 | 30 | 6    | 12989294 |
| 3/4"                    | 300                          |                      | 64  | 105 |    | 30 | 30 | 30 | 6    | 12989306 |
| 3/4"                    | 900                          |                      | 67  | 110 |    | 30 | 30 | 30 | 6    | 12989310 |
| 3/4"                    | 1500                         |                      | 67  | 110 |    | 30 | 30 | 30 | 6    | 12989298 |
| 3/4"                    | 2500                         |                      | 73  | 110 |    | 30 | 30 | 30 | 6    | 12989349 |
| 1"                      | 150                          |                      | 64  | 100 |    | 34 | 30 | 30 | 6.8  | 12989262 |
| 1"                      | 300                          |                      | 70  | 105 |    | 34 | 30 | 30 | 6.8  | 12989304 |
| 1"                      | 900                          |                      | 76  | 115 |    | 34 | 30 | 30 | 6.8  | 12989308 |
| 1"                      | 1500                         |                      | 76  | 115 |    | 34 | 30 | 30 | 6.8  | 12989296 |
| 1"                      | 2500                         |                      | 83  | 115 |    | 34 | 30 | 30 | 6.8  | 12989300 |
| 1.1/2"                  | 150                          |                      | 83  | 100 |    | 40 | 30 | 30 | 8    | 12989293 |
| 1.1/2"                  | 300                          |                      | 92  | 110 |    | 40 | 30 | 30 | 8    | 12989305 |
| 1.1/2"                  | 900                          |                      | 96  | 120 |    | 40 | 30 | 30 | 8    | 12989309 |
| 1.1/2"                  | 1500                         |                      | 96  | 120 |    | 40 | 30 | 30 | 8    | 12989297 |
| 1.1/2"                  | 2500                         |                      | 114 | 120 |    | 50 | 30 | 30 | 10   | 12989301 |
| 2"                      | 150                          | 120.7                | 102 | 100 | 20 | 50 | 30 | 30 | 10   | 12989319 |
| 2"                      | 300                          | 127                  | 108 | 105 | 20 | 50 | 30 | 30 | 10   | 12975844 |
| 2"                      | 900                          | 165.1                | 140 | 115 | 26 | 66 | 30 | 30 | 13.2 | 12989395 |
| 2"                      | 1500                         | 165.1                | 140 | 115 | 26 | 66 | 30 | 30 | 13.2 | 12989337 |
| 2"                      | 2500                         | 171.4                | 143 | 125 | 30 | 75 | 30 | 30 | 15   | 12989350 |
| 3"                      | 150                          | 152.4                | 133 | 105 | 20 | 50 | 30 | 30 | 10   | 12989324 |
| 3"                      | 300                          | 168.3                | 146 | 110 | 22 | 56 | 30 | 30 | 11.2 | 12989356 |
| 3"                      | 900                          | 190.5                | 165 | 115 | 26 | 66 | 30 | 30 | 13.2 | 12989400 |
| 3"                      | 1500                         | 203.2                | 171 | 125 | 32 | 80 | 30 | 30 | 16   | 12989342 |
| 3"                      | 2500                         | 228.6                | 194 | 130 | 35 | 80 | 30 | 30 | 16   | 12989351 |
| 4"                      | 150                          | 190.5                | 171 | 105 | 20 | 50 | 30 | 30 | 10   | 12989325 |
| 4"                      | 300                          | 200                  | 178 | 115 | 22 | 56 | 30 | 30 | 11.2 | 12989369 |
| 4"                      | 600                          | 215.9                | 178 | 120 | 26 | 66 | 30 | 30 | 13.2 | 12989384 |
| 4"                      | 900                          | 234.9                | 203 | 125 | 32 | 80 | 30 | 30 | 16   | 12989401 |
| 4"                      | 1500                         | 241.3                | 206 | 130 | 35 | 80 | 30 | 30 | 16   | 12989343 |
| 4"                      | 2500                         | 273                  | 232 | 140 | 42 | 85 | 30 | 30 | 17   | 12989352 |
| 6"                      | 150                          | 241.3                | 219 | 105 | 22 | 56 | 30 | 30 | 11.2 | 12989326 |
| 6"                      | 300                          | 269.9                | 247 | 115 | 22 | 56 | 30 | 30 | 11.2 | 12989370 |

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

| Nominal diameter<br>(ASME) | Flange pressure<br>class (ASME) | Diameter<br>bolt circle | A   | C   | D  | E   | F  | G  | H    | Article  |
|----------------------------|---------------------------------|-------------------------|-----|-----|----|-----|----|----|------|----------|
| in                         | lb                              | mm                      | mm  | mm  | mm | mm  | mm | mm | mm   |          |
| 6"                         | 600                             | 292.1                   | 247 | 125 | 30 | 76  | 30 | 30 | 15.2 | 12989385 |
| 6"                         | 900                             | 317.5                   | 286 | 125 | 32 | 80  | 30 | 30 | 16   | 12989402 |
| 6"                         | 1500                            | 317.5                   | 279 | 135 | 39 | 80  | 30 | 30 | 16   | 12989344 |
| 6"                         | 2500                            | 368.3                   | 314 | 190 | 54 | 80  | 40 | 40 | 16   | 12989353 |
| 8"                         | 150                             | 298.5                   | 276 | 110 | 22 | 56  | 30 | 30 | 11.2 | 12989327 |
| 8"                         | 300                             | 330.2                   | 305 | 115 | 26 | 66  | 30 | 30 | 13.2 | 12989371 |
| 8"                         | 600                             | 349.2                   | 305 | 130 | 32 | 80  | 30 | 30 | 16   | 12989386 |
| 8"                         | 900                             | 393.7                   | 356 | 165 | 39 | 80  | 40 | 40 | 16   | 12989403 |
| 8"                         | 1500                            | 393.7                   | 349 | 175 | 45 | 80  | 30 | 30 | 16   | 12989345 |
| 8"                         | 2500                            | 438.1                   | 384 | 190 | 54 | 80  | 40 | 40 | 16   | 12989354 |
| 10"                        | 150                             | 362                     | 337 | 110 | 26 | 66  | 30 | 30 | 13.2 | 12989311 |
| 10"                        | 300                             | 387.4                   | 359 | 120 | 30 | 76  | 30 | 30 | 15.2 | 12989357 |
| 10"                        | 600                             | 431.8                   | 359 | 165 | 35 | 80  | 40 | 40 | 16   | 12989372 |
| 10"                        | 900                             | 469.9                   | 432 | 165 | 39 | 80  | 40 | 40 | 16   | 12989387 |
| 10"                        | 1500                            | 482.6                   | 432 | 185 | 51 | 80  | 40 | 40 | 16   | 12989328 |
| 10"                        | 2500                            | 539.7                   | 473 | 210 | 67 | 90  | 40 | 40 | 18   | 12989347 |
| 10"                        | 2500                            | 539.7                   | 473 | 210 | 67 | 90  | 40 | 40 | 18   | 12989346 |
| 12"                        | 150                             | 431.8                   | 406 | 115 | 26 | 66  | 30 | 30 | 13.2 | 12989312 |
| 12"                        | 300                             | 450.9                   | 419 | 155 | 32 | 80  | 40 | 40 | 16   | 12989358 |
| 12"                        | 600                             | 488.9                   | 419 | 165 | 35 | 80  | 40 | 40 | 16   | 12989373 |
| 12"                        | 900                             | 533.4                   | 495 | 165 | 39 | 80  | 40 | 40 | 16   | 12989388 |
| 12"                        | 1500                            | 571.5                   | 518 | 185 | 54 | 80  | 40 | 40 | 16   | 12989330 |
| 12"                        | 1500                            | 571.5                   | 518 | 185 | 54 | 80  | 40 | 40 | 16   | 12989329 |
| 12"                        | 2500                            | 619.1                   | 546 | 215 | 73 | 100 | 40 | 40 | 20   | 12989348 |
| 14"                        | 150                             | 476.3                   | 448 | 150 | 30 | 80  | 40 | 40 | 16   | 12989314 |
| 14"                        | 150                             | 476.3                   | 448 | 150 | 30 | 80  | 40 | 40 | 16   | 12989313 |
| 14"                        | 300                             | 514.4                   | 483 | 155 | 32 | 80  | 40 | 40 | 16   | 12989359 |
| 14"                        | 300                             | 514.4                   | 483 | 155 | 32 | 80  | 40 | 40 | 16   | 12989360 |
| 14"                        | 600                             | 527                     | 483 | 165 | 39 | 80  | 40 | 40 | 16   | 12989374 |
| 14"                        | 600                             | 527                     | 483 | 165 | 39 | 80  | 40 | 40 | 16   | 12989375 |
| 14"                        | 900                             | 558.8                   | 518 | 170 | 42 | 80  | 40 | 40 | 16   | 12989390 |
| 14"                        | 900                             | 558.8                   | 518 | 170 | 42 | 80  | 40 | 40 | 16   | 12989389 |
| 14"                        | 1500                            | 635                     | 575 | 195 | 61 | 80  | 40 | 40 | 16   | 12989331 |
| 14"                        | 1500                            | 635                     | 575 | 195 | 61 | 80  | 40 | 40 | 16   | 12989332 |
| 16"                        | 150                             | 539.8                   | 511 | 150 | 30 | 80  | 40 | 40 | 16   | 12989316 |
| 16"                        | 150                             | 539.8                   | 511 | 150 | 30 | 80  | 40 | 40 | 16   | 12989315 |
| 16"                        | 300                             | 571.5                   | 536 | 165 | 35 | 80  | 40 | 40 | 16   | 12989362 |
| 16"                        | 300                             | 571.5                   | 536 | 165 | 35 | 80  | 40 | 40 | 16   | 12989361 |
| 16"                        | 600                             | 603.2                   | 536 | 170 | 42 | 80  | 40 | 40 | 16   | 12989376 |
| 16"                        | 600                             | 603.2                   | 536 | 170 | 42 | 80  | 40 | 40 | 16   | 12989377 |
| 16"                        | 900                             | 615.9                   | 572 | 175 | 45 | 80  | 40 | 40 | 16   | 12989391 |
| 16"                        | 900                             | 615.9                   | 572 | 175 | 45 | 80  | 40 | 40 | 16   | 12989392 |
| 16"                        | 1500                            | 704.8                   | 638 | 200 | 67 | 90  | 40 | 40 | 18   | 12989333 |
| 16"                        | 1500                            | 704.8                   | 638 | 200 | 67 | 90  | 40 | 40 | 18   | 12989334 |
| 18"                        | 150                             | 577.9                   | 546 | 150 | 32 | 80  | 40 | 40 | 16   | 12989317 |
| 18"                        | 150                             | 577.9                   | 546 | 150 | 32 | 80  | 40 | 40 | 16   | 12989318 |
| 18"                        | 300                             | 628.7                   | 594 | 170 | 35 | 80  | 40 | 40 | 16   | 12989363 |
| 18"                        | 300                             | 628.7                   | 594 | 170 | 35 | 80  | 40 | 40 | 16   | 12989364 |
| 18"                        | 600                             | 654                     | 594 | 175 | 45 | 80  | 40 | 40 | 16   | 12989379 |
| 18"                        | 600                             | 654                     | 594 | 175 | 45 | 80  | 40 | 40 | 16   | 12989378 |
| 18"                        | 900                             | 685.8                   | 635 | 185 | 51 | 80  | 40 | 40 | 16   | 12989394 |

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

| Nominal diameter<br>(ASME) | Flange pressure<br>class (ASME) | Diameter<br>bolt circle | A   | C   | D  | E   | F  | G  | H  | Article  |
|----------------------------|---------------------------------|-------------------------|-----|-----|----|-----|----|----|----|----------|
| in                         | lb                              | mm                      | mm  | mm  | mm | mm  | mm | mm | mm |          |
| 18"                        | 900                             | 685.8                   | 635 | 185 | 51 | 80  | 40 | 40 | 16 | 12989393 |
| 18"                        | 1500                            | 774.7                   | 702 | 215 | 73 | 100 | 40 | 40 | 20 | 12989335 |
| 18"                        | 1500                            | 774.7                   | 702 | 215 | 73 | 100 | 40 | 40 | 20 | 12989336 |
| 20"                        | 150                             | 635                     | 603 | 155 | 32 | 80  | 40 | 40 | 16 | 12989321 |
| 20"                        | 150                             | 635                     | 603 | 155 | 32 | 80  | 40 | 40 | 16 | 12989320 |
| 20"                        | 300                             | 685.8                   | 651 | 170 | 35 | 80  | 40 | 40 | 16 | 12989365 |
| 20"                        | 300                             | 685.8                   | 651 | 170 | 35 | 80  | 40 | 40 | 16 | 12989366 |
| 20"                        | 600                             | 723.9                   | 651 | 175 | 45 | 80  | 40 | 40 | 16 | 12989381 |
| 20"                        | 600                             | 723.9                   | 651 | 175 | 45 | 80  | 40 | 40 | 16 | 12989380 |
| 20"                        | 900                             | 749.3                   | 695 | 190 | 54 | 80  | 40 | 40 | 16 | 12989396 |
| 20"                        | 900                             | 749.3                   | 695 | 190 | 54 | 80  | 40 | 40 | 16 | 12989397 |
| 20"                        | 1500                            | 831.8                   | 753 | 225 | 80 | 100 | 40 | 40 | 20 | 12989338 |
| 20"                        | 1500                            | 831.8                   | 753 | 225 | 80 | 100 | 40 | 40 | 20 | 12989339 |
| 24"                        | 150                             | 749.3                   | 714 | 160 | 35 | 80  | 40 | 40 | 16 | 12989322 |
| 24"                        | 150                             | 749.3                   | 714 | 160 | 35 | 80  | 40 | 40 | 16 | 12989323 |
| 24"                        | 300                             | 812.8                   | 772 | 180 | 42 | 80  | 40 | 40 | 16 | 12989367 |
| 24"                        | 300                             | 812.8                   | 772 | 180 | 42 | 80  | 40 | 40 | 16 | 12989368 |
| 24"                        | 600                             | 838.2                   | 772 | 185 | 51 | 100 | 40 | 40 | 20 | 12989383 |
| 24"                        | 600                             | 838.2                   | 772 | 185 | 51 | 100 | 40 | 40 | 16 | 12989382 |
| 24"                        | 900                             | 901.7                   | 835 | 210 | 67 | 80  | 40 | 40 | 16 | 12989398 |
| 24"                        | 900                             | 901.7                   | 835 | 210 | 67 | 80  | 40 | 40 | 16 | 12989399 |
| 24"                        | 1500                            | 990.6                   | 899 | 245 | 92 | 115 | 40 | 40 | 23 | 12989340 |
| 24"                        | 1500                            | 990.6                   | 899 | 245 | 92 | 115 | 40 | 40 | 23 | 12989341 |

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.