



FESTO Semi-Rotary drive DSM-B

Characteristics

Series: DSM-B

Function: Double acting

Housing material: Aluminium alloy

Operating temperature: -10 / 60 °C

Manufacturer ID	Cushioning	Construction size	Port Size mm	Port Size in	Operating pressure bar	Article
DSM-12-270-P-FW-A-B	Mechanical	12	M 5		2 / 10	11650348
DSM-12-270-P-A-B	Mechanical	12	M 5		2 / 10	11651915
DSM-T-12-270-P-A-B	Mechanical	12	M 5		2.5 / 10	12266864
DSM-12-270-P1-FW-A-B	Mechanical	12	M 5		2 / 10	12265789
DSM-T-12-270-P-FW-A-B	Mechanical	12	M 5		2.5 / 10	12266865
DSM-12-270-P1-A-B	Mechanical	12	M 5		2 / 10	12265788
DSM-12-270-P1-HD-A-B	Mechanical	12	M 5		2 / 10	14171383
DSM-16-270-P1-HD-A-B	Mechanical	16	M 5		1.8 / 10	13462532
DSM-16-270-P1-FW-A-B	Mechanical	16	M 5		1.8 / 10	12265791
DSM-T-16-270-P-A-B	Mechanical	16	M 5		2.5 / 10	12266868
DSM-16-270-P1-A-B	Mechanical	16	M 5		1.8 / 10	12265790
DSM-T-16-270-P-FW-A-B	Mechanical	16	M 5		2.5 / 10	12266869
DSM-16-270-P-A-B	Mechanical	16	M 5		1.8 / 10	11650351
DSM-16-270-P-FW-A-B	Mechanical	16	M 5		1.8 / 10	11650352
DSM-25-270-P-A-B	Mechanical	25	M 5		1.5 / 10	11650355
DSM-25-270-P-FW-A-B	Mechanical	25	M 5		1.5 / 10	11650356
DSM-T-25-270-P-A-B	Mechanical	25	M 5		2 / 10	12266872
DSM-25-270-P1-FW-A-B	Mechanical	25	M 5		1.5 / 10	12265793
DSM-25-270-P1-A-B	Mechanical	25	M 5		1.5 / 10	12265792
DSM-T-25-270-P-FW-A-B	Mechanical	25	M 5		2 / 10	12266873
DSM-25-270-P1-HD-A-B	Mechanical	25	M 5		1.5 / 10	14171411
DSM-32-270-P1-HD-A-B	Mechanical	32		G1/8	1.5 / 10	14171425
DSM-T-32-270-P-A-B	Mechanical	32		G1/8	2 / 10	12266876
DSM-T-32-270-P-FW-A-B	Mechanical	32		G1/8	2 / 10	12266877
DSM-32-270-P-FW-A-B	Mechanical	32		G1/8	1.5 / 10	11650360
DSM-32-270-P1-FW-A-B	Mechanical	32		G1/8	1.5 / 10	12265795
DSM-32-270-P1-A-B	Mechanical	32		G1/8	1.5 / 10	12265794
DSM-32-270-P-A-B	Mechanical	32		G1/8	1.5 / 10	11650359
DSM-40-270-P-A-B	Mechanical	40		G1/8	1.5 / 10	11650363
DSM-T-40-270-P-FW-A-B	Mechanical	40		G1/8	2 / 10	12266881
DSM-40-270-P1-FW-A-B	Mechanical	40		G1/8	1.5 / 10	12265797
DSM-40-270-P-FW-A-B	Mechanical	40		G1/8	1.5 / 10	11650364
DSM-40-270-P1-A-B	Mechanical	40		G1/8	1.5 / 10	12265796
DSM-T-40-270-P-A-B	Mechanical	40		G1/8	2 / 10	12266880
DSM-40-270-P1-HD-A-B	Mechanical	40		G1/8	1.5 / 10	14171453
DSM-63-270-P1-HD-A-B	Mechanical	63		G1/4	1.5 / 10	14171502
DSM-63-270-P-FW-A-B	Mechanical	63		G1/4	1.5 / 10	12264185

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Manufacturer ID	Cushioning	Construction size	Port Size mm	Port Size in	Operating pressure bar	Article
DSM-63-270-P1-FW-A-B	Mechanical	63		G1/4	1.5 / 10	12265799
DSM-63-270-P1-A-B	Mechanical	63		G1/4	1.5 / 10	12265798
DSM-63-270-P-A-B	Mechanical	63		G1/4	1.5 / 10	12264184
DSM-T-63-270-P-FW-A-B	Mechanical	63		G1/4	2 / 10	12266885
DSM-T-63-270-P-A-B	Mechanical	63		G1/4	2 / 10	12266884
DSM-T-12-270-CC-A-B	Shock absorber	12	M 5		2.5 / 10	12266866
DSM-12-270-CC-A-B	Shock absorber	12	M 5		2 / 10	11650349
DSM-12-270-CC-FW-A-B	Shock absorber	12	M 5		2 / 10	11650350
DSM-12-270-CC-HD-A-B	Shock absorber	12	M 5		2 / 10	14171402
DSM-T-12-270-CC-FW-A-B	Shock absorber	12	M 5		2.5 / 10	12266867
DSM-16-270-CC-HD-A-B	Shock absorber	16	M 5		1.8 / 10	14171408
DSM-16-270-CC-FW-A-B	Shock absorber	16	M 5		1.8 / 10	11650354
DSM-16-270-CC-A-B	Shock absorber	16	M 5		1.8 / 10	11650353
DSM-T-16-270-CC-A-B	Shock absorber	16	M 5		2.5 / 10	12266870
DSM-T-16-270-CC-FW-A-B	Shock absorber	16	M 5		2.5 / 10	12266871
DSM-T-25-270-CC-A-B	Shock absorber	25	M 5		2 / 10	12266874
DSM-T-25-270-CC-FW-A-B	Shock absorber	25	M 5		2 / 10	12266875
DSM-25-270-CC-A-B	Shock absorber	25	M 5		1.5 / 10	11650357
DSM-25-270-CC-FW-A-B	Shock absorber	25	M 5		1.5 / 10	11650358
DSM-25-270-CC-HD-A-B	Shock absorber	25	M 5		1.5 / 10	14525946
DSM-32-270-CC-HD-A-B	Shock absorber	32		G1/8	1.5 / 10	14171451
DSM-T-32-270-CC-FW-A-B	Shock absorber	32		G1/8	2 / 10	12266879
DSM-32-270-CC-A-B	Shock absorber	32		G1/8	1.5 / 10	11650361
DSM-32-270-CC-FW-A-B	Shock absorber	32		G1/8	1.5 / 10	11650362
DSM-T-32-270-CC-A-B	Shock absorber	32		G1/8	2 / 10	12266878
DSM-T-40-270-CC-FW-A-B	Shock absorber	40		G1/8	2 / 10	12266883
DSM-T-40-270-CC-A-B	Shock absorber	40		G1/8	2 / 10	12266882
DSM-40-270-CC-A-B	Shock absorber	40		G1/8	1.5 / 10	11650365
DSM-40-270-CC-FW-A-B	Shock absorber	40		G1/8	1.5 / 10	11650366
DSM-40-270-CC-HD-A-B	Shock absorber	40		G1/8	1.5 / 10	14171474
DSM-63-270-CC-HD-A-B	Shock absorber	63		G1/4	1.5 / 10	14171506
DSM-T-63-270-CC-FW-A-B	Shock absorber	63		G1/4	2 / 10	12266887
DSM-63-270-CC-A-B	Shock absorber	63		G1/4	1.5 / 10	12264186
DSM-63-270-CC-FW-A-B	Shock absorber	63		G1/4	1.5 / 10	12264187
DSM-T-63-270-CC-A-B	Shock absorber	63		G1/4	2 / 10	12266886
DSM-T-12-270-A-B	Without	12	M 5		2.5 / 10	12266888
DSM-T-12-270-FW-A-B	Without	12	M 5		2.5 / 10	12266894
DSM-12-270-FW-A-B	Without	12	M 5		2 / 10	11650372
DSM-12-270-A-B	Without	12	M 5		2 / 10	11650367
DSM-12-270-HD-A-B	Without	12	M 5		2 / 10	14171374
DSM-16-270-HD-A-B	Without	16	M 5		1.8 / 10	14171379
DSM-16-270-A-B	Without	16	M 5		1.8 / 10	11650368
DSM-16-270-FW-A-B	Without	16	M 5		1.8 / 10	11650373

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Manufacturer ID	Cushioning	Construction size	Port Size mm	Port Size in	Operating pressure bar	Article
DSM-T-16-270-FW-A-B	Without	16	M 5		2.5 / 10	12266895
DSM-T-16-270-A-B	Without	16	M 5		2.5 / 10	12266889
DSM-25-270-FW-A-B	Without	25	M 5		1.5 / 10	11650374
DSM-25-270-A-B	Without	25	M 5		1.5 / 10	11650369
DSM-25-270-HD-A-B	Without	25	M 5		1.5 / 10	14171394
DSM-T-25-270-A-B	Without	25	M 5		2 / 10	12266890
DSM-T-25-270-FW-A-B	Without	25	M 5		2 / 10	12266896
DSM-32-270-FW-A-B	Without	32		G1/8	1.5 / 10	11650375
DSM-32-270-A-B	Without	32		G1/8	1.5 / 10	11650370
DSM-T-32-270-A-B	Without	32		G1/8	2 / 10	12266891
DSM-T-32-270-FW-A-B	Without	32		G1/8	2 / 10	12266897
DSM-40-270-FW-A-B	Without	40		G1/8	1.5 / 10	12263691
DSM-T-40-270-FW-A-B	Without	40		G1/8	2 / 10	12266898
DSM-T-40-270-A-B	Without	40		G1/8	2 / 10	12266892
DSM-40-270-A-B	Without	40		G1/8	1.5 / 10	11650371
DSM-40-270-HD-A-B	Without	40		G1/8	1.5 / 10	14171442
DSM-T-63-270-A-B	Without	63		G1/4	2 / 10	12266893
DSM-63-270-HD-A-B	Without	63		G1/4	1.5 / 10	14171489
DSM-63-270-A-B	Without	63		G1/4	1.5 / 10	12264188
DSM-63-270-FW-A-B	Without	63		G1/4	1.5 / 10	12264189
DSM-T-63-270-FW-A-B	Without	63		G1/4	2 / 10	12266899

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.