


Protective stop/cap LDPE



Protective stop/cap LDPE (soft polyethylene). Application advice: for use as stop or cap to protect inner- and outer screw-thread, pipes, nipples and boreholes against pollution and damage. Order advice: pay attention to the fact that the shaft diameter D is about 0,1-0,8mm [depending of the nominal size] bigger than the bore or internal threadhole that needs to be protected. When used as cap the d1 has to be 0,2-1,0mm smaller than the outside diameter of the pipe or screw-thread. Colour: natural.



Size table:

d mm	D mm	h mm	K mm
4.6	6.3	4	12.5
4.7	6.7	8	19
5.2	7.2	9	13
7.5	10	12	13
7.3	10	20	13
8	11	20	14
9	11.4	13	14
9	12.2	20	15
10.7	13.2	14	16
12	14.3	12	17
18	20.8	15	24
19.5	22.5	13	25
21.2	24.2	20	27
23.2	26	20	30
24.3	27	19	30
25.5	28.4	13	31
26.5	29	19	32
27.3	30	19	33
33	35	22	38
3	4.4	6	6.5
3.8	5.2	7	7.2
4.8	6.2	7	8.2

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Size table:

d	D	h	K
5.7	7.3	9.5	9.3
7.4	8.8	9.5	11
7.8	9.3	9.5	11.3
9	10.5	9.5	12.7
9.5	10.9	9.5	13
12.7	14.3	9.5	16.5
13.3	14.9	9.5	17
13.6	15.2	9.5	17.5
14.5	16.3	9.5	18.5
15.1	16.9	9.5	19
15.4	17.2	9.5	19.3
16	17.8	9.5	20
16.5	18.3	9.5	20.5
17	18.8	9.5	21
17.4	19.3	9.5	21.5
18.1	20	9.5	22
19	20.9	9.5	23
20	22.5	17	24.5
20.8	22.8	9	25
21.4	23.4	9.5	25.5
22.7	24.8	9.5	27.5
25.8	28.8	20	31
28	31	9.5	34
29.6	32.2	20	34
34.8	36.8	9.5	39
36.6	38.8	9.5	41
43	46	9.5	49
55	58	12.5	61.5

Type	d mm	D mm	h mm	K mm	Colour	Article
TL-2-201	4.6	6.3	4	12.5	Natural Color	12730602
TL-2-202	4.7	6.7	8	19	Natural Color	12730603
TL-2-203	5.2	7.2	9	13	Natural Color	12730604
TL-2-204	7.5	10	12	13	Natural Color	12730608
TL-2-205	7.3	10	20	13	Natural Color	12730609
TL-2-206	8	11	20	14	Natural Color	12730612
TL-2-207	9	11.4	13	14	Natural Color	12730613
TL-2-208	9	12.2	20	15	Natural Color	12730615
TL-2-209	10.7	13.2	14	16	Natural Color	12730617
TL-2-210	12	14.3	12	17	Natural Color	12730619
TL-2-215	18	20.8	15	24	Natural Color	12730632

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Type	d mm	D mm	h mm	K mm	Colour	Article
TL-2-216	19.5	22.5	13	25	Natural Color	12730635
TL-2-218	21.2	24.2	20	27	Natural Color	12730639
TL-2-220	23.2	26	20	30	Natural Color	12730641
TL-2-221	24.3	27	19	30	Natural Color	12730642
TL-2-222	25.5	28.4	13	31	Natural Color	12730643
TL-2-223	26.5	29	19	32	Natural Color	12730645
TL-2-224	27.3	30	19	33	Natural Color	12730646
TL-2-226	33	35	22	38	Natural Color	12730649
TL-4-044	3	4.4	6	6.5	Natural Color	12730599
TL-4-052	3.8	5.2	7	7.2	Natural Color	12730600
TL-4-062	4.8	6.2	7	8.2	Natural Color	12730601
TL-4-073	5.7	7.3	9.5	9.3	Natural Color	12730605
TL-4-088	7.4	8.8	9.5	11	Natural Color	12730606
TL-4-093	7.8	9.3	9.5	11.3	Natural Color	12730607
TL-4-105	9	10.5	9.5	12.7	Natural Color	12730610
TL-4-109	9.5	10.9	9.5	13	Natural Color	12730611
TL-4-143	12.7	14.3	9.5	16.5	Natural Color	12730620
TL-4-149	13.3	14.9	9.5	17	Natural Color	12730621
TL-4-152	13.6	15.2	9.5	17.5	Natural Color	12730622
TL-4-163	14.5	16.3	9.5	18.5	Natural Color	12730624
TL-4-169	15.1	16.9	9.5	19	Natural Color	12730625
TL-4-172	15.4	17.2	9.5	19.3	Natural Color	12730626
TL-4-178	16	17.8	9.5	20	Natural Color	12730627
TL-4-183	16.5	18.3	9.5	20.5	Natural Color	12730628
TL-4-188	17	18.8	9.5	21	Natural Color	12730629
TL-4-193	17.4	19.3	9.5	21.5	Natural Color	12730630
TL-4-200	18.1	20	9.5	22	Natural Color	12730631
TL-4-209	19	20.9	9.5	23	Natural Color	12730633
TL-4-225	20	22.5	17	24.5	Natural Color	12730636
TL-4-228	20.8	22.8	9	25	Natural Color	12730637
TL-4-234	21.4	23.4	9.5	25.5	Natural Color	12730638
TL-4-248	22.7	24.8	9.5	27.5	Natural Color	12730640
TL-4-288	25.8	28.8	20	31	Natural Color	12730644
TL-4-310	28	31	9.5	34	Natural Color	12730647
TL-4-322	29.6	32.2	20	34	Natural Color	12730648
TL-4-368	34.8	36.8	9.5	39	Natural Color	12730651
TL-4-388	36.6	38.8	9.5	41	Natural Color	12730652
TL-4-460	43	46	9.5	49	Natural Color	12730653
TL-4-580	55	58	12.5	61.5	Natural Color	12730654

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.