



HAVIT SAE 90° flange adapter DIN 3901 metric (only 90° elbow) WFG


Supplied without split flanges, bolt set and O-ring.

Characteristics


- Series: WFG
- Flange type: SAE 90° flange adapter
- Material: Steel
- Thread form: Metric 24° cone

Size table:

Pressure class	SAE flange size	B1	B2	S1	S2
psi	in	mm	mm	mm	mm
3000	1/2	12	11	39	36
3000	1/2	12	12	39	38
3000	3/4	15	19	42	39
3000	3/4	16	19	42	43
3000	3/4	19	19	42	41
3000	3/4	17	19	42	45
3000	1	20	25	45	50
3000	1	24	25	45	44
3000	1	24	25	45	47
3000	1.1/4	20	27	50	55
3000	1.1/4	25	27	50	57
3000	1.1/4	30	27	50	57
3000	1.1/4	28	27	50	59
3000	1.1/2	32	32	55	64
3000	1.1/2	36	36	55	58
3000	2	32	45	108	80
3000	2	36	45	108	80
6000	1/2	12	12	39	38
6000	3/4	12	17	48	45
6000	3/4	16	17	48	46
6000	3/4	17	17	48	48
6000	1	16	24	60	53
6000	1	20	24	60	53
6000	1	24	24	60	55
6000	1.1/4	20	31	68	58
6000	1.1/4	25	31	68	58
6000	1.1/4	28	31	68	63



Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.



Size table:

Pressure class	SAE flange size	B1	B2	S1	S2
6000	1.1/2	25	36	76	72
6000	1.1/2	30	36	76	72
6000	2	32	45	108	80

Pressure class psi	SAE flange size in	Surface protection	Thread size	Max. operation pressure bar	Article
3000	1/2	Zinc Plated	15L - M22x1.5	315	14312616
3000	1/2	Zinc Plated	16S - M24x1.5	350	14312626
3000	1/2	Zinc-Nickel	15L - M22x1.5	315	14312624
3000	1/2	Zinc-Nickel	16S - M24x1.5	350	14312631
3000	3/4	Zinc Plated	18L - M26x1.5	315	14312663
3000	3/4	Zinc Plated	20S - M30x2.0	350	14312682
3000	3/4	Zinc Plated	22L - M30x2.0	160	14312673
3000	3/4	Zinc Plated	25S - M36x2.0	350	14312691
3000	3/4	Zinc-Nickel	18L - M26x1.5	315	14312671
3000	3/4	Zinc-Nickel	20S - M30x2.0	350	14312689
3000	3/4	Zinc-Nickel	22L - M30x2.0	160	14312680
3000	3/4	Zinc-Nickel	25S - M36x2.0	350	14312699
3000	1	Zinc Plated	25S - M36x2.0	320	14312768
3000	1	Zinc Plated	28L - M36x2.0	160	14312756
3000	1	Zinc Plated	30S - M42x2.0	320	14312781
3000	1	Zinc-Nickel	25S - M36x2.0	320	14312777
3000	1	Zinc-Nickel	30S - M42x2.0	320	14312789
3000	1.1/4	Zinc Plated	25S - M36x2.0	280	14312873
3000	1.1/4	Zinc Plated	30S - M42x2.0	280	14312891
3000	1.1/4	Zinc Plated	35L - M45x2.0	160	14312854
3000	1.1/4	Zinc Plated	38S - M52x2.0	280	14312909
3000	1.1/4	Zinc-Nickel	25S - M36x2.0	280	14312887
3000	1.1/4	Zinc-Nickel	30S - M42x2.0	280	14312907
3000	1.1/4	Zinc-Nickel	35L - M45x2.0	160	14312866
3000	1.1/4	Zinc-Nickel	38S - M52x2.0	280	14312921
3000	1.1/2	Zinc Plated	38S - M52x2.0	210	14313011
3000	1.1/2	Zinc Plated	42L - M52x2.0	160	14312991
3000	1.1/2	Zinc-Nickel	38S - M52x2.0	210	14313018
3000	1.1/2	Zinc-Nickel	42L - M52x2.0	160	14312997
3000	2	Zinc-Nickel	38S - M52x2.0	200	14313080
3000	2	Zinc-Nickel	42L - M52x2.0	160	14313074
6000	1/2	Zinc Plated	16S - M24x1.5	420	14313082
6000	1/2	Zinc-Nickel	16S - M24x1.5	420	14313088
6000	3/4	Zinc Plated	16S - M24x1.5	420	14313128
6000	3/4	Zinc Plated	20S - M30x2.0	420	14313136

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Pressure class psi	SAE flange size in	Surface protection	Thread size	Max. operation pressure bar	Article
6000	3/4	Zinc Plated	25S - M36x2.0	420	14313144
6000	3/4	Zinc-Nickel	16S - M24x1.5	420	14313134
6000	3/4	Zinc-Nickel	20S - M30x2.0	420	14313142
6000	3/4	Zinc-Nickel	25S - M36x2.0	420	14313152
6000	1	Zinc Plated	20S - M30x2.0	420	14313200
6000	1	Zinc Plated	25S - M36x2.0	420	14313204
6000	1	Zinc Plated	30S - M42x2.0	420	14313212
6000	1	Zinc-Nickel	25S - M36x2.0	420	14317681
6000	1	Zinc-Nickel	30S - M42x2.0	420	14317682
6000	1.1/4	Zinc Plated	25S - M36x2.0	420	14313267
6000	1.1/4	Zinc Plated	30S - M42x2.0	420	14313274
6000	1.1/4	Zinc Plated	38S - M52x2.0	350	14313284
6000	1.1/4	Zinc-Nickel	25S - M36x2.0	420	14317684
6000	1.1/4	Zinc-Nickel	38S - M52x2.0	350	14313293
6000	1.1/2	Zinc Plated	30S - M42x2.0	350	14313346
6000	1.1/2	Zinc Plated	38S - M52x2.0	350	14313352
6000	1.1/2	Zinc-Nickel	30S - M42x2.0	350	14313349
6000	1.1/2	Zinc-Nickel	38S - M52x2.0	350	14313359
6000	2	Zinc-Nickel	38S - M52x2.0	315	14313400

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.