


FAG Double row angular contact ball bearing Series: 32



Characteristics

Series: 32

With sealing: No

Application

- Recommended in: Chemical

Manufacturer ID	Inner diameter mm	Outer diameter mm	Width mm	Contact angle °	Cage	Article
3200-BB-TVH	10	30	14	25	Plastic	11668657
3200-BB-TVH-C3	10	30	14	25	Plastic	12624557
3201-BB-TVH	12	32	15.9	25	Plastic	11668660
3201-BB-TVH-C3	12	32	15.9	25	Plastic	12624558
3202-BD-XL-TVH	15	35	15.9	30	Plastic	11668663
3202-BD-XL-TVH-C3	15	35	15.9	30	Plastic	12624560
3202-BD-XL-TVH-L285	15	35	15.9	30	Plastic	12624561
3202-BD-XL-TVH-L285-C3	15	35	15.9	30	Plastic	12624897
3202-BD-XL	15	35	15.9	30	Steel	13243478
3202-BD-XL-C3	15	35	15.9	30	Steel	13243483
3203-BD-XL-TVH-L285-C3	17	40	17.5	30	Plastic	12624899
3203-BD-XL-TVH-C3	17	40	17.5	30	Plastic	12624564
3203-BD-XL-TVH-L285	17	40	17.5	30	Plastic	12624565
3203-BD-XL-TVH	17	40	17.5	30	Plastic	11668666
3203-BD-XL-C3	17	40	17.5	30	Steel	13243489
3203-BD-XL	17	40	17.5	30	Steel	13243484
3204-BD-XL-TVH	20	47	20.6	30	Plastic	11668669
3204-BD-XL-TVH-L285	20	47	20.6	30	Plastic	12624569
3204-BD-XL-TVH-C3	20	47	20.6	30	Plastic	12624568
3204-BD-XL-TVH-L285-C3	20	47	20.6	30	Plastic	12624901
3204-BD-XL	20	47	20.6	30	Steel	13243490
3204-BD-XL-C3	20	47	20.6	30	Steel	13243495
3205-BD-XL-TVH-L285-C3	25	52	20.6	30	Plastic	12624902
3205-BD-XL-TVH-C3	25	52	20.6	30	Plastic	12624572
3205-BD-XL-TVH-L285	25	52	20.6	30	Plastic	12624573
3205-BD-XL-TVH	25	52	20.6	30	Plastic	11668672
3205-BD-XL	25	52	20.6	30	Steel	13243496
3205-BD-XL-C3	25	52	20.6	30	Steel	13243501
3206-BD-XL-TVH-L285-C3	30	62	23.8	30	Plastic	12624904
3206-BD-XL-TVH	30	62	23.8	30	Plastic	11668675
3206-BD-XL-TVH-L285	30	62	23.8	30	Plastic	12624577
3206-BD-XL-TVH-C3	30	62	23.8	30	Plastic	12624576
3206-BD-XL-C3	30	62	23.8	30	Steel	13243507
3206-BD-XL	30	62	23.8	30	Steel	13243502
3207-BD-XL-TVH-L285-C3	35	72	27	30	Plastic	12624906
3207-BD-XL-TVH-C3	35	72	27	30	Plastic	12624580
3207-BD-XL-TVH-L285	35	72	27	30	Plastic	12624581
3207-BD-XL-TVH	35	72	27	30	Plastic	11668678
3207-BD-XL-C3	35	72	27	30	Steel	13243513

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Manufacturer ID	Inner diameter mm	Outer diameter mm	Width mm	Contact angle °	Cage	Article
3207-BD-XL	35	72	27	30	Steel	13243508
3208-BD-XL-TVH	40	80	30.2	30	Plastic	11668681
3208-BD-XL-TVH-C3	40	80	30.2	30	Plastic	12624584
3208-BD-XL-TVH-L285-C3	40	80	30.2	30	Plastic	12624908
3208-BD-XL-TVH-L285	40	80	30.2	30	Plastic	12624585
3208-BD-XL	40	80	30.2	30	Steel	13243514
3208-BD-XL-C3	40	80	30.2	30	Steel	13243519
3209-BD-XL-TVH-C3	45	85	30.2	30	Plastic	11832227
3209-BD-XL-TVH-L285-C3	45	85	30.2	30	Plastic	12624910
3209-BD-XL-TVH-L285	45	85	30.2	30	Plastic	12624587
3209-BD-XL-TVH	45	85	30.2	30	Plastic	11668684
3209-BD-XL	45	85	30.2	30	Steel	13243520
3209-BD-XL-C3	45	85	30.2	30	Steel	13243524
3210-BD-XL-TVH-L285-C3	50	90	30.2	30	Plastic	12624912
3210-BD-XL-TVH	50	90	30.2	30	Plastic	11668687
3210-BD-XL-TVH-C3	50	90	30.2	30	Plastic	12624590
3210-BD-XL-TVH-L285	50	90	30.2	30	Plastic	12624591
3210-BD-XL	50	90	30.2	30	Steel	13243525
3210-BD-XL-C3	50	90	30.2	30	Steel	13243530
3211-BD-XL-TVH-L285-C3	55	100	33.3	30	Plastic	12624914
3211-BD-XL-TVH	55	100	33.3	30	Plastic	12624594
3211-BD-XL-TVH-C3	55	100	33.3	30	Plastic	12624595
3211-BD-XL-TVH-L285	55	100	33.3	30	Plastic	12624596
3211-BD-XL	55	100	33.3	30	Steel	13243531
3211-BD-XL-C3	55	100	33.3	30	Steel	13243535
3212-BD-XL-TVH-C3	60	110	36.5	30	Plastic	11832233
3212-BD-XL-TVH-L285	60	110	36.5	30	Plastic	12624600
3212-BD-XL-TVH	60	110	36.5	30	Plastic	12624599
3212-BD-XL-TVH-L285-C3	60	110	36.5	30	Plastic	12624916
3212-BD-XL	60	110	36.5	30	Steel	13243536
3212-BD-XL-C3	60	110	36.5	30	Steel	13243541
3213-BD-XL-TVH-L285-C3	65	120	38.1	30	Plastic	12624918
3213-BD-XL-TVH-L285	65	120	38.1	30	Plastic	12624605
3213-BD-XL-TVH	65	120	38.1	30	Plastic	12624603
3213-BD-XL-TVH-C3	65	120	38.1	30	Plastic	12624604
3213-BD-XL-C3	65	120	38.1	30	Steel	13243546
3213-BD-XL	65	120	38.1	30	Steel	13243542
3214-B-TVH	70	125	39.7	25	Plastic	11668693
3214-B-TVH-C3	70	125	39.7	25	Plastic	11832240
3214	70	125	39.7	30	Steel	14176982
3215-B-TVH-C3	75	130	41.3	25	Plastic	11832241
3215-B-TVH	75	130	41.3	25	Plastic	11668694
3216-B-TVH-C3	80	140	44.4	25	Plastic	11832244
3216-B-TVH	80	140	44.4	25	Plastic	11668695
3217-C3	85	150	49.2	35	Steel	11832245
3217	85	150	49.2	35	Steel	11670296
3218-M	90	160	52.4	35	Brass	12624607
3218-C3	90	160	52.4	35	Steel	12624606
3218	90	160	52.4	35	Steel	11670297
3219-M	95	170	55.6	35	Brass	12624608

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Manufacturer ID	Inner diameter	Outer diameter	Width	Contact angle	Cage	Article
	mm	mm	mm	°		
3219-M-C3	95	170	55.6	35	Brass	12624609
3220	100	180	60.3	35	Steel	11670298
3220-C3	100	180	60.3	35	Steel	11832249
3221-M-C3	105	190	65.1	35	Brass	11832254
3221-M	105	190	65.1	35	Brass	11832253
3222-M	110	200	69.8	35	Brass	11668697
3222-M-C3	110	200	69.8	35	Brass	12624610

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

