


FAG Single row angular contact ball bearing Series: 73



Characteristics

Series: 73

With sealing: No

Application

- Recommended in: Chemical

Manufacturer ID	Inner diameter	Outer diameter	Width	Contact angle	Cage	Article
	mm	mm	mm	°		Max. 200 articles in the table
7301-B-XL-TVP	12	37	12	40	Plastic	11668524
7301-B-XL-TVP-UO	12	37	12	40	Plastic	12624789
7301-B-XL-TVP-UA	12	37	12	40	Plastic	12624788
7301-B-XL-JP-UA	12	37	12	40	Steel	12624786
7301-B-XL-JP	12	37	12	40	Steel	12624785
7301-B-XL-JP-UO	12	37	12	40	Steel	12624787
7302-B-XL-TVP-UA	15	42	13	40	Plastic	12624793
7302-B-XL-TVP-UO	15	42	13	40	Plastic	12624794
7302-B-XL-TVP	15	42	13	40	Plastic	11668525
7302-B-XL-JP	15	42	13	40	Steel	12624790
7302-B-XL-JP-UA	15	42	13	40	Steel	12624791
7302-B-XL-JP-UO	15	42	13	40	Steel	12624792
7303-B-XL-TVP-UA	17	47	14	40	Plastic	12624797
7303-B-XL-TVP-P5	17	47	14	40	Plastic	12624796
7303-B-XL-TVP-UO	17	47	14	40	Plastic	12624798
7303-B-XL-TVP	17	47	14	40	Plastic	11668526
7303-B-XL-JP	17	47	14	40	Steel	12624795
7304-B-XL-MP-UA	20	52	15	40	Brass	12624800
7304-B-XL-TVP-UO	20	52	15	40	Plastic	12624803
7304-B-XL-TVP-P5-UO	20	52	15	40	Plastic	12624802
7304-B-XL-TVP-P5-UL	20	52	15	40	Plastic	12624801
7304-B-XL-TVP-UA	20	52	15	40	Plastic	11668529
7304-B-XL-TVP	20	52	15	40	Plastic	11668528
7304-B-XL-JP	20	52	15	40	Steel	11668527
7304-B-XL-JP-UA	20	52	15	40	Steel	12624799
7305-B-XL-MP	25	62	17	40	Brass	12624805
7305-B-XL-MP-UO	25	62	17	40	Brass	12624806
7305-B-XL-MP-UA	25	62	17	40	Brass	11833210
7305-B-XL-TVP	25	62	17	40	Plastic	11668532
7305-B-XL-TVP-UA	25	62	17	40	Plastic	11668533
7305-B-XL-TVP-UO	25	62	17	40	Plastic	12624807
7305-B-XL-TVP-UB	25	62	17	40	Plastic	13250807
7305-B-XL-JP-UO	25	62	17	40	Steel	12624804
7305-B-XL-JP	25	62	17	40	Steel	11668530
7305-B-XL-JP-UA	25	62	17	40	Steel	11668531
7306-B-XL-MP-UO	30	72	19	40	Brass	12624812
7306-B-XL-MP	30	72	19	40	Brass	12624810
7306-B-XL-MP-UA	30	72	19	40	Brass	12624811
7306-B-XL-TVP-P5-UA	30	72	19	40	Plastic	12624813
7306-B-XL-TVP-UB	30	72	19	40	Plastic	13250808
7306-B-XL-TVP-UO	30	72	19	40	Plastic	11833211
7306-B-XL-TVP	30	72	19	40	Plastic	11668535

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Manufacturer ID	Inner diameter	Outer diameter	Width	Contact angle	Cage	Article
	mm	mm	mm	°		Max. 200 articles in the table
7306-B-XL-TVP-UA	30	72	19	40	Plastic	11668536
7306-B-XL-JP	30	72	19	40	Steel	11668534
7306-B-XL-JP-UO	30	72	19	40	Steel	12624809
7306-B-XL-JP-UA	30	72	19	40	Steel	12624808
7307-B-XL-MP	35	80	21	40	Brass	12624817
7307-B-XL-MP-UO	35	80	21	40	Brass	12624818
7307-B-XL-TVP-P5-UL	35	80	21	40	Plastic	12559223
7307-B-XL-TVP	35	80	21	40	Plastic	11668537
7307-B-XL-TVP-UA	35	80	21	40	Plastic	11668538
7307-B-XL-TVP-UO	35	80	21	40	Plastic	11833212
7307-B-XL-TVP-UB	35	80	21	40	Plastic	13250809
7307-B-XL-TVP-UL	35	80	21	40	Plastic	12624819
7307-B-XL-JP-UO	35	80	21	40	Steel	12624816
7307-B-XL-JP	35	80	21	40	Steel	12624814
7307-B-XL-JP-UA	35	80	21	40	Steel	12577673
7308-B-XL-MP-UA	40	90	23	40	Brass	12624822
7308-B-XL-MP	40	90	23	40	Brass	12624821
7308-B-XL-MP-UO	40	90	23	40	Brass	12624823
7308-B-XL-TVP	40	90	23	40	Plastic	11668541
7308-B-XL-TVP-UA	40	90	23	40	Plastic	11668542
7308-B-XL-TVP-UB	40	90	23	40	Plastic	13250810
7308-B-XL-JP-UO	40	90	23	40	Steel	12624820
7308-B-XL-JP	40	90	23	40	Steel	11668539
7308-B-XL-JP-UA	40	90	23	40	Steel	11668540
7309-B-XL-MP-UA	45	100	25	40	Brass	11833213
7309-B-XL-MP-UO	45	100	25	40	Brass	12610389
7309-B-XL-MP	45	100	25	40	Brass	12624826
7309-B-XL-TVP-UB	45	100	25	40	Plastic	13250811
7309-B-XL-TVP-UO	45	100	25	40	Plastic	11668546
7309-B-XL-TVP-UA	45	100	25	40	Plastic	11668545
7309-B-XL-TVP	45	100	25	40	Plastic	11668544
7309-B-XL-JP-UA	45	100	25	40	Steel	11668543
7309-B-XL-JP	45	100	25	40	Steel	12624824
7309-B-XL-JP-UO	45	100	25	40	Steel	12624825
7310-B-XL-MP	50	110	27	40	Brass	12624829
7310-B-XL-MP-UO	50	110	27	40	Brass	13250812
7310-B-XL-TVP	50	110	27	40	Plastic	11668548
7310-B-XL-TVP-UA	50	110	27	40	Plastic	11668549
7310-B-XL-TVP-UO	50	110	27	40	Plastic	11833215
7310-B-XL-TVP-UB	50	110	27	40	Plastic	13250814
7310-B-XL-JP-UO	50	110	27	40	Steel	12624828
7310-B-XL-JP	50	110	27	40	Steel	12624827
7310-B-XL-JP-UA	50	110	27	40	Steel	11668547
7311-B-XL-MP	55	120	29	40	Brass	11668552
7311-B-XL-MP-UA	55	120	29	40	Brass	11833216
7311-B-XL-MP-UO	55	120	29	40	Brass	12624831
7311-B-XL-TVP-UB	55	120	29	40	Plastic	13250815
7311-B-XL-TVP-UO	55	120	29	40	Plastic	11833217
7311-B-XL-TVP	55	120	29	40	Plastic	11668553
7311-B-XL-TVP-UA	55	120	29	40	Plastic	11668554
7311-B-XL-JP	55	120	29	40	Steel	11668550
7311-B-XL-JP-UA	55	120	29	40	Steel	11668551
7312-B-XL-MP-P5-UO	60	130	31	40	Brass	12991302

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Manufacturer ID	Inner diameter	Outer diameter	Width	Contact angle	Cage	Article
	mm	mm	mm	°		Max. 200 articles in the table
7312-B-XL-MP	60	130	31	40	Brass	12624833
7312-B-XL-MP-P6-UA	60	130	31	40	Brass	12624834
7312-B-XL-MP-UO	60	130	31	40	Brass	12624835
7312-B-XL-TVP-UB	60	130	31	40	Plastic	13250816
7312-B-XL-TVP-UA	60	130	31	40	Plastic	11668558
7312-B-XL-TVP	60	130	31	40	Plastic	11668557
7312-B-XL-TVP-UO	60	130	31	40	Plastic	11668559
7312-B-XL-JP	60	130	31	40	Steel	11668555
7312-B-XL-JP-UA	60	130	31	40	Steel	11668556
7312-B-XL-JP-UO	60	130	31	40	Steel	12624832
7313-B-XL-MP	65	140	33	40	Brass	12624837
7313-B-XL-MP-UO	65	140	33	40	Brass	12624838
7313-B-XL-TVP-UA	65	140	33	40	Plastic	11668563
7313-B-XL-TVP	65	140	33	40	Plastic	11668562
7313-B-XL-TVP-UO	65	140	33	40	Plastic	12624839
7313-B-XL-JP-UO	65	140	33	40	Steel	12624836
7313-B-XL-JP	65	140	33	40	Steel	11668560
7313-B-XL-JP-UA	65	140	33	40	Steel	11668561
7314-B-XL-MP-UA	70	150	35	40	Brass	11833220
7314-B-XL-MP-UO	70	150	35	40	Brass	12624843
7314-B-XL-MP	70	150	35	40	Brass	12624842
7314-B-XL-TVP-UO	70	150	35	40	Plastic	11668567
7314-B-XL-TVP-UA	70	150	35	40	Plastic	11668566
7314-B-XL-TVP	70	150	35	40	Plastic	11668565
7314-B-XL-JP-UA	70	150	35	40	Steel	11668564
7314-B-XL-JP	70	150	35	40	Steel	12624840
7314-B-XL-JP-UO	70	150	35	40	Steel	12624841
7315-B-XL-MP-UO	75	160	37	40	Brass	12624847
7315-B-XL-MP	75	160	37	40	Brass	12624846
7315-B-XL-MP-UA	75	160	37	40	Brass	11833221
7315-B-XL-TVP-UA	75	160	37	40	Plastic	11668570
7315-B-XL-TVP	75	160	37	40	Plastic	11668569
7315-B-XL-TVP-UO	75	160	37	40	Plastic	12624848
7315-B-XL-JP	75	160	37	40	Steel	12624844
7315-B-XL-JP-UO	75	160	37	40	Steel	12624845
7315-B-XL-JP-UA	75	160	37	40	Steel	11668568
7316-B-XL-MP-UA	80	170	39	40	Brass	11833222
7316-B-XL-MP-UO	80	170	39	40	Brass	12624852
7316-B-XL-MP	80	170	39	40	Brass	12624851
7316-B-XL-TVP-UA	80	170	39	40	Plastic	11668573
7316-B-XL-TVP-UO	80	170	39	40	Plastic	11668574
7316-B-XL-TVP	80	170	39	40	Plastic	11668572
7316-B-XL-JP-UA	80	170	39	40	Steel	11668571
7316-B-XL-JP	80	170	39	40	Steel	12624849
7316-B-XL-JP-UO	80	170	39	40	Steel	12624850
7317-B-XL-MP-UO	85	180	41	40	Brass	12624855
7317-B-XL-MP	85	180	41	40	Brass	12624854
7317-B-XL-MP-UA	85	180	41	40	Brass	11833223
7317-B-XL-TVP-UO	85	180	41	40	Plastic	11668576
7317-B-XL-TVP	85	180	41	40	Plastic	11668575
7317-B-XL-TVP-UA	85	180	41	40	Plastic	11833224
7317-B-XL-JP	85	180	41	40	Steel	12624853
7318-B-XL-MP	90	190	43	40	Brass	12624857

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Manufacturer ID	Inner diameter	Outer diameter	Width	Contact angle	Cage	Article
	mm	mm	mm	°		Max. 200 articles in the table
7318-B-XL-MP-UO	90	190	43	40	Brass	12624858
7318-B-XL-MP-UA	90	190	43	40	Brass	11833225
7318-B-XL-TVP-UA	90	190	43	40	Plastic	11668578
7318-B-XL-TVP	90	190	43	40	Plastic	11668577
7318-B-XL-TVP-UO	90	190	43	40	Plastic	12624859
7318-B-XL-JP	90	190	43	40	Steel	12624856
7319-B-XL-MP	95	200	45	40	Brass	12624860
7319-B-XL-MP-UA	95	200	45	40	Brass	11833226
7319-B-XL-TVP-UA	95	200	45	40	Plastic	11668580
7319-B-XL-TVP-UO	95	200	45	40	Plastic	11668581
7319-B-XL-TVP	95	200	45	40	Plastic	12624861
7319-B-XL-JP	95	200	45	40	Steel	11668579
7320-B-XL-MP-UA	100	215	47	40	Brass	11833227
7320-B-XL-MP-UO	100	215	47	40	Brass	12624863
7320-B-XL-MP	100	215	47	40	Brass	12624862
7320-B-XL-TVP-UO	100	215	47	40	Plastic	11668585
7320-B-XL-TVP	100	215	47	40	Plastic	11668583
7320-B-XL-TVP-UA	100	215	47	40	Plastic	11668584
7320-B-XL-JP	100	215	47	40	Steel	11668582
7322-B-XL-MP-UO	110	240	50	40	Brass	12624864
7322-B-XL-MP-UA	110	240	50	40	Brass	11833230
7322-B-XL-MP	110	240	50	40	Brass	11833229
7322-B-XL-TVP	110	240	50	40	Plastic	11668587
7322-B-XL-TVP-UO	110	240	50	40	Plastic	11668589
7322-B-XL-TVP-UA	110	240	50	40	Plastic	11668588
7322-B-XL-JP	110	240	50	40	Steel	11668586
7324-B-XL-MP-UA	120	260	55	40	Brass	11833231
7324-B-XL-MP-UO	120	260	55	40	Brass	12624866
7324-B-XL-MP	120	260	55	40	Brass	12624865
7324-B-XL-TVP-UO	120	260	55	40	Plastic	11668592
7324-B-XL-TVP-UA	120	260	55	40	Plastic	11668591
7324-B-XL-TVP	120	260	55	40	Plastic	11668590
7326-B-XL-MP-UA	130	280	58	40	Brass	11833232
7326-B-XL-MP-UO	130	280	58	40	Brass	12624868
7326-B-XL-MP	130	280	58	40	Brass	12624867
7326-B-XL-TVP-UA	130	280	58	40	Plastic	11668594
7326-B-XL-TVP	130	280	58	40	Plastic	11668593
7328-B-MP-UA	140	300	62	40	Brass	11668596
7328-B-MP-UO	140	300	62	40	Brass	11668597
7328-B-MP	140	300	62	40	Brass	11668595
7330-B-MP	150	320	65	40	Brass	11668598
7330-B-MP-UO	150	320	65	40	Brass	11668600
7330-B-MP-UA	150	320	65	40	Brass	11668599
7332-B-MP-UA	160	340	68	40	Brass	11668602
7332-B-MP-UO	160	340	68	40	Brass	11668603
7332-B-MP	160	340	68	40	Brass	11668601
7334-B-MP-UA	170	360	72	40	Brass	12624870
7334-B-MP	170	360	72	40	Brass	12624869
7334-B-MP-UO	170	360	72	40	Brass	12624871
7336-B-MP-UA	180	380	75	40	Brass	12624872
7338-B-MP-UA	190	400	78	40	Brass	12624873

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.