



INA Carriage series KWVE..-B-HL

Characteristics

Series: KWVE..-B

Construction type: HL

Construction width: Standard

Construction length: Long

Construction height: High

Material: Steel

Manufacturer ID	Size	Preload class	Accuracy class	Coating	Width mm	Height mm	Length mm	Article
KWVE25-B-HL-V0-G1	25	V0	G1		48	40	109.1	12633994
KWVE25-B-HL-V0-G2	25	V0	G2		48	40	109.1	12633995
KWVE25-B-HL-V0-G3	25	V0	G3		48	40	109.1	12633996
KWVE25-B-HL-V0-G4	25	V0	G4		48	40	109.1	12633997
KWVE25-B-HL-V1-G1	25	V1	G1		48	40	109.1	12633998
KWVE25-B-HL-UG-V1-G1	25	V1	G1		48	40	109.1	12633986
KWVE25-B-HL-UG-V1-G2	25	V1	G2		48	40	109.1	12633987
KWVE25-B-HL-V1-G2	25	V1	G2		48	40	109.1	12633999
KWVE25-B-HL-V1-G3	25	V1	G3		48	40	109.1	12634000
KWVE25-B-HL-UG-V1-G3	25	V1	G3		48	40	109.1	12633988
KWVE25-B-HL-RROC-V1-G3	25	V1	G3	Corrotect®	48	40	109.1	12633982
KWVE25-B-HL-V1-G4	25	V1	G4		48	40	109.1	12634001
KWVE25-B-HL-UG-V1-G4	25	V1	G4		48	40	109.1	12633989
KWVE25-B-HL-UG-V2-G1	25	V2	G1		48	40	109.1	12633990
KWVE25-B-HL-V2-G1	25	V2	G1		48	40	109.1	12634002
KWVE25-B-HL-UG-V2-G2	25	V2	G2		48	40	109.1	12633991
KWVE25-B-HL-V2-G2	25	V2	G2		48	40	109.1	12634003
KWVE25-B-HL-V2-G3	25	V2	G3		48	40	109.1	12634004
KWVE25-B-HL-UG-V2-G3	25	V2	G3		48	40	109.1	12633992
KWVE25-B-HL-RROC-V2-G3	25	V2	G3	Corrotect®	48	40	109.1	12633983
KWVE25-B-HL-UG-RROC-V2-G3	25	V2	G3	Corrotect®	48	40	109.1	12633985
KWVE25-B-HL-V2-G4	25	V2	G4		48	40	109.1	12634005
KWVE25-B-HL-UG-V2-G4	25	V2	G4		48	40	109.1	12633993
KWVE30-B-HL-V0-G1	30	V0	G1		60	45	127	12634329
KWVE30-B-HL-V0-G2	30	V0	G2		60	45	127	12634330
KWVE30-B-HL-V0-G3	30	V0	G3		60	45	127	12634331
KWVE30-B-HL-V0-G4	30	V0	G4		60	45	127	12634332
KWVE30-B-HL-V1-G1	30	V1	G1		60	45	127	12634333

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Manufacturer ID	Size	Preload class	Accuracy class	Coating	Width mm	Height mm	Length mm	Article
KWVE30-B-HL-V1-G2	30	V1	G2		60	45	127	12634334
KWVE30-B-HL-V1-G3	30	V1	G3		60	45	127	12634335
KWVE30-B-HL-RROC-V1-G3	30	V1	G3	Corrotect®	60	45	127	12634327
KWVE30-B-HL-V1-G4	30	V1	G4		60	45	127	12634336
KWVE30-B-HL-V2-G1	30	V2	G1		60	45	127	12634337
KWVE30-B-HL-V2-G2	30	V2	G2		60	45	127	12634338
KWVE30-B-HL-V2-G3	30	V2	G3		60	45	127	12634339
KWVE30-B-HL-RROC-V2-G3	30	V2	G3	Corrotect®	60	45	127	12634328
KWVE30-B-HL-V2-G4	30	V2	G4		60	45	127	12634340
KWVE35-B-HL-V0-G1	35	V0	G1		70	55	145	12634586
KWVE35-B-HL-V0-G2	35	V0	G2		70	55	145	12634587
KWVE35-B-HL-V0-G3	35	V0	G3		70	55	145	12634588
KWVE35-B-HL-V0-G4	35	V0	G4		70	55	145	12634589
KWVE35-B-HL-V1-G1	35	V1	G1		70	55	145	12634590
KWVE35-B-HL-UG-V1-G1	35	V1	G1		70	55	145	12634578
KWVE35-B-HL-V1-G2	35	V1	G2		70	55	145	12634591
KWVE35-B-HL-UG-V1-G2	35	V1	G2		70	55	145	12634579
KWVE35-B-HL-V1-G3	35	V1	G3		70	55	145	12634592
KWVE35-B-HL-UG-V1-G3	35	V1	G3		70	55	145	12634580
KWVE35-B-HL-RROC-V1-G3	35	V1	G3	Corrotect®	70	55	145	12634576
KWVE35-B-HL-UG-V1-G4	35	V1	G4		70	55	145	12634581
KWVE35-B-HL-V1-G4	35	V1	G4		70	55	145	24212803
KWVE35-B-HL-V2-G1	35	V2	G1		70	55	145	12634593
KWVE35-B-HL-UG-V2-G1	35	V2	G1		70	55	145	12634582
KWVE35-B-HL-UG-V2-G2	35	V2	G2		70	55	145	12634583
KWVE35-B-HL-V2-G2	35	V2	G2		70	55	145	12634594
KWVE35-B-HL-UG-V2-G3	35	V2	G3		70	55	145	12634584
KWVE35-B-HL-V2-G3	35	V2	G3		70	55	145	12634595
KWVE35-B-HL-RROC-V2-G3	35	V2	G3	Corrotect®	70	55	145	12634577
KWVE35-B-HL-V2-G4	35	V2	G4		70	55	145	12634596
KWVE35-B-HL-UG-V2-G4	35	V2	G4		70	55	145	12634585
KWVE45-B-HL-V0-G1	45	V0	G1		86	70	172.7	12634837
KWVE45-B-HL-V0-G2	45	V0	G2		86	70	172.7	12634838
KWVE45-B-HL-V0-G3	45	V0	G3		86	70	172.7	12634839
KWVE45-B-HL-V0-G4	45	V0	G4		86	70	172.7	12634840

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Manufacturer ID	Size	Preload class	Accuracy class	Coating	Width mm	Height mm	Length mm	Article
KWVE45-B-HL-UG-V1-G1	45	V1	G1		86	70	172.7	12634828
KWVE45-B-HL-V1-G1	45	V1	G1		86	70	172.7	12634841
KWVE45-B-HL-UG-V1-G2	45	V1	G2		86	70	172.7	12634829
KWVE45-B-HL-V1-G2	45	V1	G2		86	70	172.7	12634842
KWVE45-B-HL-UG-V1-G3	45	V1	G3		86	70	172.7	12634830
KWVE45-B-HL-V1-G3	45	V1	G3		86	70	172.7	24212804
KWVE45-B-HL-RROC-V1-G3	45	V1	G3	Corrotect®	86	70	172.7	12634826
KWVE45-B-HL-UG-V1-G4	45	V1	G4		86	70	172.7	12634831
KWVE45-B-HL-V1-G4	45	V1	G4		86	70	172.7	12634843
KWVE45-B-HL-V2-G1	45	V2	G1		86	70	172.7	12634844
KWVE45-B-HL-UG-V2-G1	45	V2	G1		86	70	172.7	12634832
KWVE45-B-HL-V2-G2	45	V2	G2		86	70	172.7	12634845
KWVE45-B-HL-UG-V2-G2	45	V2	G2		86	70	172.7	12634833
KWVE45-B-HL-V2-G3	45	V2	G3		86	70	172.7	12634846
KWVE45-B-HL-UG-V2-G3	45	V2	G3		86	70	172.7	12634834
KWVE45-B-HL-RROC-V2-G3	45	V2	G3	Corrotect®	86	70	172.7	12634827
KWVE45-B-HL-V2-G4	45	V2	G4		86	70	172.7	12634847
KWVE45-B-HL-UG-V2-G4	45	V2	G4		86	70	172.7	12634835

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.