



INA Carriage series KWVE..-B-NL

Characteristics

Series: KWVE..-B

Construction type: NL

Construction width: Standard

Construction length: Long

Construction height: Low

Material: Steel

Manufacturer ID	Size	Preload class	Accuracy class	Coating	Width mm	Height mm	Length mm	Article
KWVE20-B-NL-V0-G1	20	V0	G1		63	27	88.9	12633714
KWVE20-B-NL-V0-G2	20	V0	G2		63	27	88.9	12633715
KWVE20-B-NL-V0-G3	20	V0	G3		63	27	88.9	12633716
KWVE20-B-NL-V0-G4	20	V0	G4		63	27	88.9	12633717
KWVE20-B-NL-V1-G1	20	V1	G1		63	27	88.9	12633718
KWVE20-B-NL-V1-G2	20	V1	G2		63	27	88.9	12633719
KWVE20-B-NL-V1-G3	20	V1	G3		63	27	88.9	12633720
KWVE20-B-NL-RROC-V1-G3	20	V1	G3	Corrotect®	63	27	88.9	12635779
KWVE20-B-NL-V1-G4	20	V1	G4		63	27	88.9	12633721
KWVE20-B-NL-V2-G1	20	V2	G1		63	27	88.9	12633722
KWVE20-B-NL-V2-G2	20	V2	G2		63	27	88.9	12633723
KWVE20-B-NL-V2-G3	20	V2	G3		63	27	88.9	12633724
KWVE20-B-NL-RROC-V2-G3	20	V2	G3	Corrotect®	63	27	88.9	12635780
KWVE20-B-NL-V2-G4	20	V2	G4		63	27	88.9	12633725
KWVE25-B-NL-V0-G1	25	V0	G1		70	31	109.1	12634075
KWVE25-B-NL-V0-G2	25	V0	G2		70	31	109.1	12634076
KWVE25-B-NL-V0-G3	25	V0	G3		70	31	109.1	12634077
KWVE25-B-NL-V0-G4	25	V0	G4		70	31	109.1	12634078
KWVE25-B-NL-V1-G1	25	V1	G1		70	31	109.1	12634079
KWVE25-B-NL-V1-G2	25	V1	G2		70	31	109.1	12634080
KWVE25-B-NL-V1-G3	25	V1	G3		70	31	109.1	12634081
KWVE25-B-NL-RROC-V1-G3	25	V1	G3	Corrotect®	70	31	109.1	12634062
KWVE25-B-NL-V1-G4	25	V1	G4		70	31	109.1	12634082
KWVE25-B-NL-V2-G1	25	V2	G1		70	31	109.1	12634083
KWVE25-B-NL-V2-G2	25	V2	G2		70	31	109.1	12634084
KWVE25-B-NL-V2-G3	25	V2	G3		70	31	109.1	12634085
KWVE25-B-NL-UG-V2-G3	25	V2	G3		70	31	109.1	12634073
KWVE25-B-NL-UG-RROC-V2-G3	25	V2	G3	Corrotect®	70	31	109.1	12634066

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Manufacturer ID	Size	Preload class	Accuracy class	Coating	Width mm	Height mm	Length mm	Article
KWVE25-B-NL-RROC-V2-G3	25	V2	G3	Corrotect®	70	31	109.1	12634063
KWVE25-B-NL-V2-G4	25	V2	G4		70	31	109.1	12634086
KWVE25-B-NL-UG-V2-G4	25	V2	G4		70	31	109.1	12634074
KWVE30-B-NL-V0-G1	30	V0	G1		90	38	127	12634395
KWVE30-B-NL-V0-G2	30	V0	G2		90	38	127	12634396
KWVE30-B-NL-V0-G3	30	V0	G3		90	38	127	12634397
KWVE30-B-NL-V0-G4	30	V0	G4		90	38	127	12634398
KWVE30-B-NL-V1-G1	30	V1	G1		90	38	127	12634399
KWVE30-B-NL-V1-G2	30	V1	G2		90	38	127	12634400
KWVE30-B-NL-V1-G3	30	V1	G3		90	38	127	12634401
KWVE30-B-NL-RROC-V1-G3	30	V1	G3	Corrotect®	90	38	127	12634393
KWVE30-B-NL-V1-G4	30	V1	G4		90	38	127	12634402
KWVE30-B-NL-V2-G1	30	V2	G1		90	38	127	12634403
KWVE30-B-NL-V2-G2	30	V2	G2		90	38	127	12634404
KWVE30-B-NL-V2-G3	30	V2	G3		90	38	127	12634405
KWVE30-B-NL-RROC-V2-G3	30	V2	G3	Corrotect®	90	38	127	12634394
KWVE30-B-NL-V2-G4	30	V2	G4		90	38	127	12634406
KWVE35-B-NL-V0-G1	35	V0	G1		100	44	145	12634656
KWVE35-B-NL-V0-G2	35	V0	G2		100	44	145	12634657
KWVE35-B-NL-V0-G3	35	V0	G3		100	44	145	12634658
KWVE35-B-NL-V0-G4	35	V0	G4		100	44	145	12634659
KWVE35-B-NL-V1-G1	35	V1	G1		100	44	145	12634660
KWVE35-B-NL-V1-G2	35	V1	G2		100	44	145	12634661
KWVE35-B-NL-V1-G3	35	V1	G3		100	44	145	12634662
KWVE35-B-NL-RROC-V1-G3	35	V1	G3	Corrotect®	100	44	145	12634652
KWVE35-B-NL-V1-G4	35	V1	G4		100	44	145	12634663
KWVE35-B-NL-V2-G1	35	V2	G1		100	44	145	12634664
KWVE35-B-NL-V2-G2	35	V2	G2		100	44	145	12634665
KWVE35-B-NL-V2-G3	35	V2	G3		100	44	145	12634666
KWVE35-B-NL-RROC-V2-G3	35	V2	G3	Corrotect®	100	44	145	12634653
KWVE35-B-NL-V2-G4	35	V2	G4		100	44	145	12634667
KWVE45-B-NL-V0-G1	45	V0	G1		120	52	172.7	12634904
KWVE45-B-NL-V0-G2	45	V0	G2		120	52	172.7	12634905
KWVE45-B-NL-V0-G3	45	V0	G3		120	52	172.7	12634906
KWVE45-B-NL-V0-G4	45	V0	G4		120	52	172.7	12634907

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Manufacturer ID	Size	Preload class	Accuracy class	Coating	Width mm	Height mm	Length mm	Article
KWVE45-B-NL-V1-G1	45	V1	G1		120	52	172.7	12634908
KWVE45-B-NL-V1-G2	45	V1	G2		120	52	172.7	12634909
KWVE45-B-NL-V1-G3	45	V1	G3		120	52	172.7	12634910
KWVE45-B-NL-RROC-V1-G3	45	V1	G3	Corrotect®	120	52	172.7	12634902
KWVE45-B-NL-V1-G4	45	V1	G4		120	52	172.7	12634911
KWVE45-B-NL-V2-G1	45	V2	G1		120	52	172.7	12634912
KWVE45-B-NL-V2-G2	45	V2	G2		120	52	172.7	12634913
KWVE45-B-NL-V2-G3	45	V2	G3		120	52	172.7	12634914
KWVE45-B-NL-RROC-V2-G3	45	V2	G3	Corrotect®	120	52	172.7	12634903
KWVE45-B-NL-V2-G4	45	V2	G4		120	52	172.7	12634915

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.