



Silicone hose Sanitech STHT-W, light suction & discharge hose for pharmaceutical applications; according to USP VI, FDA and ISO



Application

- light silicone suction and discharge hose suitable for pharmaceutical and biotechnology applications such as, load cells, transport, cell cultures, pump applications, laboratory use, etc.
- Recommended in: Food & Beverages

Technical Information

Temperature range

- -62 °C to +260 °C

Working pressure

- depending on the size

Construction

Material

- Platinum cured silicone
- tasteless and odorless
- sterilizable/autoclavable

Reinforcement

- braided textile fabrics

Execution

Connections

- Tri-clamp

Assembly

- ferrules

Approval

Approvals/regulations

- USP VI
- FDA 21 CFR 177.2600
- ISO 10993
- European Pharmacopoeia 3.1.9

Internal diameter	Wall thickness	Outer diameter	Maximum operating pressure	Vacuum-resistance at 20 °C	Minimum bending radius	Roll length	Article
mm	mm	mm	bar	%	mm	m	
25.4	4.83	35.06	8.6	99	152	3.66	11337213

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.