



FESTO Filter regulator LFR

Characteristics

- Series: LFR
- Function: Filter-Regulator
- Bowl Material: PC
- Lockable: Yes
- Operating temperature: 5 / 60 °C

Size	Port thread type	Port Size	Port Size	Filtration level	With pressure gauge	Drain type	Flow direction	Maximum operating pressure	Adjustment range	Article
		in	mm	µm						
										11634048
										11634042
										11634025
										11634028
										11634002
										11634045
										11634022
										11634005
										11634014
										11634031
										11634034
										11633991
										11634011
										11633994
										11633997
										11634000
										11634043
										11634017
										11634037
										11634020
										11634006
										11634046
										11634029
										11634049
										11634023
										11633989
										11634009
										11634003
										11634012
										11633995
										11633992
										11634032
										11634035
										11634038
										11482646
										11634044
										11634024
										11634004
										11634021
										11633998
										11634041

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Size	Port thread type	Port Size	Port Size	Filtration level	With pressure gauge	Drain type	Flow direction	Maximum operating pressure	Adjustment range	Article
		in	mm	µm						
										Max. 200 articles in the table
										11634010
										11634018
										11634047
										11634030
										11633999
										11634050
										11634007
										11634016
										11633993
										11634036
										11634019
										11634013
										11633996
										11634039
										11634008
										11634051
										11634040
										11634026
										11634015
										11634001
										11634033
										11633990
Mini	BSPP [G]	1/8		40	No	Automatic	left ? right	12	0.5 - 7 bar	11638130
Mini	BSPP [G]	1/8		40	No	Automatic	left ? right	12	0.5 - 12 bar	11632335
Mini	BSPP [G]	1/8		5	No	Automatic	left ? right	12	0.5 - 12 bar	11638149
Mini	BSPP [G]	1/8		40	No	Manual	left ? right	16	0.5 - 7 bar	11638120
Mini	BSPP [G]	1/8		5	No	Manual	left ? right	16	0.5 - 12 bar	11638139
Micro	BSPP [G]	1/8		5	No	Manual	left ? right			11645055
Mini	BSPP [G]	1/8		40	No	Manual	left ? right	16	0.5 - 12 bar	11632328
Mini	BSPP [G]	1/8		40	Yes	Automatic	left ? right	12	0.5 - 7 bar	11632347
Micro	BSPP [G]	1/8		5	Yes	Manual	left ? right			11645054
Mini	BSPP [G]	1/8		40	Yes	Manual	left ? right	16	0.5 - 7 bar	11632342
Midi	BSPP [G]	1/4		5	No	Automatic	left ? right	12	0.5 - 12 bar	11638152
Mini	BSPP [G]	1/4		40	No	Automatic	left ? right	12	0.5 - 7 bar	11638131
Midi	BSPP [G]	1/4		40	No	Automatic	left ? right	12	0.5 - 12 bar	11635688
Midi	BSPP [G]	1/4		40	No	Automatic	left ? right	12	0.5 - 7 bar	11638133
Mini	BSPP [G]	1/4		40	No	Automatic	left ? right	12	0.5 - 12 bar	11632336
Mini	BSPP [G]	1/4		5	No	Automatic	left ? right	12	0.5 - 12 bar	11638150
Mini	BSPP [G]	1/4		40	No	Manual	left ? right	16	0.5 - 7 bar	11638121
Midi	BSPP [G]	1/4		5	No	Manual	left ? right	16	0.5 - 12 bar	11638142
Mini	BSPP [G]	1/4		5	No	Manual	left ? right	16	0.5 - 12 bar	11638140
Midi	BSPP [G]	1/4		40	No	Manual	left ? right	16	0.5 - 7 bar	11638123
Midi	BSPP [G]	1/4		40	No	Manual	left ? right	16	0.5 - 12 bar	11635686
Mini	BSPP [G]	1/4		40	Yes	Automatic	left ? right	12	0.5 - 7 bar	11632348
Midi	BSPP [G]	1/4		40	Yes	Automatic	left ? right	12	0.5 - 7 bar	11635691
Midi	BSPP [G]	1/4		5	Yes	Automatic	left ? right	12	0.5 - 12 bar	11635689
Mini	BSPP [G]	1/4		5	Yes	Automatic	left ? right	12	0.5 - 12 bar	11632359
Midi	BSPP [G]	1/4		40	Yes	Automatic	left ? right	12	0.5 - 12 bar	11542450
Midi	BSPP [G]	1/4		5	Yes	Manual	left ? right	16	0.5 - 12 bar	11635687
Midi	BSPP [G]	1/4		40	Yes	Manual	left ? right	16	0.5 - 7 bar	11635690
Mini	BSPP [G]	3/8		40	No	Automatic	left ? right	12	0.5 - 7 bar	11638132

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Size	Port thread type	Port Size	Port Size	Filtration level	With pressure gauge	Drain type	Flow direction	Maximum operating pressure	Adjustment range	Article
		in	mm	µm						Max. 200 articles in the table
Midi	BSPP [G]	3/8		5	No	Automatic	left ? right	12	0.5 - 12 bar	11638153
Midi	BSPP [G]	3/8		40	No	Automatic	left ? right	12	0.5 - 12 bar	11632337
Mini	BSPP [G]	3/8		5	No	Automatic	left ? right	12	0.5 - 12 bar	11638151
Midi	BSPP [G]	3/8		40	No	Automatic	left ? right	12	0.5 - 7 bar	11638134
Mini	BSPP [G]	3/8		40	No	Manual	left ? right	16	0.5 - 7 bar	11638122
Mini	BSPP [G]	3/8		5	No	Manual	left ? right	16	0.5 - 12 bar	11638141
Midi	BSPP [G]	3/8		40	No	Manual	left ? right	16	0.5 - 12 bar	11632330
Mini	BSPP [G]	3/8		40	No	Manual	left ? right	16	0.5 - 12 bar	11632329
Midi	BSPP [G]	3/8		40	No	Manual	left ? right	16	0.5 - 7 bar	11638124
Midi	BSPP [G]	3/8		5	No	Manual	left ? right	16	0.5 - 12 bar	11638143
Midi	BSPP [G]	3/8		5	Yes	Automatic	left ? right	12	0.5 - 12 bar	11632361
Mini	BSPP [G]	3/8		40	Yes	Automatic	left ? right	12	0.5 - 7 bar	11632349
Midi	BSPP [G]	3/8		40	Yes	Automatic	left ? right	12	0.5 - 7 bar	11632350
Mini	BSPP [G]	3/8		5	Yes	Automatic	left ? right	12	0.5 - 12 bar	11632360
Mini	BSPP [G]	3/8		40	Yes	Manual	left ? right	16	0.5 - 12 bar	11632325
Midi	BSPP [G]	3/8		40	Yes	Manual	left ? right	16	0.5 - 7 bar	11632344
Midi	BSPP [G]	3/8		5	Yes	Manual	left ? right	16	0.5 - 12 bar	11632355
Mini	BSPP [G]	3/8		40	Yes	Manual	left ? right	16	0.5 - 7 bar	11632343
Mini	BSPP [G]	3/8		5	Yes	Manual	left ? right	16	0.5 - 12 bar	11632354
Maxi	BSPP [G]	1/2		40	No	Automatic	left ? right	12	0.5 - 7 bar	11637998
Midi	BSPP [G]	1/2		40	No	Automatic	left ? right	12	0.5 - 12 bar	11632338
Maxi	BSPP [G]	1/2		5	No	Automatic	left ? right	12	0.5 - 12 bar	11637996
Maxi	BSPP [G]	1/2		5	No	Automatic	left ? right	12	0.5 - 12 bar	11638156
Maxi	BSPP [G]	1/2		40	No	Automatic	left ? right	12	0.5 - 12 bar	11637994
Maxi	BSPP [G]	1/2		40	No	Automatic	left ? right	12	0.5 - 7 bar	11638136
Maxi	BSPP [G]	1/2		40	No	Automatic	left ? right	12	0.5 - 12 bar	11635695
Midi	BSPP [G]	1/2		5	No	Automatic	left ? right	12	0.5 - 12 bar	11638154
Midi	BSPP [G]	1/2		40	No	Manual	left ? right	16	0.5 - 12 bar	11632331
Maxi	BSPP [G]	1/2		40	No	Manual	left ? right	16	0.5 - 7 bar	11637980
Midi	BSPP [G]	1/2		40	No	Manual	left ? right	16	0.5 - 7 bar	11638125
Maxi	BSPP [G]	1/2		40	No	Manual	left ? right	16	0.5 - 12 bar	11637976
Maxi	BSPP [G]	1/2		40	No	Manual	left ? right	16	0.5 - 12 bar	11635693
Maxi	BSPP [G]	1/2		40	No	Manual	left ? right	16	0.5 - 7 bar	11638127
Midi	BSPP [G]	1/2		5	No	Manual	left ? right	16	0.5 - 12 bar	11638144
Maxi	BSPP [G]	1/2		5	No	Manual	left ? right	16	0.5 - 12 bar	11637978
Maxi	BSPP [G]	1/2		5	No	Manual	left ? right	16	0.5 - 12 bar	11638146
Midi	BSPP [G]	1/2		5	Yes	Automatic	left ? right	12	0.5 - 12 bar	11632362
Maxi	BSPP [G]	1/2		40	Yes	Automatic	left ? right	12	0.5 - 12 bar	11637993
Maxi	BSPP [G]	1/2		40	Yes	Automatic	left ? right	12	0.5 - 7 bar	11637997
Maxi	BSPP [G]	1/2		40	Yes	Automatic	left ? right	12	0.5 - 7 bar	11635697
Maxi	BSPP [G]	1/2		5	Yes	Automatic	left ? right	12	0.5 - 12 bar	11637995
Midi	BSPP [G]	1/2		40	Yes	Automatic	left ? right	12	0.5 - 12 bar	1066765
Maxi	BSPP [G]	1/2		5	Yes	Manual	left ? right	16	0.5 - 12 bar	11635694
Maxi	BSPP [G]	1/2		40	Yes	Manual	left ? right	16	0.5 - 7 bar	11635696
Maxi	BSPP [G]	1/2		5	Yes	Manual	left ? right	16	0.5 - 12 bar	11637977
Maxi	BSPP [G]	1/2		40	Yes	Manual	left ? right	16	0.5 - 7 bar	11637979
Maxi	BSPP [G]	1/2		40	Yes	Manual	left ? right	16	0.5 - 12 bar	11635692
Maxi	BSPP [G]	1/2		40	Yes	Manual	left ? right	16	0.5 - 12 bar	11637975
Maxi	BSPP [G]	3/4		40	No	Automatic	left ? right	12	0.5 - 12 bar	11632340
Maxi	BSPP [G]	3/4		40	No	Automatic	left ? right	12	0.5 - 7 bar	11638004
Midi	BSPP [G]	3/4		40	No	Automatic	left ? right	12	0.5 - 7 bar	11638135

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Size	Port thread type	Port Size	Port Size	Filtration level	With pressure gauge	Drain type	Flow direction	Maximum operating pressure	Adjustment range	Article
		in	mm	µm						Max. 200 articles in the table
Midi	BSPP [G]	3/4		5	No	Automatic	left ? right	12	0.5 - 12 bar	11638155
Midi	BSPP [G]	3/4		40	No	Automatic	left ? right	12	0.5 - 12 bar	11632339
Maxi	BSPP [G]	3/4		5	No	Automatic	left ? right	12	0.5 - 12 bar	11638002
Maxi	BSPP [G]	3/4		5	No	Automatic	left ? right	12	0.5 - 12 bar	11638157
Maxi	BSPP [G]	3/4		40	No	Automatic	left ? right	12	0.5 - 7 bar	11638137
Maxi	BSPP [G]	3/4		40	No	Automatic	left ? right	12	0.5 - 12 bar	11638000
Maxi	BSPP [G]	3/4		40	No	Manual	left ? right	16	0.5 - 7 bar	11637986
Maxi	BSPP [G]	3/4		40	No	Manual	left ? right	16	0.5 - 7 bar	11638128
Midi	BSPP [G]	3/4		5	No	Manual	left ? right	16	0.5 - 12 bar	11638145
Maxi	BSPP [G]	3/4		5	No	Manual	left ? right	16	0.5 - 12 bar	11638147
Maxi	BSPP [G]	3/4		40	No	Manual	left ? right	16	0.5 - 12 bar	11632333
Maxi	BSPP [G]	3/4		40	No	Manual	left ? right	16	0.5 - 12 bar	11637982
Midi	BSPP [G]	3/4		40	No	Manual	left ? right	16	0.5 - 7 bar	11638126
Midi	BSPP [G]	3/4		40	No	Manual	left ? right	16	0.5 - 12 bar	11632332
Maxi	BSPP [G]	3/4		5	No	Manual	left ? right	16	0.5 - 12 bar	11637984
Maxi	BSPP [G]	3/4		5	Yes	Automatic	left ? right	12	0.5 - 12 bar	11632364
Maxi	BSPP [G]	3/4		40	Yes	Automatic	left ? right	12	0.5 - 12 bar	11637999
Maxi	BSPP [G]	3/4		5	Yes	Automatic	left ? right	12	0.5 - 12 bar	11638001
Maxi	BSPP [G]	3/4		40	Yes	Automatic	left ? right	12	0.5 - 7 bar	11632352
Midi	BSPP [G]	3/4		40	Yes	Automatic	left ? right	12	0.5 - 12 bar	11632327
Maxi	BSPP [G]	3/4		40	Yes	Automatic	left ? right	12	0.5 - 7 bar	11638003
Midi	BSPP [G]	3/4		5	Yes	Automatic	left ? right	12	0.5 - 12 bar	11632363
Midi	BSPP [G]	3/4		40	Yes	Automatic	left ? right	12	0.5 - 7 bar	11632351
Maxi	BSPP [G]	3/4		5	Yes	Manual	left ? right	16	0.5 - 12 bar	11637983
Midi	BSPP [G]	3/4		40	Yes	Manual	left ? right	16	0.5 - 12 bar	11632326
Maxi	BSPP [G]	3/4		40	Yes	Manual	left ? right	16	0.5 - 12 bar	11637981
Midi	BSPP [G]	3/4		40	Yes	Manual	left ? right	16	0.5 - 7 bar	11632345
Midi	BSPP [G]	3/4		5	Yes	Manual	left ? right	16	0.5 - 12 bar	11632356
Maxi	BSPP [G]	3/4		40	Yes	Manual	left ? right	16	0.5 - 7 bar	11637985
Maxi	BSPP [G]	3/4		40	Yes	Manual	left ? right	16	0.5 - 7 bar	11632346
Maxi	BSPP [G]	3/4		5	Yes	Manual	left ? right	16	0.5 - 12 bar	11632357
Maxi	BSPP [G]	1		40	No	Automatic	left ? right	12	0.5 - 7 bar	11638138
Maxi	BSPP [G]	1		40	No	Automatic	left ? right	12	0.5 - 7 bar	11638010
Maxi	BSPP [G]	1		40	No	Automatic	left ? right	12	0.5 - 12 bar	11632341
Maxi	BSPP [G]	1		5	No	Automatic	left ? right	12	0.5 - 12 bar	11638008
Maxi	BSPP [G]	1		5	No	Automatic	left ? right	12	0.5 - 12 bar	11638158
Maxi	BSPP [G]	1		40	No	Automatic	left ? right	12	0.5 - 12 bar	11638006
Maxi	BSPP [G]	1		40	No	Manual	left ? right	16	0.5 - 12 bar	11637988
Maxi	BSPP [G]	1		5	No	Manual	left ? right	16	0.5 - 12 bar	11638148
Maxi	BSPP [G]	1		5	No	Manual	left ? right	16	0.5 - 12 bar	11637990
Maxi	BSPP [G]	1		40	No	Manual	left ? right	16	0.5 - 7 bar	11638129
Maxi	BSPP [G]	1		40	No	Manual	left ? right	16	0.5 - 12 bar	11632334
Maxi	BSPP [G]	1		40	No	Manual	left ? right	16	0.5 - 7 bar	11637992
Maxi	BSPP [G]	1		5	Yes	Automatic	left ? right	12	0.5 - 12 bar	11638007
Maxi	BSPP [G]	1		40	Yes	Automatic	left ? right	12	0.5 - 12 bar	11631370
Maxi	BSPP [G]	1		40	Yes	Automatic	left ? right	12	0.5 - 7 bar	11632353
Maxi	BSPP [G]	1		40	Yes	Automatic	left ? right	12	0.5 - 12 bar	11638005
Maxi	BSPP [G]	1		40	Yes	Automatic	left ? right	12	0.5 - 7 bar	11638009
Maxi	BSPP [G]	1		5	Yes	Manual	left ? right	16	0.5 - 12 bar	11637989
Maxi	BSPP [G]	1		40	Yes	Manual	left ? right	16	0.5 - 7 bar	11637991
Maxi	BSPP [G]	1		40	Yes	Manual	left ? right	16	0.5 - 12 bar	11637987

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Size	Port thread type	Port Size	Port Size	Filtration level	With pressure gauge	Drain type	Flow direction	Maximum operating pressure	Adjustment range	Article
		in	mm	µm						Max. 200 articles in the table
Maxi	BSPP [G]	1		5	Yes	Manual	left ? right	16	0.5 - 12 bar	11632358
Micro	Metric		M 5	5	No	Manual	left ? right			11645052
Micro	Metric		M 5	5	No	Semi automatic	left ? right			11645053
Micro	Metric		M 5	5	Yes	Manual	left ? right			11645050
Micro	Metric		M 5	5	Yes	Semi automatic	left ? right			11645051

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.