



FESTO Mini slide DGSL

Characteristics

Series: DGSL

Function: Double acting

Housing material: Aluminium alloy

Operating temperature: 0 / 60 °C

Manufacturer ID	Cushioning	Bore diameter	Stroke length	Port Size	Port Size	Operating pressure	Article
		mm	mm	mm	in	bar	
DGSL-4-10-PIA	Mechanical	6	10	M 3		3 / 8	11650053
DGSL-4-10-PA	Mechanical	6	10	M 3		3 / 8	11650050
DGSL-4-10-EA	Mechanical	6	10	M 3		3 / 8	12266196
DGSL-4-20-EA	Mechanical	6	20	M 3		3 / 8	12266197
DGSL-4-20-PA	Mechanical	6	20	M 3		3 / 8	11650051
DGSL-4-20-PIA	Mechanical	6	20	M 3		3 / 8	11650054
DGSL-4-30-PIA	Mechanical	6	30	M 3		3 / 8	11650055
DGSL-4-30-PA	Mechanical	6	30	M 3		3 / 8	11650052
DGSL-4-30-EA	Mechanical	6	30	M 3		3 / 8	12266198
DGSL-6-10-EA	Mechanical	8	10	M 3		3 / 8	12266199
DGSL-6-10-PIA	Mechanical	8	10	M 3		3 / 8	11650061
DGSL-6-10-PA	Mechanical	8	10	M 3		3 / 8	11650056
DGSL-6-20-PIA	Mechanical	8	20	M 3		3 / 8	11650062
DGSL-6-20-PA	Mechanical	8	20	M 3		3 / 8	11650057
DGSL-6-20-EA	Mechanical	8	20	M 3		3 / 8	12266200
DGSL-6-30-EA	Mechanical	8	30	M 3		3 / 8	12266201
DGSL-6-30-PIA	Mechanical	8	30	M 3		3 / 8	11650063
DGSL-6-30-PA	Mechanical	8	30	M 3		3 / 8	11650058
DGSL-6-40-PIA	Mechanical	8	40	M 3		3 / 8	11650064
DGSL-6-40-PA	Mechanical	8	40	M 3		3 / 8	11650059
DGSL-6-40-EA	Mechanical	8	40	M 3		3 / 8	12266202
DGSL-6-50-EA	Mechanical	8	50	M 3		3 / 8	12266203
DGSL-6-50-PA	Mechanical	8	50	M 3		3 / 8	11650060
DGSL-6-50-PIA	Mechanical	8	50	M 3		3 / 8	11650065
DGSL-8-10-PA	Mechanical	10	10	M 3		3 / 8	11650066
DGSL-8-10-PIA	Mechanical	10	10	M 3		3 / 8	11650072
DGSL-8-10-EA	Mechanical	10	10	M 3		3 / 8	12266204
DGSL-8-20-EA	Mechanical	10	20	M 3		3 / 8	12266205
DGSL-8-20-PA	Mechanical	10	20	M 3		3 / 8	11650067
DGSL-8-20-PIA	Mechanical	10	20	M 3		3 / 8	11650073
DGSL-8-30-PA	Mechanical	10	30	M 3		3 / 8	11650068
DGSL-8-30-PIA	Mechanical	10	30	M 3		3 / 8	11650074
DGSL-8-30-EA	Mechanical	10	30	M 3		3 / 8	12266206
DGSL-8-40-EA	Mechanical	10	40	M 3		3 / 8	12266208
DGSL-8-40-PA	Mechanical	10	40	M 3		3 / 8	11650069
DGSL-8-40-PIA	Mechanical	10	40	M 3		3 / 8	11650075
DGSL-8-50-PIA	Mechanical	10	50	M 3		3 / 8	11650076
DGSL-8-50-EA	Mechanical	10	50	M 3		3 / 8	12266209
DGSL-8-50-PA	Mechanical	10	50	M 3		3 / 8	11650070
DGSL-8-80-PA	Mechanical	10	80	M 3		3 / 8	11650071
DGSL-8-80-EA	Mechanical	10	80	M 3		3 / 8	12266210
DGSL-8-80-PIA	Mechanical	10	80	M 3		3 / 8	11650077

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Manufacturer ID	Cushioning	Bore diameter	Stroke length	Port Size	Port Size	Operating pressure	Article
		mm	mm	mm	in	bar	
DGSL-10-10-EA	Mechanical	12	10	M 5		3 / 8	12266211
DGSL-10-10-PIA	Mechanical	12	10	M 5		3 / 8	11650089
DGSL-10-10-PA	Mechanical	12	10	M 5		3 / 8	11650082
DGSL-10-20-PIA	Mechanical	12	20	M 5		3 / 8	11650090
DGSL-10-20-PA	Mechanical	12	20	M 5		3 / 8	11650083
DGSL-10-20-EA	Mechanical	12	20	M 5		3 / 8	12266212
DGSL-10-30-EA	Mechanical	12	30	M 5		3 / 8	12266213
DGSL-10-30-PA	Mechanical	12	30	M 5		3 / 8	11650084
DGSL-10-30-PIA	Mechanical	12	30	M 5		3 / 8	11650091
DGSL-10-40-PA	Mechanical	12	40	M 5		3 / 8	11650085
DGSL-10-40-PIA	Mechanical	12	40	M 5		3 / 8	11650092
DGSL-10-40-EA	Mechanical	12	40	M 5		3 / 8	12266214
DGSL-10-50-EA	Mechanical	12	50	M 5		3 / 8	12266215
DGSL-10-50-PA	Mechanical	12	50	M 5		3 / 8	11650086
DGSL-10-50-PIA	Mechanical	12	50	M 5		3 / 8	11650093
DGSL-10-80-PA	Mechanical	12	80	M 5		3 / 8	11650087
DGSL-10-80-PIA	Mechanical	12	80	M 5		3 / 8	11650094
DGSL-10-80-EA	Mechanical	12	80	M 5		3 / 8	12266216
DGSL-10-100-PIA	Mechanical	12	100	M 5		3 / 8	11650095
DGSL-10-100-EA	Mechanical	12	100	M 5		3 / 8	12266217
DGSL-10-100-PA	Mechanical	12	100	M 5		3 / 8	11650088
DGSL-12-10-PA	Mechanical	16	10	M 5		3 / 8	11650101
DGSL-12-10-PIA	Mechanical	16	10	M 5		3 / 8	11650109
DGSL-12-10-EA	Mechanical	16	10	M 5		3 / 8	12266218
DGSL-12-20-EA	Mechanical	16	20	M 5		3 / 8	12266219
DGSL-12-20-PIA	Mechanical	16	20	M 5		3 / 8	11650110
DGSL-12-20-PA	Mechanical	16	20	M 5		3 / 8	11650102
DGSL-12-30-PA	Mechanical	16	30	M 5		3 / 8	11650103
DGSL-12-30-PIA	Mechanical	16	30	M 5		3 / 8	11650111
DGSL-12-30-EA	Mechanical	16	30	M 5		3 / 8	12266220
DGSL-12-40-EA	Mechanical	16	40	M 5		3 / 8	12266221
DGSL-12-40-PA	Mechanical	16	40	M 5		3 / 8	11650104
DGSL-12-40-PIA	Mechanical	16	40	M 5		3 / 8	11650112
DGSL-12-50-PA	Mechanical	16	50	M 5		3 / 8	11650105
DGSL-12-50-PIA	Mechanical	16	50	M 5		3 / 8	11650113
DGSL-12-50-EA	Mechanical	16	50	M 5		3 / 8	12266222
DGSL-12-80-EA	Mechanical	16	80	M 5		3 / 8	12266223
DGSL-12-80-PA	Mechanical	16	80	M 5		3 / 8	11650106
DGSL-12-80-PIA	Mechanical	16	80	M 5		3 / 8	11650114
DGSL-12-100-PIA	Mechanical	16	100	M 5		3 / 8	11650115
DGSL-12-100-PA	Mechanical	16	100	M 5		3 / 8	11650107
DGSL-12-100-EA	Mechanical	16	100	M 5		3 / 8	12266224
DGSL-12-150-EA	Mechanical	16	150	M 5		3 / 8	12266225
DGSL-12-150-PIA	Mechanical	16	150	M 5		3 / 8	11650116
DGSL-12-150-PA	Mechanical	16	150	M 5		3 / 8	11650108
DGSL-16-10-PA	Mechanical	20	10	M 5		3 / 8	11650123
DGSL-16-10-PIA	Mechanical	20	10	M 5		3 / 8	11650131
DGSL-16-10-EA	Mechanical	20	10	M 5		3 / 8	12266226
DGSL-16-20-EA	Mechanical	20	20	M 5		3 / 8	12266227
DGSL-16-20-PIA	Mechanical	20	20	M 5		3 / 8	11650132
DGSL-16-20-PA	Mechanical	20	20	M 5		3 / 8	11650124
DGSL-16-30-PA	Mechanical	20	30	M 5		3 / 8	11650125

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Manufacturer ID	Cushioning	Bore diameter	Stroke length	Port Size	Port Size	Operating pressure	Article
		mm	mm	mm	in	bar	
DGSL-16-30-P1A	Mechanical	20	30	M 5		3 / 8	11650133
DGSL-16-30-EA	Mechanical	20	30	M 5		3 / 8	12266228
DGSL-16-40-EA	Mechanical	20	40	M 5		3 / 8	12266229
DGSL-16-40-PA	Mechanical	20	40	M 5		3 / 8	11650126
DGSL-16-40-P1A	Mechanical	20	40	M 5		3 / 8	11650134
DGSL-16-50-PA	Mechanical	20	50	M 5		3 / 8	11650127
DGSL-16-50-P1A	Mechanical	20	50	M 5		3 / 8	11650135
DGSL-16-50-EA	Mechanical	20	50	M 5		3 / 8	12266230
DGSL-16-80-EA	Mechanical	20	80	M 5		3 / 8	12266231
DGSL-16-80-PA	Mechanical	20	80	M 5		3 / 8	11650128
DGSL-16-80-P1A	Mechanical	20	80	M 5		3 / 8	11650136
DGSL-16-100-P1A	Mechanical	20	100	M 5		3 / 8	11650137
DGSL-16-100-PA	Mechanical	20	100	M 5		3 / 8	11650129
DGSL-16-100-EA	Mechanical	20	100	M 5		3 / 8	12266232
DGSL-16-150-EA	Mechanical	20	150	M 5		3 / 8	12266233
DGSL-16-150-P1A	Mechanical	20	150	M 5		3 / 8	11650138
DGSL-16-150-PA	Mechanical	20	150	M 5		3 / 8	11650130
DGSL-20-10-P1A	Mechanical	25	10		G1/8	3 / 8	11650154
DGSL-20-10-PA	Mechanical	25	10		G1/8	3 / 8	11650145
DGSL-20-10-EA	Mechanical	25	10		G1/8	3 / 8	12266234
DGSL-20-20-EA	Mechanical	25	20		G1/8	3 / 8	12266235
DGSL-20-20-PA	Mechanical	25	20		G1/8	3 / 8	11650146
DGSL-20-20-P1A	Mechanical	25	20		G1/8	3 / 8	11650155
DGSL-20-30-P1A	Mechanical	25	30		G1/8	3 / 8	11650156
DGSL-20-30-PA	Mechanical	25	30		G1/8	3 / 8	11650147
DGSL-20-30-EA	Mechanical	25	30		G1/8	3 / 8	12266236
DGSL-20-40-EA	Mechanical	25	40		G1/8	3 / 8	12266237
DGSL-20-40-P1A	Mechanical	25	40		G1/8	3 / 8	11650157
DGSL-20-40-PA	Mechanical	25	40		G1/8	3 / 8	11650148
DGSL-20-50-PA	Mechanical	25	50		G1/8	3 / 8	11650149
DGSL-20-50-P1A	Mechanical	25	50		G1/8	3 / 8	11650158
DGSL-20-50-EA	Mechanical	25	50		G1/8	3 / 8	12266238
DGSL-20-80-EA	Mechanical	25	80		G1/8	3 / 8	12266239
DGSL-20-80-P1A	Mechanical	25	80		G1/8	3 / 8	11650159
DGSL-20-80-PA	Mechanical	25	80		G1/8	3 / 8	11650150
DGSL-20-100-PA	Mechanical	25	100		G1/8	3 / 8	11650151
DGSL-20-100-P1A	Mechanical	25	100		G1/8	3 / 8	11650160
DGSL-20-100-EA	Mechanical	25	100		G1/8	3 / 8	12266240
DGSL-20-150-PA	Mechanical	25	150		G1/8	3 / 8	11650152
DGSL-20-150-EA	Mechanical	25	150		G1/8	3 / 8	12266241
DGSL-20-150-P1A	Mechanical	25	150		G1/8	3 / 8	11650161
DGSL-20-200-P1A	Mechanical	25	200		G1/8	3 / 8	11650162
DGSL-20-200-EA	Mechanical	25	200		G1/8	3 / 8	12266242
DGSL-20-200-PA	Mechanical	25	200		G1/8	3 / 8	11650153
DGSL-25-10-P1A	Mechanical	32	10		G1/8	3 / 8	11650179
DGSL-25-10-PA	Mechanical	32	10		G1/8	3 / 8	11650170
DGSL-25-10-EA	Mechanical	32	10		G1/8	3 / 8	12266243
DGSL-25-20-EA	Mechanical	32	20		G1/8	3 / 8	12266244
DGSL-25-20-PA	Mechanical	32	20		G1/8	3 / 8	11650171
DGSL-25-20-P1A	Mechanical	32	20		G1/8	3 / 8	11650180
DGSL-25-30-PA	Mechanical	32	30		G1/8	3 / 8	11650172
DGSL-25-30-P1A	Mechanical	32	30		G1/8	3 / 8	11650181

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Manufacturer ID	Cushioning	Bore diameter	Stroke length	Port Size	Port Size	Operating pressure	Article
		mm	mm	mm	in	bar	
DGSL-25-30-EA	Mechanical	32	30		G1/8	3 / 8	12266245
DGSL-25-40-EA	Mechanical	32	40		G1/8	3 / 8	12266246
DGSL-25-40-PA	Mechanical	32	40		G1/8	3 / 8	11650173
DGSL-25-40-PIA	Mechanical	32	40		G1/8	3 / 8	11650182
DGSL-25-50-PA	Mechanical	32	50		G1/8	3 / 8	11650174
DGSL-25-50-PIA	Mechanical	32	50		G1/8	3 / 8	11650183
DGSL-25-50-EA	Mechanical	32	50		G1/8	3 / 8	12266247
DGSL-25-80-EA	Mechanical	32	80		G1/8	3 / 8	12266248
DGSL-25-80-PIA	Mechanical	32	80		G1/8	3 / 8	11650184
DGSL-25-80-PA	Mechanical	32	80		G1/8	3 / 8	11650175
DGSL-25-100-PA	Mechanical	32	100		G1/8	3 / 8	11650176
DGSL-25-100-PIA	Mechanical	32	100		G1/8	3 / 8	11650185
DGSL-25-100-EA	Mechanical	32	100		G1/8	3 / 8	12266249
DGSL-25-150-EA	Mechanical	32	150		G1/8	3 / 8	12266250
DGSL-25-150-PA	Mechanical	32	150		G1/8	3 / 8	11650177
DGSL-25-150-PIA	Mechanical	32	150		G1/8	3 / 8	11650186
DGSL-25-200-PA	Mechanical	32	200		G1/8	3 / 8	11650178
DGSL-25-200-PIA	Mechanical	32	200		G1/8	3 / 8	11650187
DGSL-8-30-Y3A	Shock absorber	10	30	M 3		3 / 8	11650078
DGSL-8-40-Y3A	Shock absorber	10	40	M 3		3 / 8	11650079
DGSL-8-50-Y3A	Shock absorber	10	50	M 3		3 / 8	11650080
DGSL-8-80-Y3A	Shock absorber	10	80	M 3		3 / 8	11650081
DGSL-10-30-Y3A	Shock absorber	12	30	M 5		3 / 8	11650096
DGSL-10-40-Y3A	Shock absorber	12	40	M 5		3 / 8	11650097
DGSL-10-50-Y3A	Shock absorber	12	50	M 5		3 / 8	11650098
DGSL-10-80-Y3A	Shock absorber	12	80	M 5		3 / 8	11650099
DGSL-10-100-Y3A	Shock absorber	12	100	M 5		3 / 8	11650100
DGSL-12-30-Y3A	Shock absorber	16	30	M 5		3 / 8	11650117
DGSL-12-40-Y3A	Shock absorber	16	40	M 5		3 / 8	11650118
DGSL-12-50-Y3A	Shock absorber	16	50	M 5		3 / 8	11650119
DGSL-12-80-Y3A	Shock absorber	16	80	M 5		3 / 8	11650120
DGSL-12-100-Y3A	Shock absorber	16	100	M 5		3 / 8	11650121
DGSL-12-150-Y3A	Shock absorber	16	150	M 5		3 / 8	11650122
DGSL-16-30-Y3A	Shock absorber	20	30	M 5		3 / 8	11650139
DGSL-16-40-Y3A	Shock absorber	20	40	M 5		3 / 8	11650140
DGSL-16-50-Y3A	Shock absorber	20	50	M 5		3 / 8	11650141
DGSL-16-80-Y3A	Shock absorber	20	80	M 5		3 / 8	11650142
DGSL-16-100-Y3A	Shock absorber	20	100	M 5		3 / 8	11650143
DGSL-16-150-Y3A	Shock absorber	20	150	M 5		3 / 8	11650144
DGSL-20-30-Y3A	Shock absorber	25	30		G1/8	3 / 8	11650163
DGSL-20-40-Y3A	Shock absorber	25	40		G1/8	3 / 8	11650164
DGSL-20-50-Y3A	Shock absorber	25	50		G1/8	3 / 8	11650165
DGSL-20-80-Y3A	Shock absorber	25	80		G1/8	3 / 8	11650166
DGSL-20-100-Y3A	Shock absorber	25	100		G1/8	3 / 8	11650167
DGSL-20-150-Y3A	Shock absorber	25	150		G1/8	3 / 8	11650168
DGSL-20-200-Y3A	Shock absorber	25	200		G1/8	3 / 8	11650169
DGSL-25-30-Y3A	Shock absorber	32	30		G1/8	3 / 8	11650188
DGSL-25-40-Y3A	Shock absorber	32	40		G1/8	3 / 8	11650189
DGSL-25-50-Y3A	Shock absorber	32	50		G1/8	3 / 8	11650190
DGSL-25-80-Y3A	Shock absorber	32	80		G1/8	3 / 8	11650191
DGSL-25-100-Y3A	Shock absorber	32	100		G1/8	3 / 8	11650192
DGSL-25-150-Y3A	Shock absorber	32	150		G1/8	3 / 8	11650193

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Manufacturer ID	Cushioning	Bore diameter	Stroke length	Port Size	Port Size	Operating pressure	Article
		mm	mm	mm	in	bar	
DGSL-25-200-Y3A	Shock absorber	32	200		G1/8	3 / 8	11650194

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.