

FENNER Wedge belt Quattro PLUS CRE raw edge moulded notch narrow section QXPA



Fenner

Quattro PLUS CRE Heavy duty, cogged raw edge EPDM belt

The Fenner® Quattro PLUS CRE is a step forward in belt technology. It's high performance unique polyester tension member and EPDM contact section allows it to transmit 26% more power than the traditional CRE range and offers up to 15% longer service life

Characteristics

Series: Quattro PLUS CRE

Type: QXPA Height: 10 mm Width (top): 13 mm **Material: EPDM**

Tensile Cord: Polyester (PES)

Sheathed: No

Shape-toothed model: Yes Double V-profile model: No

With perforation: 0 With top layer: No

Temperature resistance: -40 / 120 °C

Technical Information

• ► Extended temperature range -40° to +130°C. ► PB® (Precision Built) technology, eleminating the need for matching ► Conditionally oil resistant

Construction

• ► Synthetic rubber EPDM heavy duty wedge belt▶ Embedding compound for stable power transfer► Enhanced tooth profile improves belt flexibility, reducing bending resistance and increasing efficiency and life ► Unique construction of the polyester tension member improves accuracy and stability of belt length

Execution

• Feduced belt weight lowers inertia and reduces vibration allowing smoother running ► Lower pretensioning force allows longer bearing life and extends maintenance periods between tensioning▶ Abrasion resistant compound for enhanced durability

Approval

• Fully approved by all international standards ► BS 3790 (British Standard) ► ISO 4184 (International Standards Organisation) ► DIN 7753 (German Institute for Standardization) Static conductive in accordance with ISO 1813 Conforms to API (American Petroleum Institute) specifications

Reference length (ISO)	Article
mm	
2057	13369892
2160	13369896
2240	13369899
2382	13369904

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

PR905781296684429_EN_17.05.2024