


DIN912 Hex socket head cap screw Steel 8.8



Characteristics

- Series:** DIN 912
- Material quality:** 8.8 (steel)
- Surface protection:** Untreated
- Kind of thread:** Metric
- Head form:** Cheese head
- DIN standard:** 912
- ISO standard:** 4762
- Screwing system:** Internal hexagon

Material	Thread size metric (M..)	Pitch thread	Length	Head height	Head width	Screw-in length	Article
		mm	mm	mm	mm	mm	Max. 200 articles in the table
Carbon steel	4	0.7	20				11768804
Carbon steel	4	0.7	30				11768806
Carbon steel	4	0.7	40				11768808
Carbon steel	6	1	10				11768821
Carbon steel	6	1	30				11768830
Carbon steel	3	0.5	4				23688457
Carbon steel	3	0.5	5				11767730
Carbon steel	3	0.5	8				23695248
Carbon steel	3	0.5	12				23695250
Carbon steel	3	0.5	16				23695251
Carbon steel	3	0.5	18				11767731
Carbon steel	3	0.5	20	3	5.5	20	23695252
Carbon steel	3	0.5	25				23694808
Carbon steel	3	0.5	30				11767733
Carbon steel	3	0.5	40				11767734
Carbon steel	3	0.5	45				11767735
Carbon steel	3	0.5	50				11768441
Carbon steel	3	0.5	50				11767736
Carbon steel	4	0.7	8				23239967
Carbon steel	4	0.7	10				23239968
Carbon steel	4	0.7	10				11768447
Carbon steel	4	0.7	12				23695257
Carbon steel	4	0.7	16				23239970
Carbon steel	4	0.7	18				23695259
Carbon steel	4	0.7	20				23695260
Carbon steel	4	0.7	20				11768451
Carbon steel	4	0.7	25	4	7	25	23695261
Carbon steel	4	0.7	30				23695262
Carbon steel	4	0.7	30				11768453
Carbon steel	4	0.7	35				23695263
Carbon steel	4	0.7	40				23694827
Carbon steel	4	0.7	40				11768455
Carbon steel	4	0.7	45				23695266
Carbon steel	4	0.7	50				11768457
Carbon steel	4	0.7	50				23695267

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Material	Thread size metric (M..)	Pitch thread	Length	Head height	Head width	Screw-in length	Article
		mm	mm	mm	mm	mm	
Carbon steel	4	0.7	60	4	7	25	23694830
Carbon steel	4	0.7	60				11768459
Carbon steel	4	0.7	70				23239980
Carbon steel	4	0.7	80				11767746
Carbon steel	5	0.8	6				23695270
Carbon steel	5	0.8	12				23239984
Carbon steel	5	0.8	14				23695274
Carbon steel	5	0.8	16	5	8.5	25	23695275
Carbon steel	5	0.8	20				23239988
Carbon steel	5	0.8	25				23695278
Carbon steel	5	0.8	25				11768469
Carbon steel	5	0.8	30				23695279
Carbon steel	5	0.8	30				11768470
Carbon steel	5	0.8	45				23695284
Carbon steel	5	0.8	55	5	8.5	25	23695287
Carbon steel	5	0.8	60	5	8.5	25	23239996
Carbon steel	5	0.8	70				23695291
Carbon steel	5	0.8	75				11767756
Carbon steel	5	0.8	80	5	8.5	25	23695292
Carbon steel	5	0.8	85				11767757
Carbon steel	5	0.8	90				23695293
Carbon steel	5	0.8	110				23695295
Carbon steel	5	0.8	120				23695296
Carbon steel	5	0.8	130				11767762
Carbon steel	5	0.8	140				23695297
Carbon steel	5	0.8	150				11767765
Carbon steel	6	1	8	6	10	30	23695298
Carbon steel	6	1	10	6	10	30	23240005
Carbon steel	6	1	12	6	10	30	23695300
Carbon steel	6	1	12				11768473
Carbon steel	6	1	14				23688597
Carbon steel	6	1	16				11768474
Carbon steel	6	1	16				23695301
Carbon steel	6	1	20				23695303
Carbon steel	6	1	22				23695304
Carbon steel	6	1	30				11768479
Carbon steel	6	1	30				23240012
Carbon steel	6	1	45	6	10	30	23695309
Carbon steel	6	1	50				23695310
Carbon steel	6	1	55				23695312
Carbon steel	6	1	60	6	10	30	23695313
Carbon steel	6	1	65	6	10	30	23695314
Carbon steel	6	1	75				23695316
Carbon steel	6	1	80				23240022
Carbon steel	6	1	85				11767780
Carbon steel	6	1	90				23695318
Carbon steel	6	1	110				23695320
Carbon steel	6	1	120	6	10	30	23695321
Carbon steel	6	1	140				23695322
Carbon steel	6	1	150				23695323
Carbon steel	6	1	160	6	10	30	23695324
Carbon steel	6	1	180				23695325

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.



Material	Thread size metric (M..)	Pitch thread	Length	Head height	Head width	Screw-in length	Article
		mm	mm	mm	mm	mm	
Carbon steel	8	1.25	12				23695327
Carbon steel	8	1.25	16	8	13	35	23240032
Carbon steel	8	1.25	18				23695329
Carbon steel	8	1.25	20	8	13	35	23240034
Carbon steel	8	1.25	22				23695331
Carbon steel	8	1.25	30				23240037
Carbon steel	8	1.25	40	8	13	35	23695335
Carbon steel	8	1.25	45	8	13	35	23695336
Carbon steel	8	1.25	50				23695337
Carbon steel	8	1.25	65				23695340
Carbon steel	8	1.25	70				23695341
Carbon steel	8	1.25	75				23695342
Carbon steel	8	1.25	80	8	13	35	23240046
Carbon steel	8	1.25	90	8	13	35	23695344
Carbon steel	8	1.25	100	8	13	35	23695345
Carbon steel	8	1.25	105				11767807
Carbon steel	8	1.25	110				23695346
Carbon steel	8	1.25	115				11767808
Carbon steel	8	1.25	120				23695347
Carbon steel	8	1.25	125				11767809
Carbon steel	8	1.25	130				23695348
Carbon steel	8	1.25	140				23695349
Carbon steel	8	1.25	150				23695350
Carbon steel	8	1.25	155				11767812
Carbon steel	8	1.25	160				23695351
Carbon steel	8	1.25	165				11767813
Carbon steel	10	1.5	10				11767826
Carbon steel	10	1.5	12				23695353
Carbon steel	10	1.5	14				11767827
Carbon steel	10	1.5	16				23695354
Carbon steel	10	1.5	20				23695355
Carbon steel	10	1.5	22				23695356
Carbon steel	10	1.5	30	10	16	40	23240061
Carbon steel	10	1.5	35				23240062
Carbon steel	10	1.5	40				23240063
Carbon steel	10	1.5	45	10	16	40	23695361
Carbon steel	10	1.5	55				23695363
Carbon steel	10	1.5	70				23695366
Carbon steel	10	1.5	80	10	16	40	23695368
Carbon steel	10	1.5	85				11767830
Carbon steel	10	1.5	90	10	16	40	23695369
Carbon steel	10	1.5	100				23695370
Carbon steel	10	1.5	105				11767832
Carbon steel	10	1.5	110	10	16	40	23695371
Carbon steel	10	1.5	120				23695373
Carbon steel	10	1.5	140				23695375
Carbon steel	10	1.5	150				23695376
Carbon steel	10	1.5	155				11767835
Carbon steel	10	1.5	160	10	16	40	23695377
Carbon steel	10	1.5	170				23695378
Carbon steel	10	1.5	200	10	16	40	23695379
Carbon steel	10	1.5	220				23695380

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.



Material	Thread size metric (M..)	Pitch thread	Length	Head height	Head width	Screw-in length	Article
		mm	mm	mm	mm	mm	
Carbon steel	10	1.5	240				11767841
Carbon steel	10	1.5	250				11767842
Carbon steel	10	1.5	260				11767843
Carbon steel	12	1.75	20				23695382
Carbon steel	12	1.75	40	12	18	50	23240089
Carbon steel	12	1.75	45				23240090
Carbon steel	12	1.75	50				23240091
Carbon steel	12	1.75	55				23695389
Carbon steel	12	1.75	60	12	18	50	23240093
Carbon steel	12	1.75	65	12	18	50	23695391
Carbon steel	12	1.75	90	12	18	50	23695395
Carbon steel	12	1.75	100	12	18	50	23695396
Carbon steel	12	1.75	110				23695397
Carbon steel	12	1.75	120				23695398
Carbon steel	12	1.75	125				11767857
Carbon steel	12	1.75	130				23695399
Carbon steel	12	1.75	140	12	18	50	23695400
Carbon steel	12	1.75	150				23695401
Carbon steel	12	1.75	155				11767860
Carbon steel	12	1.75	160				23695402
Carbon steel	12	1.75	170				23695403
Carbon steel	12	1.75	180				23695404
Carbon steel	12	1.75	200				23695405
Carbon steel	12	1.75	220	12	18	50	23695406
Carbon steel	12	1.75	230				11767864
Carbon steel	12	1.75	260	12	18	50	23695408
Carbon steel	14	2	20				23695411
Carbon steel	14	2	25				23695412
Carbon steel	14	2	30				23695413
Carbon steel	14	2	35	14	21	55	23695414
Carbon steel	14	2	40	14	21	55	23695415
Carbon steel	14	2	45				23695416
Carbon steel	14	2	50				23695417
Carbon steel	14	2	55				23695418
Carbon steel	14	2	60	14	21	55	23695419
Carbon steel	14	2	80	14	21	55	23695423
Carbon steel	14	2	90	14	21	55	23695424
Carbon steel	14	2	100	14	21	55	23695425
Carbon steel	14	2	120				23695427
Carbon steel	14	2	130				23695428
Carbon steel	16	2	50				23240142
Carbon steel	16	2	75	16	24	60	23240147
Carbon steel	16	2	170				11767893
Carbon steel	16	2	190				11767894
Carbon steel	16	2	210				11767895
Carbon steel	16	2	230				11767896
Carbon steel	16	2	250				11767897
Carbon steel	20	2.5	20				11767942
Carbon steel	20	2.5	25				11767943
Carbon steel	20	2.5	45				23240181
Carbon steel	20	2.5	170				11767945
Carbon steel	20	2.5	210				23688458

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Material	Thread size metric (M...)	Pitch thread	Length	Head height	Head width	Screw-in length	Article
		mm	mm	mm	mm	mm	
Carbon steel	20	2.5	230				23688465
Carbon steel	20	2.5	460				11767960
Carbon steel	22	2.5	40				11767971
Carbon steel	22	2.5	45				11767972
Carbon steel	30	3.5	50				11768058
Carbon steel	30	3.5	320				11768069
Carbon steel	30	3.5	380				11768075
Carbon steel	36	4	420				11768156

Max. 200 articles in the table

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.