


DIN7984 Low head cap screw with hex socket steel 8.8



Characteristics

- Series:** DIN 7984
- Material quality:** 8.8 (steel)
- Surface protection:** Untreated
- Kind of thread:** Metric
- Head form:** Cheese head
- DIN standard:** 7984
- Screwing system:** Internal hexagon

Material	Thread size metric (M...)	Pitch thread	Length	Head height	Head width	Screw-in length	Article
		mm	mm	mm	mm	mm	
Carbon steel	3		5				11791413
Carbon steel	3		6				11791414
Carbon steel	3		8				11791415
Carbon steel	3		10				11791416
Carbon steel	3		12				11791417
Carbon steel	3		16				11791418
Carbon steel	3		30				11791422
Carbon steel	4		6				23693642
Carbon steel	4		8				23693643
Carbon steel	4		10				23693644
Carbon steel	4		12				23693645
Carbon steel	4		12				11791479
Carbon steel	4		16				23693646
Carbon steel	4		20				23693647
Carbon steel	5		8				23693650
Carbon steel	5		10				23693651
Carbon steel	5		10				11791487
Carbon steel	5		12				11791488
Carbon steel	5		16				23693653
Carbon steel	5		18				23693654
Carbon steel	5	0.8	20	3.5	8.5	25	23693655
Carbon steel	5		20				11791490
Carbon steel	5		25				23693656
Carbon steel	5	0.8	30	3.5	8.5	25	23693657
Carbon steel	5	0.8	35	3.5	8.5	25	23693658
Carbon steel	6		8				23693661
Carbon steel	6		10				11791494
Carbon steel	6		10				23693663
Carbon steel	6		12				23693664
Carbon steel	6		16				23693665
Carbon steel	6		20				11791498
Carbon steel	6	1	20	4	10	25	23693667
Carbon steel	6		25				23693668
Carbon steel	6	1	30	4	10	25	23693669
Carbon steel	6		35				23693670
Carbon steel	6		40				23693671

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Material	Thread size metric [M..]	Pitch thread mm	Length mm	Head height mm	Head width mm	Screw-in length mm	Article
Carbon steel	6		45				23693672
Carbon steel	6		50				23693673
Carbon steel	6		60				23693674
Carbon steel	8		10				11791435
Carbon steel	8	1.25	12	5	13	30	23693675
Carbon steel	8		16				23693676
Carbon steel	8	1.25	18	5	13	30	23693677
Carbon steel	8	1.25	20	5	13	30	23693678
Carbon steel	8		25				23693679
Carbon steel	8	1.25	30	5	13	30	23240466
Carbon steel	8		35				23693681
Carbon steel	8		40				23693682
Carbon steel	8	1.25	45	5	13	30	23693683
Carbon steel	8		50				23240470
Carbon steel	8		60				23693685
Carbon steel	8		70				23693686
Carbon steel	10		16				23693687
Carbon steel	10		25				23693689
Carbon steel	10	1.5	30	6	16	35	23693690
Carbon steel	10	1.5	35	6	16	35	23693691
Carbon steel	10		40				23240478
Carbon steel	10		45				23693693
Carbon steel	10	1.5	50	6	16	35	23693694
Carbon steel	10		60				23693695
Carbon steel	10		70				23693696
Carbon steel	10	1.5	80	6	16	35	23693697
Carbon steel	12		20				23693698
Carbon steel	12		25				23693699
Carbon steel	12	1.75	30	7	18	45	23693700
Carbon steel	12	1.75	35	7	18	45	23693701
Carbon steel	12		40				23693702
Carbon steel	12		45				23693703
Carbon steel	12		50				23693704
Carbon steel	12		60				23693705
Carbon steel	12		70				23240492
Carbon steel	12		80				23693707
Carbon steel	12	1.75	100	7	18	45	23693709
Carbon steel	16		25				23693710
Carbon steel	16		30				23240496
Carbon steel	16		35				23693712
Carbon steel	16		40				23240498
Carbon steel	16		45				23693714
Carbon steel	16		50				23693715
Carbon steel	16	2	55	9	24	55	23693716
Carbon steel	16	2	60	9	24	55	23693717
Carbon steel	16		70				23693718
Carbon steel	16	2	80	9	24	55	23693719
Carbon steel	16		90				23693720
Carbon steel	16		100				23693721
Carbon steel	16	2	120	9	24	55	23693723
Carbon steel	20	2.5	30	11	30	60	23693724
Carbon steel	20		35				23693725

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Material	Thread size metric (M..)	Pitch thread mm	Length mm	Head height mm	Head width mm	Screw-in length mm	Article
Carbon steel	20		40				23693726
Carbon steel	20		45				23693727
Carbon steel	20	2.5	50	11	30	60	23693728
Carbon steel	20		60				23693729
Carbon steel	20	2.5	70	11	30	60	23693730
Carbon steel	20	2.5	80	11	30	60	23693731
Carbon steel	20		90				23693732
Carbon steel	24		50				23693735
Carbon steel	24	3	80	13	36	80	23693737
Carbon steel	24	3	100	13	36	80	23693739

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.