


DIN7991/ISO10642 Hex socket countersunk screw Steel 10.9

**Characteristics****Series:** DIN 7991 - ISO10642**Material quality:** 10.9 [steel]**Surface protection:** Untreated**Kind of thread:** Metric**Head form:** Countersunk head**DIN standard:** 7991**ISO standard:** 10642**Screwing system:** Internal hexagon

Material	Thread size metric (M...)	Pitch thread	Length	Head height	Head width	Article
		mm	mm	mm	mm	
Carbon steel	3	0.5	6	1.86	6.72	23688739
Carbon steel	3	0.5	8			23688740
Carbon steel	3	0.5	10	1.86	6.72	23241712
Carbon steel	3	0.5	10			23688741
Carbon steel	3	0.5	12			23688742
Carbon steel	3	0.5	16	1.86	6.72	23688743
Carbon steel	3	0.5	20			23688744
Carbon steel	3	0.5	25	1.86	6.72	23688745
Carbon steel	3	0.5	30			23688746
Carbon steel	4	0.7	6	2.48	8.96	23688747
Carbon steel	4	0.7	8			23688748
Carbon steel	4	0.7	10	2.48	8.96	23241722
Carbon steel	4	0.7	10			23688749
Carbon steel	4	0.7	12	2.48	8.96	23688750
Carbon steel	4	0.7	16	2.48	8.96	23688751
Carbon steel	4	0.7	20	2.48	8.96	23241725
Carbon steel	4	0.7	25			23688753
Carbon steel	4	0.7	30			23688754
Carbon steel	4	0.7	35	2.48	8.96	23688755
Carbon steel	4	0.7	40			23688756
Carbon steel	5	0.8	8			23688757
Carbon steel	5	0.8	10	3.2	11.2	23241734
Carbon steel	5	0.8	10			23688758
Carbon steel	5	0.8	12			23241735
Carbon steel	5	0.8	16			23241736
Carbon steel	5	0.8	18	3.2	11.2	23688761
Carbon steel	5	0.8	20			23241738
Carbon steel	5	0.8	30			23241741
Carbon steel	5	0.8	35	3.2	11.2	23688765
Carbon steel	5	0.8	40			23241743
Carbon steel	5	0.8	45			23688767
Carbon steel	5	0.8	50	3.2	11.2	23688768
Carbon steel	6	1	8			23688769
Carbon steel	6	1	10	3.72	13.44	23241749
Carbon steel	6	1	10			23688770

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Material	Thread size metric (M..)	Pitch thread mm	Length mm	Head height mm	Head width mm	Article
Carbon steel	6	1	12			23688771
Carbon steel	6	1	14			11794697
Carbon steel	6	1	16			23241751
Carbon steel	6	1	20	3.72	13.44	23241752
Carbon steel	6	1	25			23688774
Carbon steel	6	1	30			23241754
Carbon steel	6	1	35			23688776
Carbon steel	6	1	40			23688777
Carbon steel	6	1	45	3.72	13.44	23688778
Carbon steel	6	1	50			23688779
Carbon steel	6	1	55			23688780
Carbon steel	6	1	60			23241759
Carbon steel	6	1	70			23688782
Carbon steel	6	1	80			23688783
Carbon steel	8	1.25	10			23688784
Carbon steel	8	1.25	12	4.96	17.92	23688785
Carbon steel	8	1.25	14			11794700
Carbon steel	8	1.25	16			23241766
Carbon steel	8	1.25	25	4.96	17.92	23241768
Carbon steel	8	1.25	30	4.96	17.92	23241769
Carbon steel	8	1.25	35			23688790
Carbon steel	8	1.25	40	4.96	17.92	23688791
Carbon steel	8	1.25	45	4.96	17.92	23688792
Carbon steel	8	1.25	55			11794703
Carbon steel	8	1.25	70			23688795
Carbon steel	8	1.25	80			23688796
Carbon steel	8	1.25	90	4.96	17.92	23688797
Carbon steel	8	1.25	100			23688798
Carbon steel	8	1.25	120			11794705
Carbon steel	10	1.5	12			11794710
Carbon steel	10	1.5	16			23688799
Carbon steel	10	1.5	18			11794711
Carbon steel	10	1.5	20	6.2	22.4	23241780
Carbon steel	10	1.5	25	6.2	22.4	23241781
Carbon steel	10	1.5	30	6.2	22.4	23241782
Carbon steel	10	1.5	35	6.2	22.4	23241783
Carbon steel	10	1.5	45	6.2	22.4	23241785
Carbon steel	10	1.5	45			23688806
Carbon steel	10	1.5	50			23688808
Carbon steel	10	1.5	55			23688810
Carbon steel	10	1.5	70			23688812
Carbon steel	10	1.5	80	6.2	22.4	23241792
Carbon steel	10	1.5	90			23688817
Carbon steel	10	1.5	100			23688820
Carbon steel	10	1.5	110			11794712
Carbon steel	10	1.5	120			23688821
Carbon steel	10	1.5	140			11794714
Carbon steel	10	1.5	150			11794715
Carbon steel	12	1.75	20	7.4	26.88	23241796
Carbon steel	12	1.75	25			23688823
Carbon steel	12	1.75	30			23688824
Carbon steel	12	1.75	40			23688826

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Material	Thread size metric (M...)	Pitch thread	Length	Head height	Head width	Article
		mm	mm	mm	mm	
Carbon steel	12	1.75	40			23241800
Carbon steel	12	1.75	45			23688827
Carbon steel	12	1.75	50	7.4	26.88	23241802
Carbon steel	12	1.75	55			23688829
Carbon steel	12	1.75	70			23688831
Carbon steel	12	1.75	80			23688832
Carbon steel	12	1.75	90			23688833
Carbon steel	12	1.75	100			23688834
Carbon steel	12	1.75	110			23688835
Carbon steel	12	1.75	120			23688836
Carbon steel	12	1.75	130			23688837
Carbon steel	12	1.75	140			23688838
Carbon steel	14	2	35			23688840
Carbon steel	14	2	40			23688841
Carbon steel	14	2	50	8.4	30.8	23688842
Carbon steel	14	2	60			23688843
Carbon steel	14	2	80	8.4	30.8	23688845
Carbon steel	16	2	25			23688848
Carbon steel	16	2	30			23688849
Carbon steel	16	2	35			23688850
Carbon steel	16	2	40			23688851
Carbon steel	16	2	45	8.8	33.6	23688852
Carbon steel	16	2	50	8.8	33.6	23688853
Carbon steel	16	2	55			11794726
Carbon steel	16	2	60			23688854
Carbon steel	16	2	70			23688855
Carbon steel	16	2	80	8.8	33.6	23688856
Carbon steel	16	2	90			23688857
Carbon steel	16	2	100			23688858
Carbon steel	16	2	110			23688859
Carbon steel	16	2	120			23688860
Carbon steel	16	2	130			23688861
Carbon steel	16	2	140			23688862
Carbon steel	20	2.5	30			23688864
Carbon steel	20	2.5	35	10.16	40.32	23688865
Carbon steel	20	2.5	40			23688866
Carbon steel	20	2.5	50			23688867
Carbon steel	20	2.5	55			23688868
Carbon steel	20	2.5	60	10.16	40.32	23688869
Carbon steel	20	2.5	70			23688870
Carbon steel	20	2.5	80			23688871
Carbon steel	20	2.5	90			23688872
Carbon steel	20	2.5	100			23688873
Carbon steel	20	2.5	110			23688874
Carbon steel	20	2.5	120			23688875
Carbon steel	20	2.5	140			23688876
Carbon steel	20	2.5	200			23688879
Carbon steel	24	3	50	14	39	23688880
Carbon steel	24	3	60			23688881
Carbon steel	24	3	70			23688882
Carbon steel	24	3	80	14	39	23241860
Carbon steel	24	3	90			23688884

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Material	Thread size metric (M..)	Pitch thread mm	Length mm	Head height mm	Head width mm	Article
Carbon steel	24	3	100	14	39	23688885

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.