


DIN7991/ISO10642 Hex socket countersunk screw Steel 8.8 zinc plated



Characteristics

Series: DIN 7991 - ISO10642

Material quality: 8.8 [steel]

Surface protection: Galvanic/electrolytic zinc plated

Kind of thread: Metric

Head form: Countersunk head

DIN standard: 7991

ISO standard: 10642

Screwing system: Internal hexagon

Material	Thread size metric (M...)	Pitch thread	Length mm	Head height mm	Head width mm	Article
		mm				
						11795190
Carbon steel	3	0.5	6			23688893
Carbon steel	3	0.5	10			23688895
Carbon steel	3	0.5	12	1.86	6.72	23688896
Carbon steel	3	0.5	16			23688897
Carbon steel	3	0.5	25	1.86	6.72	23688899
Carbon steel	3	0.5	30	1.86	6.72	23688900
Carbon steel	4	0.7	6			23688901
Carbon steel	4	0.7	8			23688902
Carbon steel	4	0.7	10			23241986
Carbon steel	4	0.7	10			23688904
Carbon steel	4	0.7	12			23688906
Carbon steel	4	0.7	16			23241988
Carbon steel	4	0.7	16			11795230
Carbon steel	4	0.7	20			23241989
Carbon steel	4	0.7	30			23688912
Carbon steel	4	0.7	35	2.48	8.96	23688913
Carbon steel	5	0.8	10			23688917
Carbon steel	5	0.8	10			23241998
Carbon steel	5	0.8	10			11795232
Carbon steel	5	0.8	12	3.2	11.2	23241999
Carbon steel	5	0.8	12			23688919
Carbon steel	5	0.8	16			23242000
Carbon steel	5	0.8	16			11795234
Carbon steel	5	0.8	16			23688921
Carbon steel	5	0.8	18			11795148
Carbon steel	5	0.8	20	3.2	11.2	23242001
Carbon steel	5	0.8	20			11795235
Carbon steel	5	0.8	25	3.2	11.2	23242002
Carbon steel	5	0.8	35	3.2	11.2	23242004
Carbon steel	5	0.8	40	3.2	11.2	23242005
Carbon steel	5	0.8	45			23688929
Carbon steel	5	0.8	50	3.2	11.2	23242007
Carbon steel	5	0.8	60			23688931

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Material	Thread size metric (M...)	Pitch thread	Length mm	Head height mm	Head width mm	Article
		mm				
Carbon steel	5	0.8	70	3.2	11.2	23242009
Carbon steel	6	1	8			24001140
Carbon steel	6	1	10			11795236
Carbon steel	6	1	10			23242010
Carbon steel	6	1	14			11795152
Carbon steel	6	1	16			23242012
Carbon steel	6	1	16			23688938
Carbon steel	6	1	16			11795238
Carbon steel	6	1	20			11795239
Carbon steel	6	1	20			23242013
Carbon steel	6	1	20			23688940
Carbon steel	6	1	25			23242014
Carbon steel	6	1	30			23242015
Carbon steel	6	1	30			23688944
Carbon steel	6	1	30			11795241
Carbon steel	6	1	35			23688945
Carbon steel	6	1	40			23242017
Carbon steel	6	1	45	3.72	13.44	23242018
Carbon steel	6	1	55			11795155
Carbon steel	6	1	60			23242020
Carbon steel	6	1	70	3.72	13.44	23242021
Carbon steel	6	1	80			23688951
Carbon steel	8	1.25	10	4.96	17.92	23242022
Carbon steel	8	1.25	14			11795161
Carbon steel	8	1.25	16			23242024
Carbon steel	8	1.25	20			23242025
Carbon steel	8	1.25	20			23688957
Carbon steel	8	1.25	25			23242026
Carbon steel	8	1.25	30			23242027
Carbon steel	8	1.25	30			23688961
Carbon steel	8	1.25	35			23242028
Carbon steel	8	1.25	40			23242029
Carbon steel	8	1.25	45			23242030
Carbon steel	8	1.25	50	4.96	17.92	23688965
Carbon steel	8	1.25	55	4.96	17.92	23242032
Carbon steel	8	1.25	60			23688967
Carbon steel	8	1.25	65			23688968
Carbon steel	8	1.25	70			23688969
Carbon steel	8	1.25	80	4.96	17.92	23242036
Carbon steel	8	1.25	90			11795164
Carbon steel	8	1.25	100			11795165
Carbon steel	8	1.25	110			11795166
Carbon steel	8	1.25	120			11795167
Carbon steel	8	1.25	150			11795170
Carbon steel	10	1.5	12			11795171
Carbon steel	10	1.5	16			23242037
Carbon steel	10	1.5	18			11795172
Carbon steel	10	1.5	20			23242038
Carbon steel	10	1.5	25	6.2	22.4	23242039
Carbon steel	10	1.5	30	6.2	22.4	23242040
Carbon steel	10	1.5	35			23242041
Carbon steel	10	1.5	40			23242042

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Material	Thread size metric (M...)	Pitch thread	Length mm	Head height mm	Head width mm	Article
		mm				
Carbon steel	10	1.5	45	6.2	22.4	23688977
Carbon steel	10	1.5	50			23688978
Carbon steel	10	1.5	55	6.2	22.4	23688979
Carbon steel	10	1.5	60			23688980
Carbon steel	10	1.5	70			23688981
Carbon steel	10	1.5	80			23242048
Carbon steel	10	1.5	90	6.2	22.4	23688983
Carbon steel	10	1.5	100			23688984
Carbon steel	10	1.5	120			23688985
Carbon steel	10	1.5	160			11795177
Carbon steel	12	1.75	20	7.4	26.88	23242052
Carbon steel	12	1.75	25	7.4	26.88	23688987
Carbon steel	12	1.75	30			23242054
Carbon steel	12	1.75	35	7.4	26.88	23242055
Carbon steel	12	1.75	40			23242056
Carbon steel	12	1.75	45			23688991
Carbon steel	12	1.75	50			23688992
Carbon steel	12	1.75	55	7.4	26.88	23242059
Carbon steel	12	1.75	60			23242060
Carbon steel	12	1.75	70			23688995
Carbon steel	12	1.75	80			23242062
Carbon steel	12	1.75	90			11795179
Carbon steel	12	1.75	100			11795180
Carbon steel	12	1.75	110			23688738
Carbon steel	12	1.75	120			11795181
Carbon steel	12	1.75	140			11795183
Carbon steel	12	1.75	180			11795186
Carbon steel	14	2	30			23688997
Carbon steel	14	2	35			11795188
Carbon steel	14	2	40			11795189
Carbon steel	14	2	50			11795191
Carbon steel	14	2	60			11795193
Carbon steel	16	2	20			11795194
Carbon steel	16	2	25			11795195
Carbon steel	16	2	30			23688998
Carbon steel	16	2	35	8.8	33.6	23688999
Carbon steel	16	2	40	8.8	33.6	23689000
Carbon steel	16	2	45			23689001
Carbon steel	16	2	50			23689002
Carbon steel	16	2	55			23689003
Carbon steel	16	2	60	8.8	33.6	23242069
Carbon steel	16	2	70	8.8	33.6	23689005
Carbon steel	16	2	80			23689006
Carbon steel	16	2	100			11795197
Carbon steel	16	2	110			11795198
Carbon steel	16	2	150			11795202
Carbon steel	16	2	200			11795205
Carbon steel	20	2.5	35			11795206
Carbon steel	20	2.5	40	10.16	40.32	23689007
Carbon steel	20	2.5	50	10.16	40.32	23689008
Carbon steel	20	2.5	55			23999803
Carbon steel	20	2.5	60			23689009

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Material	Thread size metric (M..)	Pitch thread	Length	Head height	Head width	Article
		mm	mm	mm	mm	
Carbon steel	20	2.5	80	10.16	40.32	23689011
Carbon steel	20	2.5	90			11795208
Carbon steel	20	2.5	100			23689012
Carbon steel	20	2.5	110			11795209
Carbon steel	20	2.5	120			11795210
Carbon steel	20	2.5	160			11795214
Carbon steel	24	3	70			11795223
Carbon steel	24	3	80			11795224
Carbon steel	24	3	100			11795226

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.