


DIN7991/ISO10642 Hex socket countersunk screw Stainless steel A2



Characteristics

Series: DIN 7991 - ISO10642

Material quality: Stainless steel A4

Surface protection: Untreated

Kind of thread: Metric

Head form: Countersunk head

DIN standard: 7991

ISO standard: 10642

Screwing system: Internal hexagon

Material	Thread size metric (M...)	Pitch thread	Length	Head height	Head width	Article
		mm	mm	mm	mm	
Stainless steel	3	0.5	6	1.86	6.72	23263972
Stainless steel	3	0.5	8	1.86	6.72	23263973
Stainless steel	3	0.5	8	1.86	6.72	23731602
Stainless steel	3	0.5	10	1.86	6.72	23731593
Stainless steel	3	0.5	10	1.86	6.72	23263974
Stainless steel	3	0.5	14			23731595
Stainless steel	3	0.5	16			23731596
Stainless steel	3	0.5	16			23263977
Stainless steel	3	0.5	18			23731597
Stainless steel	3	0.5	20	1.86	6.72	23731598
Stainless steel	3	0.5	20	1.86	6.72	23263979
Stainless steel	3	0.5	25	1.86	6.72	23731599
Stainless steel	3	0.5	25			23263980
Stainless steel	3	0.5	30			11750036
Stainless steel	3	0.5	40	1.86	6.72	23731600
Stainless steel	4	0.7	6			23263982
Stainless steel	4	0.7	8	2.48	8.96	23263983
Stainless steel	4	0.7	10			23263984
Stainless steel	4	0.7	12			23263985
Stainless steel	4	0.7	12			23731605
Stainless steel	4	0.7	14			23263986
Stainless steel	4	0.7	14			23731606
Stainless steel	4	0.7	16			23263987
Stainless steel	4	0.7	18			23263988
Stainless steel	4	0.7	18			23731607
Stainless steel	4	0.7	20	2.48	8.96	23263989
Stainless steel	4	0.7	25			23263990
Stainless steel	4	0.7	30			23263991
Stainless steel	4	0.7	40	2.48	8.96	23263993
Stainless steel	4	0.7	50			23263994
Stainless steel	5	0.8	8			23731629
Stainless steel	5	0.8	10			23263996
Stainless steel	5	0.8	14	3.2	11.2	23731618
Stainless steel	5	0.8	14	3.2	11.2	23263998

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Material	Thread size metric (M...)	Pitch thread	Length	Head height	Head width	Article
		mm	mm	mm	mm	
Stainless steel	5	0.8	16			23263999
Stainless steel	5	0.8	18			23731620
Stainless steel	5	0.8	18			23264000
Stainless steel	5	0.8	20			23264001
Stainless steel	5	0.8	25			23264002
Stainless steel	5	0.8	30	3.2	11.2	23264003
Stainless steel	5	0.8	35	3.2	11.2	23264004
Stainless steel	5	0.8	40			23264005
Stainless steel	5	0.8	50	3.2	11.2	23731627
Stainless steel	5	0.8	50	3.2	11.2	23264007
Stainless steel	5	0.8	60			23264008
Stainless steel	6	1	8			23731645
Stainless steel	6	1	8			23264009
Stainless steel	6	1	10	3.72	13.44	23264010
Stainless steel	6	1	12			23731630
Stainless steel	6	1	12			23264011
Stainless steel	6	1	14	3.72	13.44	23264012
Stainless steel	6	1	16			23264013
Stainless steel	6	1	20	3.72	13.44	23264015
Stainless steel	6	1	25			23264016
Stainless steel	6	1	30	3.72	13.44	23264017
Stainless steel	6	1	35			23264018
Stainless steel	6	1	40	3.72	13.44	23264019
Stainless steel	6	1	45			23264020
Stainless steel	6	1	50			23264021
Stainless steel	6	1	55			23264022
Stainless steel	6	1	60	3.72	13.44	23264023
Stainless steel	6	1	70			23264024
Stainless steel	6	1	80			23264025
Stainless steel	8	1.25	12			23731649
Stainless steel	8	1.25	16			23264028
Stainless steel	8	1.25	18			23264029
Stainless steel	8	1.25	20			23264030
Stainless steel	8	1.25	25			23264031
Stainless steel	8	1.25	30	4.96	17.92	23264032
Stainless steel	8	1.25	35	4.96	17.92	23264033
Stainless steel	8	1.25	40	4.96	17.92	23264034
Stainless steel	8	1.25	45			23264035
Stainless steel	8	1.25	50			23264036
Stainless steel	8	1.25	55			23264037
Stainless steel	8	1.25	60	4.96	17.92	23264038
Stainless steel	8	1.25	70			23264039
Stainless steel	8	1.25	80	4.96	17.92	23731663
Stainless steel	8	1.25	90			23731664
Stainless steel	8	1.25	100			23264042
Stainless steel	10	1.5	16			23264043
Stainless steel	10	1.5	18			23264044
Stainless steel	10	1.5	20	6.2	22.4	23264045
Stainless steel	10	1.5	25			23264046
Stainless steel	10	1.5	30	6.2	22.4	23264047
Stainless steel	10	1.5	35	6.2	22.4	23264048
Stainless steel	10	1.5	40			23264049

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Material	Thread size metric (M..)	Pitch thread	Length	Head height	Head width	Article
		mm	mm	mm	mm	
Stainless steel	10	1.5	45			23731539
Stainless steel	10	1.5	50			23264051
Stainless steel	10	1.5	55			23264052
Stainless steel	10	1.5	60			23264053
Stainless steel	10	1.5	70	6.2	22.4	23264054
Stainless steel	10	1.5	80			23264055
Stainless steel	12	1.75	20			23264059
Stainless steel	12	1.75	25	7.4	26.88	23264060
Stainless steel	12	1.75	30	7.4	26.88	23264061
Stainless steel	12	1.75	35			23264062
Stainless steel	12	1.75	40			23264063
Stainless steel	12	1.75	45	7.4	26.88	23264064
Stainless steel	12	1.75	50			23264065
Stainless steel	12	1.75	55			23264066
Stainless steel	12	1.75	60			23264067
Stainless steel	12	1.75	70	7.4	26.88	23731556
Stainless steel	12	1.75	70	7.4	26.88	23264068
Stainless steel	12	1.75	100			23264071
Stainless steel	16	2	30			23264073
Stainless steel	16	2	35			23264074
Stainless steel	16	2	40	8.8	33.6	23264075
Stainless steel	16	2	45			23264076
Stainless steel	16	2	50			23264077
Stainless steel	16	2	60	8.8	33.6	23264078
Stainless steel	16	2	70			23264079
Stainless steel	16	2	80			23264080
Stainless steel	16	2	100	8.8	33.6	23731559
Stainless steel	16	2	110	8.8	33.6	23731560
Stainless steel	20	2.5	50			23731574
Stainless steel	20	2.5	60			23731576
Stainless steel	20	2.5	80			23731578
Stainless steel	20	2.5	100	10.16	40.32	23731573
Stainless steel	6	1	16	3.72	13.44	23269443

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.