

DIN931 Hex head bolt Stainless steel A4



Characteristics
Series: DIN 931
Material quality: Stainless steel A4
Surface protection: Untreated
Kind of thread: Metric
DIN standard: 931
ISO standard: 4014
With nut: No
Head form: Hexagon head

Material	Thread size metric (M..)	Length mm	Wrench width mm	Pitch thread mm	Article
Stainless steel	5	30	8	0.8	23727719
Stainless steel	5	30	8	0.8	23268515
Stainless steel	5	35	8	0.8	23727720
Stainless steel	5	40	8	0.8	23727721
Stainless steel	5	40	8	0.8	23268517
Stainless steel	5	45	8	0.8	23727722
Stainless steel	5	50	8	0.8	23727723
Stainless steel	5	50	8	0.8	23268519
Stainless steel	6	30	10	1	23268521
Stainless steel	6	35	10	1	23727735
Stainless steel	6	35	10	1	23268522
Stainless steel	6	40	10	1	23268523
Stainless steel	6	40	10	1	23727736
Stainless steel	6	45	10	1	23268524
Stainless steel	6	50	10	1	23268525
Stainless steel	6	55	10	1	23268526
Stainless steel	6	60	10	1	23268527
Stainless steel	6	65	10	1	23268528
Stainless steel	6	80	10	1	23268530
Stainless steel	6	90	10	1	23268531
Stainless steel	6	100	10	1	23268532
Stainless steel	6	110	10	1	23727726
Stainless steel	6	120	10	1	23727727
Stainless steel	6	130	10	1	23727728
Stainless steel	6	170	10	1	23727732
Stainless steel	8	35	13	1.25	23268541
Stainless steel	8	45	13	1.25	23268543
Stainless steel	8	50	13	1.25	23268544
Stainless steel	8	60	13	1.25	23268546
Stainless steel	8	65	13	1.25	23268547
Stainless steel	8	70	13	1.25	23268548
Stainless steel	8	80	13	1.25	23268550
Stainless steel	8	120	13	1.25	23268554
Stainless steel	8	130	13	1.25	23268555
Stainless steel	8	140	13	1.25	23268556
Stainless steel	8	180	13	1.25	23268560
Stainless steel	8	200	13	1.25	23727754
Stainless steel	10	40	17	1.5	23268564
Stainless steel	10	45	17	1.5	23268565

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Material	Thread size metric (M..)	Length mm	Wrench width mm	Pitch thread mm	Article
Stainless steel	10	50	17	1.5	23268566
Stainless steel	10	55	17	1.5	23268567
Stainless steel	10	60	17	1.5	23268568
Stainless steel	10	65	17	1.5	23268569
Stainless steel	10	70	17	1.5	23268570
Stainless steel	10	75	17	1.5	23268571
Stainless steel	10	80	17	1.5	23268572
Stainless steel	10	90	17	1.5	23268573
Stainless steel	10	100	17	1.5	23268574
Stainless steel	10	110	17	1.5	23268575
Stainless steel	10	120	17	1.5	23268576
Stainless steel	10	120	17	1.5	23727538
Stainless steel	10	130	17	1.5	23727539
Stainless steel	10	130	17	1.5	23268577
Stainless steel	10	150	17	1.5	23727541
Stainless steel	10	170	17	1.5	23268581
Stainless steel	12	45	19	1.75	23268586
Stainless steel	12	50	19	1.75	23268587
Stainless steel	12	55	19	1.75	23268588
Stainless steel	12	60	19	1.75	23268589
Stainless steel	12	65	19	1.75	23268590
Stainless steel	12	70	19	1.75	23268591
Stainless steel	12	75	19	1.75	23268592
Stainless steel	12	80	19	1.75	23268593
Stainless steel	12	90	19	1.75	23268594
Stainless steel	12	100	19	1.75	23268595
Stainless steel	12	110	19	1.75	23268596
Stainless steel	12	120	19	1.75	23268597
Stainless steel	12	130	19	1.75	23268598
Stainless steel	12	140	19	1.75	23268599
Stainless steel	12	150	19	1.75	23268600
Stainless steel	12	180	19	1.75	23268603
Stainless steel	14	60	22	2	23268609
Stainless steel	14	70	22	2	23268610
Stainless steel	14	80	22	2	23727590
Stainless steel	14	90	22	2	23727591
Stainless steel	14	100	22	2	23727581
Stainless steel	14	120	22	2	23727582
Stainless steel	14	140	22	2	23268612
Stainless steel	14	150	22	2	23727584
Stainless steel	16	55	24	2	23268621
Stainless steel	16	60	24	2	23268622
Stainless steel	16	65	24	2	23268623
Stainless steel	16	70	24	2	23268624
Stainless steel	16	75	24	2	23268625
Stainless steel	16	80	24	2	23268626
Stainless steel	16	85	24	2	23727612
Stainless steel	16	90	24	2	23268627
Stainless steel	16	110	24	2	23268629
Stainless steel	16	120	24	2	23268630
Stainless steel	16	130	24	2	23727595
Stainless steel	16	140	24	2	23268632
Stainless steel	16	150	24	2	23727597

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Material	Thread size metric (M..)	Length mm	Wrench width mm	Pitch thread mm	Article
Stainless steel	16	160	24	2	23268634
Stainless steel	16	180	24	2	23727599
Stainless steel	16	200	24	2	23727600
Stainless steel	16	200	24	2	23268636
Stainless steel	18	70	27	2.5	23268643
Stainless steel	18	75	27	2.5	11744346
Stainless steel	18	80	27	2.5	23727620
Stainless steel	18	90	27	2.5	23727621
Stainless steel	18	100	27	2.5	23727614
Stainless steel	18	110	27	2.5	23727615
Stainless steel	18	130	27	2.5	11744338
Stainless steel	18	160	27	2.5	11744340
Stainless steel	18	170	27	2.5	11744341
Stainless steel	18	180	27	2.5	11744342
Stainless steel	18	200	27	2.5	11744344
Stainless steel	20	65	30	2.5	23268650
Stainless steel	20	70	30	2.5	23268651
Stainless steel	20	75	30	2.5	23268652
Stainless steel	20	80	30	2.5	23268653
Stainless steel	20	90	30	2.5	23268654
Stainless steel	20	100	30	2.5	23268655
Stainless steel	20	110	30	2.5	23268656
Stainless steel	20	120	30	2.5	23727624
Stainless steel	20	120	30	2.5	23268657
Stainless steel	20	130	30	2.5	23727625
Stainless steel	20	140	30	2.5	23727626
Stainless steel	20	150	30	2.5	23727627
Stainless steel	20	160	30	2.5	23268661
Stainless steel	20	180	30	2.5	23268662
Stainless steel	20	200	30	2.5	23268663
Stainless steel	20	200	30	2.5	23727630
Stainless steel	20	220	30	2.5	23727631
Stainless steel	22	80		2.5	23268669
Stainless steel	22	100	32	2.5	23727641
Stainless steel	22	150	32	2.5	23268675
Stainless steel	22	150	32	2.5	23727645
Stainless steel	24	80	36	3	23727661
Stainless steel	24	90	36	3	23727663
Stainless steel	24	90		3	23268677
Stainless steel	24	100	36	3	23727648
Stainless steel	24	100	36	3	23268678
Stainless steel	24	110	36	3	23268679
Stainless steel	24	110	36	3	23727649
Stainless steel	24	120	36	3	23727650
Stainless steel	24	130	36	3	23727651
Stainless steel	24	140	36	3	23727652
Stainless steel	24	150	36	3	23727653
Stainless steel	24	160	36	3	23727654
Stainless steel	24	180	36	3	23727655
Stainless steel	24	200	36	3	23727656
Stainless steel	24	230	36	3	23268688
Stainless steel	27	80	41	3	23727675
Stainless steel	27	90	41	3	23727676

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Material	Thread size metric (M..)	Length mm	Wrench width mm	Pitch thread mm	Article
Stainless steel	27	100	41	3	23727664
Stainless steel	27	110	41	3	23268694
Stainless steel	27	120	41	3	23727666
Stainless steel	27	140	41	3	23727668
Stainless steel	27	250	41	3	11744397
Stainless steel	30	100	46	3.5	23727677
Stainless steel	30	110	46	3.5	23727678
Stainless steel	30	120	46	3.5	23727679
Stainless steel	30	160	46	3.5	23727682
Stainless steel	30	200	46	3.5	23268712

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.