

DIN933 Hex head cap screw Steel 8.8



Characteristics
Series: DIN 933
Material quality: 8.8 (steel)
Surface protection: Untreated
Kind of thread: Metric
DIN standard: 933
ISO standard: 4017
Head form: Hexagon head

Material	Thread size metric (M..)	Length	Wrench width	Pitch thread	Head height	Article
		mm		mm	mm	
Carbon steel	3	8		0.5	2	11772673
Carbon steel	3	10		0.5	2	11773041
Carbon steel	3	10		0.5	2	11772674
Carbon steel	3	16		0.5	2	11772675
Carbon steel	3	18		0.5	2	11772676
Carbon steel	3	20		0.5	2	11772677
Carbon steel	3	25		0.5	2	11772679
Carbon steel	3	30		0.5	2	11772680
Carbon steel	3	35		0.5	2	11772681
Carbon steel	3	40		0.5	2	11772682
Carbon steel	3	50		0.5	2	11772683
Carbon steel	4	8		0.7	2.8	23697790
Carbon steel	4	10		0.7	2.8	23697791
Carbon steel	4	10		0.7	2.8	11773048
Carbon steel	4	12		0.7	2.8	23697792
Carbon steel	4	14		0.7	2.8	11772686
Carbon steel	4	16		0.7	2.8	23697793
Carbon steel	4	16		0.7	2.8	11773050
Carbon steel	4	18		0.7	2.8	11772687
Carbon steel	4	20		0.7	2.8	11773051
Carbon steel	4	20		0.7	2.8	23234274
Carbon steel	4	22		0.7	2.8	11772688
Carbon steel	4	25		0.7	2.8	23697795
Carbon steel	4	30		0.7	2.8	23697796
Carbon steel	4	30		0.7	2.8	11773053
Carbon steel	4	35		0.7	2.8	23697797
Carbon steel	4	40		0.7	2.8	23697798
Carbon steel	4	40		0.7	2.8	11773055
Carbon steel	4	50		0.7	2.8	23697799
Carbon steel	4	60		0.7	2.8	11772691
Carbon steel	5	8		0.8	3.5	23697800
Carbon steel	5	10		0.8	3.5	11773059
Carbon steel	5	10		0.8	3.5	23697801
Carbon steel	5	12		0.8	3.5	23697802
Carbon steel	5	16		0.8	3.5	23697803
Carbon steel	5	18		0.8	3.5	23697804
Carbon steel	5	20		0.8	3.5	23697805
Carbon steel	5	20		0.8	3.5	11773063
Carbon steel	5	25		0.8	3.5	23697806
Carbon steel	5	30		0.8	3.5	23697807

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Material	Thread size metric (M...)	Length	Wrench width	Pitch thread	Head height	Article
		mm		mm	mm	
Carbon steel	5	35		0.8	3.5	23697808
Carbon steel	5	40		0.8	3.5	23697809
Carbon steel	5	45		0.8	3.5	11772697
Carbon steel	5	50		0.8	3.5	23697810
Carbon steel	5	55		0.8	3.5	11772698
Carbon steel	5	60		0.8	3.5	11772699
Carbon steel	5	65		0.8	3.5	11772700
Carbon steel	5	70		0.8	3.5	11772701
Carbon steel	5	80		0.8	3.5	11772702
Carbon steel	6	12		1	4	23697813
Carbon steel	6	14		1	4	23697814
Carbon steel	6	16		1	4	11773071
Carbon steel	6	20		1	4	11773073
Carbon steel	6	22		1	4	23697818
Carbon steel	6	25		1	4	11773075
Carbon steel	6	30		1	4	11773077
Carbon steel	6	40		1	4	23234302
Carbon steel	6	45		1	4	23697823
Carbon steel	6	55		1	4	11772707
Carbon steel	6	65		1	4	11772708
Carbon steel	6	70		1	4	23697826
Carbon steel	6	75		1	4	11772709
Carbon steel	6	90		1	4	11772712
Carbon steel	6	100		1	4	11772713
Carbon steel	7	12		1	4.8	11772719
Carbon steel	7	16		1	4.8	23697827
Carbon steel	7	20		1	4.8	23697828
Carbon steel	7	25		1	4.8	23697829
Carbon steel	7	30		1	4.8	23697830
Carbon steel	7	40		1	4.8	23697832
Carbon steel	8	10		1.25	5.3	23697834
Carbon steel	8	12		1.25	5.3	23234317
Carbon steel	8	14		1.25	5.3	23697836
Carbon steel	8	16		1.25	5.3	23234319
Carbon steel	8	18		1.25	5.3	23697838
Carbon steel	8	20		1.25	5.3	23234321
Carbon steel	8	22		1.25	5.3	23697840
Carbon steel	8	25		1.25	5.3	23234323
Carbon steel	8	30		1.25	5.3	23697842
Carbon steel	8	40		1.25	5.3	23234326
Carbon steel	8	45		1.25	5.3	23234327
Carbon steel	8	50		1.25	5.3	23697846
Carbon steel	8	55		1.25	5.3	23697847
Carbon steel	8	60		1.25	5.3	23697848
Carbon steel	8	70		1.25	5.3	23234332
Carbon steel	8	75		1.25	5.3	23697851
Carbon steel	8	80		1.25	5.3	23697852
Carbon steel	8	90		1.25	5.3	23697853
Carbon steel	8	100		1.25	5.3	23697854
Carbon steel	8	110		1.25	5.3	23697855
Carbon steel	8	120		1.25	5.3	23697856
Carbon steel	8	150		1.25	5.3	11772725

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Material	Thread size metric (M...)	Length	Wrench width	Pitch thread	Head height	Article
		mm		mm	mm	
Carbon steel	10	12		1.5	6.4	23697857
Carbon steel	10	16	17	1.5	6.4	23697858
Carbon steel	10	22	17	1.5	6.4	23697860
Carbon steel	10	25	17	1.5	6.4	23234339
Carbon steel	10	30	17	1.5	6.4	23697863
Carbon steel	10	40	17	1.5	6.4	23234342
Carbon steel	10	70	17	1.5	6.4	23697871
Carbon steel	10	75	17	1.5	6.4	23697872
Carbon steel	10	80	17	1.5	6.4	23234350
Carbon steel	10	90	17	1.5	6.4	23697874
Carbon steel	10	110	17	1.5	6.4	23697876
Carbon steel	10	130		1.5	6.4	11772734
Carbon steel	10	140		1.5	6.4	23697878
Carbon steel	10	150		1.5	6.4	23697879
Carbon steel	10	180		1.5	6.4	11772737
Carbon steel	10	200		1.5	6.4	11772739
Carbon steel	12	12		1.75	7.5	11772746
Carbon steel	12	16	19	1.75	7.5	23697880
Carbon steel	12	25	19	1.75	7.5	23234356
Carbon steel	12	30	19	1.75	7.5	23234358
Carbon steel	12	35	19	1.75	7.5	23234359
Carbon steel	12	50	19	1.75	7.5	23234362
Carbon steel	12	60	19	1.75	7.5	23234364
Carbon steel	12	65	19	1.75	7.5	23697891
Carbon steel	12	75	19	1.75	7.5	23697893
Carbon steel	12	80	19	1.75	7.5	23234368
Carbon steel	12	90	19	1.75	7.5	23697895
Carbon steel	12	100	19	1.75	7.5	23234370
Carbon steel	12	110	19	1.75	7.5	23697897
Carbon steel	12	130	19	1.75	7.5	23697899
Carbon steel	12	140	19	1.75	7.5	23697900
Carbon steel	12	150	19	1.75	7.5	23697901
Carbon steel	12	160	19	1.75	7.5	23697902
Carbon steel	12	170		1.75	7.5	11772750
Carbon steel	12	180		1.75	7.5	11772751
Carbon steel	12	240		1.75	7.5	11772755
Carbon steel	14	16		2	8.8	11772762
Carbon steel	14	20	22	2	8.8	23697903
Carbon steel	14	25	22	2	8.8	23697904
Carbon steel	14	35	22	2	8.8	23697906
Carbon steel	14	40	22	2	8.8	23697907
Carbon steel	14	45	22	2	8.8	23697908
Carbon steel	14	50	22	2	8.8	23697909
Carbon steel	14	55	22	2	8.8	23697910
Carbon steel	14	60	22	2	8.8	23697911
Carbon steel	14	65	22	2	8.8	23697912
Carbon steel	14	70	22	2	8.8	23697913
Carbon steel	14	75	22	2	8.8	23697914
Carbon steel	14	80	22	2	8.8	23697915
Carbon steel	14	100	22	2	8.8	23697917
Carbon steel	14	120		2	8.8	23697918
Carbon steel	14	160		2	8.8	11772768

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Material	Thread size metric (M...)	Length	Wrench width	Pitch thread	Head height	Article
		mm		mm	mm	
Carbon steel	16	20		2	10	23234392
Carbon steel	16	35		2	10	23697922
Carbon steel	16	40		2	10	23697923
Carbon steel	16	50		2	10	23234398
Carbon steel	16	60		2	10	23234400
Carbon steel	16	70		2	10	23234402
Carbon steel	16	75		2	10	23697930
Carbon steel	16	80		2	10	23234404
Carbon steel	16	90		2	10	23697932
Carbon steel	16	100		2	10	23234406
Carbon steel	16	110		2	10	23697934
Carbon steel	16	120		2	10	23697935
Carbon steel	16	140		2	10	23697937
Carbon steel	16	150		2	10	23697938
Carbon steel	16	160		2	10	23697939
Carbon steel	16	180		2	10	23697940
Carbon steel	16	200		2	10	23697941
Carbon steel	16	300		2	10	11772791
Carbon steel	18	20		2.5	11.5	11772802
Carbon steel	18	30		2.5	11.5	23697942
Carbon steel	18	35		2.5	11.5	23697943
Carbon steel	18	40		2.5	11.5	23697944
Carbon steel	18	45		2.5	11.5	23697945
Carbon steel	18	55		2.5	11.5	23697947
Carbon steel	18	60		2.5	11.5	23697948
Carbon steel	18	65		2.5	11.5	23697949
Carbon steel	18	70		2.5	11.5	23697950
Carbon steel	18	75		2.5	11.5	11772803
Carbon steel	18	80		2.5	11.5	23697951
Carbon steel	18	90		2.5	11.5	23697952
Carbon steel	18	100		2.5	11.5	23697953
Carbon steel	18	130		2.5	11.5	11772805
Carbon steel	18	150		2.5	11.5	11772807
Carbon steel	18	170		2.5	11.5	11772808
Carbon steel	18	200		2.5	11.5	11772811
Carbon steel	20	20		2.5	12.5	11772817
Carbon steel	20	25		2.5	12.5	11772818
Carbon steel	20	45		2.5	12.5	23234422
Carbon steel	20	60		2.5	12.5	23234425
Carbon steel	20	80		2.5	12.5	23234427
Carbon steel	20	90		2.5	12.5	23234428
Carbon steel	20	100		2.5	12.5	23234429
Carbon steel	20	220		2.5	12.5	11772822
Carbon steel	22	35		2.5	14	11772840
Carbon steel	22	110		2.5	14	11772842
Carbon steel	24	60		3	15	23234443
Carbon steel	24	100		3	15	23234448
Carbon steel	24	180		3	15	23688480
Carbon steel	24	260		3	15	11772862
Carbon steel	24	500		3	15	11772874
Carbon steel	30	260		3.5	18.7	11772901
Carbon steel	30	280		3.5	18.7	11772902

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Material	Thread size metric (M..)	Length mm	Wrench width	Pitch thread mm	Head height mm	Article
Carbon steel	33	60		3.5	21	11772931
Carbon steel	36	200		4	22.5	11772956
Carbon steel	36	260		4	22.5	11772959

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.